

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021524\
 Data File : BP019724.D
 Acq On : 15 Feb 2024 15:46
 Operator : MA/JU
 Sample : P1483-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 VNJ-205

Quant Time: Feb 15 16:11:42 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 01 00:51:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.905	152	70017	20.000	ng	-0.01
21) Naphthalene-d8	10.704	136	254959	20.000	ng	-0.01
39) Acenaphthene-d10	14.540	164	170429	20.000	ng	-0.01
64) Phenanthrene-d10	17.298	188	429053	20.000	ng	0.00
76) Chrysene-d12	21.386	240	467595	20.000	ng	0.00
86) Perylene-d12	23.810	264	523001	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	345427	79.524	ng	-0.01
7) Phenol-d6	7.075	99	442088	75.482	ng	-0.01
23) Nitrobenzene-d5	9.069	82	306614	52.110	ng	-0.02
42) 2,4,6-Tribromophenol	16.034	330	269572	108.332	ng	0.00
45) 2-Fluorobiphenyl	13.163	172	665962	48.306	ng	-0.02
79) Terphenyl-d14	19.863	244	1415505	49.784	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021524\
Data File : BP019724.D
Acq On : 15 Feb 2024 15:46
Operator : MA/JU
Sample : P1483-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
VNJ-205

Quant Time: Feb 15 16:11:42 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 01 00:51:48 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.905 min Scan# 81
Delta R.T. -0.011 min
Lab File: BP019724.D
Acq: 15 Feb 2024 15:46




Instrument :
BNA_P
ClientSampleId :
VNJ-205

Tgt Ion:152 Resp: 70017
Ion Ratio Lower Upper
152 100
150 157.2 121.8 182.8
115 63.8 49.9 74.9



#5
2-Fluorophenol
Concen: 79.524 ng
RT: 5.475 min Scan# 406
Delta R.T. -0.011 min
Lab File: BP019724.D
Acq: 15 Feb 2024 15:46

Tgt Ion:112 Resp: 345427
Ion Ratio Lower Upper
112 100
64 58.3 47.4 71.0
63 32.5 27.0 40.6









#7
Phenol-d6
Concen: 75.482 ng
RT: 7.075 min Scan# 61
Delta R.T. -0.011 min
Lab File: BP019724.D
Acq: 15 Feb 2024 15:46




Instrument :
BNA_P
ClientSampleId :
VNJ-205

Tgt Ion: 99 Resp: 442088
Ion Ratio Lower Upper
99 100
42 17.4 14.7 22.1
71 43.7 34.8 52.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.704 min Scan# 1295
Delta R.T. -0.011 min
Lab File: BP019724.D
Acq: 15 Feb 2024 15:46

Tgt Ion: 136 Resp: 254959
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 6.6 5.3 7.9
68 4.8 4.1 6.1









#23
Nitrobenzene-d5
Concen: 52.110 ng
RT: 9.069 min Scan# 1020
Delta R.T. -0.017 min
Lab File: BP019724.D
Acq: 15 Feb 2024 15:46




Instrument :
BNA_P
ClientSampleId :
VNJ-205


Tgt Ion: 82 Resp: 306614
Ion Ratio Lower Upper
82 100
128 37.6 29.7 44.5
54 44.8 36.8 55.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.540 min Scan# 1947
Delta R.T. -0.011 min
Lab File: BP019724.D
Acq: 15 Feb 2024 15:46

Tgt Ion:164 Resp: 170429
Ion Ratio Lower Upper
164 100
162 100.7 81.2 121.8
160 45.8 35.1 52.7





#42

2,4,6-Tribromophenol

Concen: 108.332 ng

RT: 16.034 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP019724.D

Acq: 15 Feb 2024 15:46

Instrument :

BNA_P

ClientSampleId :

VNJ-205





Tgt Ion:330 Resp: 269572

Ion Ratio Lower Upper

330 100

332 96.5 77.2 115.8

141 29.3 27.0 40.4



#45

2-Fluorobiphenyl

Concen: 48.306 ng

RT: 13.163 min Scan# 1713

Delta R.T. -0.017 min

Lab File: BP019724.D

Acq: 15 Feb 2024 15:46




Tgt Ion:172 Resp: 665962


Ion Ratio Lower Upper

172 100

171 34.4 28.2 42.4

170 22.8 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.298 min Scan# 2416
Delta R.T. -0.006 min
Lab File: BP019724.D
Acq: 15 Feb 2024 15:46




Instrument :
BNA_P
ClientSampleId :
VNJ-205

Tgt Ion:	188	Resp:	429053
Ion Ratio	Lower	Upper	
188	100		
94	6.5	5.4	8.2
80	7.8	6.3	9.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.386 min Scan# 3111
Delta R.T. -0.006 min
Lab File: BP019724.D
Acq: 15 Feb 2024 15:46

Tgt Ion:	240	Resp:	467595
Ion Ratio	Lower	Upper	
240	100		
120	6.4	6.1	9.1
236	25.2	20.7	31.1









#79
 Terphenyl-d14
 Concen: 49.784 ng
 RT: 19.863 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP019724.D
 Acq: 15 Feb 2024 15:46

Instrument :
 BNA_P
 ClientSampleId :
 VNJ-205

Tgt Ion:244 Resp: 1415505

Ion	Ratio	Lower	Upper
244	100		
212	7.1	6.1	9.1
122	6.2	5.9	8.9



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.810 min Scan# 3523
 Delta R.T. -0.006 min
 Lab File: BP019724.D
 Acq: 15 Feb 2024 15:46

Tgt Ion:264 Resp: 523001

Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.2	28.8
265	20.9	17.0	25.4

