

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021524\
 Data File : BP019733.D
 Acq On : 15 Feb 2024 20:52
 Operator : MA/JU
 Sample : P1395-02DL 10X
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 B-3(10-12)DL

Quant Time: Feb 16 00:55:57 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 01 00:51:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.904	152	78942	20.000	ng	-0.01
21) Naphthalene-d8	10.704	136	293644	20.000	ng	-0.01
39) Acenaphthene-d10	14.539	164	197278	20.000	ng	-0.01
64) Phenanthrene-d10	17.298	188	474708	20.000	ng	0.00
76) Chrysene-d12	21.392	240	460808	20.000	ng	# 0.00
86) Perylene-d12	23.815	264	536286	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	39040	7.972	ng	-0.01
7) Phenol-d6	7.075	99	52714	7.983	ng	-0.01
23) Nitrobenzene-d5	9.069	82	35890	5.296	ng	-0.02
42) 2,4,6-Tribromophenol	16.033	330	31610	10.974	ng	0.00
45) 2-Fluorobiphenyl	13.163	172	84377	5.287	ng	-0.02
79) Terphenyl-d14	19.863	244	163185	5.824	ng	0.00
Target Compounds						
						Qvalue
6) Aniline	7.240	93	388459	60.541	ng	99
10) Phenol	7.110	94	1305259	198.322	ng	98
17) 2-Methylphenol	8.352	107	30009	6.773	ng	95
20) 3+4-Methylphenols	8.675	107	157457	26.038	ng	93
27) 2,4-Dimethylphenol	9.887	122	63650	19.133	ng	99
31) Naphthalene	10.751	128	142506	8.849	ng	99
32) Benzoic acid	9.981	122	25701	7.930	ng	92
74) Di-n-butylphthalate	18.263	149	760972	27.799	ng	100
84) Bis(2-ethylhexyl)phtha...	21.316	149	902562	48.803	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021524\
Data File : BP019733.D
Acq On : 15 Feb 2024 20:52
Operator : MA/JU
Sample : P1395-02DL 10X
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
B-3(10-12)DL

Quant Time: Feb 16 00:55:57 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 01 00:51:48 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.904 min Scan# 81
Delta R.T. -0.012 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52




Instrument :
BNA_P
ClientSampleId :
B-3(10-12)DL


Tgt Ion:152 Resp: 78942
Ion Ratio Lower Upper
152 100
150 150.2 121.8 182.8
115 56.7 49.9 74.9



#5
2-Fluorophenol
Concen: 7.972 ng
RT: 5.475 min Scan# 406
Delta R.T. -0.012 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52

Tgt Ion:112 Resp: 39040
Ion Ratio Lower Upper
112 100
64 57.3 47.4 71.0
63 32.9 27.0 40.6









#6
Aniline
Concen: 60.541 ng
RT: 7.240 min Scan# 708
Delta R.T. -0.012 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52




Instrument :
BNA_P
ClientSampleId :
B-3(10-12)DL


Tgt Ion: 93 Resp: 388459
Ion Ratio Lower Upper
93 100
66 41.3 32.3 48.5
65 21.2 16.4 24.6



#7
Phenol-d6
Concen: 7.983 ng
RT: 7.075 min Scan# 678
Delta R.T. -0.012 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52

Tgt Ion: 99 Resp: 52714
Ion Ratio Lower Upper
99 100
42 18.3 14.7 22.1
71 43.4 34.8 52.2









#10
Phenol
Concen: 198.322 ng
RT: 7.110 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52




Instrument :
BNA_P
ClientSampleId :
B-3(10-12)DL


Tgt Ion: 94 Resp: 1305259
Ion Ratio Lower Upper
94 100
65 30.6 11.3 51.3
66 46.3 25.1 65.1



#17
2-Methylphenol
Concen: 6.773 ng
RT: 8.352 min Scan# 895
Delta R.T. -0.012 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52

Tgt Ion: 107 Resp: 30009
Ion Ratio Lower Upper
107 100
108 112.7 87.0 130.6
77 57.1 43.5 65.3
79 60.6 43.6 65.4









#20
3+4-Methylphenols
Concen: 26.038 ng
RT: 8.675 min Scan# 91
Delta R.T. -0.017 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52




Instrument :
BNA_P
ClientSampleId :
B-3(10-12)DL


Tgt Ion:107	Resp:	157457
Ion	Ratio	Lower Upper
107	100	
108	81.1	65.5 105.5
77	37.1	21.8 61.8
79	27.9	14.1 54.1



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.704 min Scan# 1295
Delta R.T. -0.012 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52

Tgt Ion:136	Resp:	293644
Ion	Ratio	Lower Upper
136	100	
137	10.2	8.8 13.2
54	6.6	5.3 7.9
68	4.8	4.1 6.1









#23
Nitrobenzene-d5
Concen: 5.296 ng
RT: 9.069 min Scan# 1020
Delta R.T. -0.017 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52




Instrument :
BNA_P
ClientSampleId :
B-3(10-12)DL


Tgt Ion: 82 Resp: 35890
Ion Ratio Lower Upper
82 100
128 35.6 29.7 44.5
54 42.0 36.8 55.2



#27
2,4-Dimethylphenol
Concen: 19.133 ng
RT: 9.887 min Scan# 1156
Delta R.T. -0.012 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52

Tgt Ion: 122 Resp: 63650
Ion Ratio Lower Upper
122 100
107 132.3 105.9 158.9
121 61.4 47.5 71.3









#31
Naphthalene
Concen: 8.849 ng
RT: 10.751 min Scan# 1172
Delta R.T. -0.017 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52




Instrument :
BNA_P
ClientSampleId :
B-3(10-12)DL


Tgt Ion:128 Resp: 142506
Ion Ratio Lower Upper
128 100
129 11.3 8.6 13.0
127 13.3 10.8 16.2



#32
Benzoic acid
Concen: 7.930 ng
RT: 9.981 min Scan# 1172
Delta R.T. -0.064 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52

Tgt Ion:122 Resp: 25701
Ion Ratio Lower Upper
122 100
105 127.1 118.8 158.8
77 105.6 91.7 131.7





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.539 min Scan# 1947

Delta R.T. -0.012 min

Lab File: BP019733.D

Acq: 15 Feb 2024 20:52

Instrument :

BNA_P

ClientSampleId :

B-3(10-12)DL





Tgt Ion:164 Resp: 197278

Ion Ratio Lower Upper

164 100

162 100.7 81.2 121.8

160 44.3 35.1 52.7



#42

2,4,6-Tribromophenol

Concen: 10.974 ng

RT: 16.033 min Scan# 2201

Delta R.T. -0.006 min

Lab File: BP019733.D

Acq: 15 Feb 2024 20:52




Tgt Ion:330 Resp: 31610


Ion Ratio Lower Upper

330 100

332 94.7 77.2 115.8

141 30.4 27.0 40.4









#45
2-Fluorobiphenyl
Concen: 5.287 ng
RT: 13.163 min Scan# 1713
Delta R.T. -0.017 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52




Instrument :
BNA_P
ClientSampleId :
B-3(10-12)DL


Tgt Ion:	172	Resp:	84377
Ion	Ratio	Lower	Upper
172	100		
171	36.8	28.2	42.4
170	23.5	18.9	28.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.298 min Scan# 2416
Delta R.T. -0.006 min
Lab File: BP019733.D
Acq: 15 Feb 2024 20:52

Tgt Ion:	188	Resp:	474708
Ion	Ratio	Lower	Upper
188	100		
94	6.5	5.4	8.2
80	7.2	6.3	9.5





#74

Di-n-butylphthalate

Concen: 27.799 ng

RT: 18.263 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP019733.D

Acq: 15 Feb 2024 20:52

Instrument :

BNA_P

ClientSampleId :

B-3(10-12)DL





Tgt Ion:149 Resp: 760972

Ion Ratio Lower Upper

149 100

150 9.3 7.3 10.9

104 6.0 4.8 7.2



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.392 min Scan# 3112

Delta R.T. 0.000 min

Lab File: BP019733.D

Acq: 15 Feb 2024 20:52




Tgt Ion:240 Resp: 460808


Ion Ratio Lower Upper

240 100

120 5.9 6.1 9.1#

236 27.2 20.7 31.1









#79
 Terphenyl-d14
 Concen: 5.824 ng
 RT: 19.863 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP019733.D
 Acq: 15 Feb 2024 20:52




Instrument :
 BNA_P
 ClientSampleId :
 B-3(10-12)DL


Tgt Ion:	244	Resp:	163185
Ion	Ratio	Lower	Upper
244	100		
212	7.5	6.1	9.1
122	6.9	5.9	8.9



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 48.803 ng
 RT: 21.316 min Scan# 3099
 Delta R.T. -0.012 min
 Lab File: BP019733.D
 Acq: 15 Feb 2024 20:52

Tgt Ion:	149	Resp:	902562
Ion	Ratio	Lower	Upper
149	100		
167	28.8	22.7	34.1
279	5.9	4.2	6.2





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.815 min Scan# 31
 Delta R.T. 0.000 min
 Lab File: BP019733.D
 Acq: 15 Feb 2024 20:52

Instrument :
 BNA_P
 ClientSampleId :
 B-3(10-12)DL

Tgt Ion:264 Resp: 536286
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.2 28.8
 265 22.0 17.0 25.4

