

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021624\
 Data File : BP019743.D
 Acq On : 16 Feb 2024 14:09
 Operator : MA/JU
 Sample : P1414-09
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 FB020724

Quant Time: Feb 16 14:39:21 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 01 00:51:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.899	152	62772	20.000	ng	-0.02
21) Naphthalene-d8	10.704	136	234720	20.000	ng	-0.01
39) Acenaphthene-d10	14.539	164	167007	20.000	ng	-0.01
64) Phenanthrene-d10	17.298	188	416517	20.000	ng	0.00
76) Chrysene-d12	21.392	240	434972	20.000	ng	# 0.00
86) Perylene-d12	23.815	264	484745	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	75583	19.409	ng	-0.01
7) Phenol-d6	7.075	99	72102	13.732	ng	-0.01
23) Nitrobenzene-d5	9.075	82	462594	85.399	ng	-0.01
42) 2,4,6-Tribromophenol	16.033	330	208322	85.433	ng	0.00
45) 2-Fluorobiphenyl	13.169	172	1164126	86.172	ng	-0.01
79) Terphenyl-d14	19.863	244	2656710	100.445	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021624\
Data File : BP019743.D
Acq On : 16 Feb 2024 14:09
Operator : MA/JU
Sample : P1414-09
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB020724

Quant Time: Feb 16 14:39:21 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 01 00:51:48 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.899 min Scan# 81
Delta R.T. -0.017 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09




Instrument :
BNA_P
ClientSampleId :
FB020724


Tgt Ion:152 Resp: 62772
Ion Ratio Lower Upper
152 100
150 155.8 121.8 182.8
115 63.5 49.9 74.9



#5
2-Fluorophenol
Concen: 19.409 ng
RT: 5.475 min Scan# 406
Delta R.T. -0.012 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09

Tgt Ion:112 Resp: 75583
Ion Ratio Lower Upper
112 100
64 57.1 47.4 71.0
63 31.0 27.0 40.6









#7
Phenol-d6
Concen: 13.732 ng
RT: 7.075 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09




Instrument :
BNA_P
ClientSampleId :
FB020724


Tgt Ion: 99 Resp: 72102
Ion Ratio Lower Upper
99 100
42 18.9 14.7 22.1
71 44.1 34.8 52.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.704 min Scan# 1295
Delta R.T. -0.012 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09

Tgt Ion: 136 Resp: 234720
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 6.3 5.3 7.9
68 5.0 4.1 6.1









#23
Nitrobenzene-d5
Concen: 85.399 ng
RT: 9.075 min Scan# 1018
Delta R.T. -0.012 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09




Instrument :
BNA_P
ClientSampleId :
FB020724


Tgt Ion: 82 Resp: 462594
Ion Ratio Lower Upper
82 100
128 39.5 29.7 44.5
54 47.1 36.8 55.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.539 min Scan# 1947
Delta R.T. -0.012 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09

Tgt Ion: 164 Resp: 167007
Ion Ratio Lower Upper
164 100
162 100.2 81.2 121.8
160 44.3 35.1 52.7









#42
2,4,6-Tribromophenol
Concen: 85.433 ng
RT: 16.033 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09




Instrument :
BNA_P
ClientSampleId :
FB020724


Tgt Ion:330 Resp: 208322
Ion Ratio Lower Upper
330 100
332 97.3 77.2 115.8
141 29.6 27.0 40.4



#45
2-Fluorobiphenyl
Concen: 86.172 ng
RT: 13.169 min Scan# 1714
Delta R.T. -0.012 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09

Tgt Ion:172 Resp: 1164126
Ion Ratio Lower Upper
172 100
171 34.9 28.2 42.4
170 23.5 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.298 min Scan# 2417
Delta R.T. -0.006 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09




Instrument :
BNA_P
ClientSampleId :
FB020724


Tgt Ion:188 Resp: 416517
Ion Ratio Lower Upper
188 100
94 6.4 5.4 8.2
80 7.6 6.3 9.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.392 min Scan# 3112
Delta R.T. 0.000 min
Lab File: BP019743.D
Acq: 16 Feb 2024 14:09

Tgt Ion:240 Resp: 434972
Ion Ratio Lower Upper
240 100
120 5.8 6.1 9.1#
236 25.2 20.7 31.1









#79
 Terphenyl-d14
 Concen: 100.445 ng
 RT: 19.863 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP019743.D
 Acq: 16 Feb 2024 14:09

Instrument :
 BNA_P
 ClientSampleId :
 FB020724

Tgt Ion:244 Resp: 2656710
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.1 9.1
 122 7.0 5.9 8.9



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.815 min Scan# 3524
 Delta R.T. 0.000 min
 Lab File: BP019743.D
 Acq: 16 Feb 2024 14:09

Tgt Ion:264 Resp: 484745
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.2 28.8
 265 22.8 17.0 25.4

