

Data Path : Z:\SVOASRV\HPCHEM1\BNA_P\DATA\BP022420\
 Data File : BP001887.D
 Acq On : 25 Feb 2020 06:43
 Operator : CG/JU
 Sample : L1542-12
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBD48

Quant Time: Feb 25 07:12:17 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP021820MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Feb 25 07:02:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	413835	20.00	ng/ul	0.00
18) Naphthalene-d8	10.42	136	1758784	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.29	164	1146212	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.04	188	2650808	20.00	ng/ul	0.00
78) Chrysene-d12	21.13	240	2841654	20.00	ng/ul	0.00
86) Perylene-d12	23.35	264	2778042	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.17	96	75921	7.62	ng/uL	0.00
5) Phenol-d5	6.83	99	1368135	43.75	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.99	67	771705	42.48	ng/ul	0.00
9) 2-Chlorophenol-d4	7.19	132	1201049	47.53	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	1124613	45.34	ng/ul	0.00
19) Nitrobenzene-d5	8.79	128	603030	50.65	ng/ul	0.00
22) 2-Nitrophenol-d4	9.51	143	675831	62.77	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	1222877	47.76	ng/ul	0.00
29) 4-Chloroaniline-d4	10.56	131	1698311	56.08	ng/ul	0.00
44) Dimethylphthalate-d6	13.70	166	3686809	45.84	ng/ul	0.00
47) Acenaphthylene-d8	13.98	160	4510407	45.54	ng/ul	0.00
52) 4-Nitrophenol-d4	14.49	143	677165	48.35	ng/ul	0.00
58) Fluorene-d10	15.29	176	3308925	45.74	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.40	200	462416	44.25	ng/ul	0.00
71) Anthracene-d10	17.14	188	5073244	43.44	ng/ul	0.00
79) Pyrene-d10	19.39	212	5769571	39.57	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.21	264	6075554	45.28	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	6.86	94	107770	3.252 ng/ul	97
45) Dimethylphthalate	13.75	163	415938	4.913 ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP022420\
Data File : BP001887.D
Acq On : 25 Feb 2020 06:43
Operator : CG/JU
Sample : L1542-12
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DBD48

Quant Time: Feb 25 07:12:17 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP021820MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Feb 25 07:02:36 2020
Response via : Initial Calibration





#6

Phenol

Concen: 3.252 ng/ul

RT: 6.86 min Scan# 675

Delta R.T. 0.00 min

Lab File: BP001887.D

Acq: 25 Feb 2020 06:43

Instrument :

BNA_P

ClientSampleId :

DBD48


Tot Ion: 94 Resp: 107770

Ion Ratio Lower Upper




94 100

65 25.9 19.8 29.6

66 35.5 26.6 39.8



Abundance Ion 94.00 (93.70 to 94.70): BP0
Ion 65.00 (64.70 to 65.70): BP0
Ion 66.00 (65.70 to 66.70): BP0



#45

Dimethylphthalate

Concen: 4.913 ng/ul

RT: 13.75 min Scan# 1847

Delta R.T. 0.00 min

Lab File: BP001887.D

Acq: 25 Feb 2020 06:43


Tgt Ion: 163 Resp: 415938

Ion Ratio Lower Upper

163 100

194 4.1 3.5 5.3

164 9.9 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

