

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP022825\
 Data File : BP024135.D
 Acq On : 28 Feb 2025 14:53
 Operator : RC/JU
 Sample : PB166907BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB166907BL

Quant Time: Feb 28 15:22:41 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP021725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 18 02:25:07 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.763	152	334716	20.000	ng	0.00
21) Naphthalene-d8	10.540	136	1350318	20.000	ng	0.00
39) Acenaphthene-d10	14.393	164	863426	20.000	ng	0.00
64) Phenanthrene-d10	17.198	188	1690874	20.000	ng	0.01
76) Chrysene-d12	21.645	240	1575761	20.000	ng	0.00
86) Perylene-d12	25.045	264	1698407	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.375	112	3046332	142.012	ng	0.00
7) Phenol-d6	6.946	99	3875592	140.570	ng	0.00
23) Nitrobenzene-d5	8.910	82	2232531	92.238	ng	0.00
42) 2,4,6-Tribromophenol	15.916	330	1660563	157.012	ng	0.01
45) 2-Fluorobiphenyl	13.010	172	5314113	86.042	ng	0.00
79) Terphenyl-d14	19.922	244	8101191	101.730	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP022825\
Data File : BP024135.D
Acq On : 28 Feb 2025 14:53
Operator : RC/JU
Sample : PB166907BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB166907BL

Quant Time: Feb 28 15:22:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP021725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 18 02:25:07 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.763 min Scan# 795
Delta R.T. 0.000 min
Lab File: BP024135.D
Acq: 28 Feb 2025 14:53




Instrument :
BNA_P
ClientSampleId :
PB166907BL


Tgt Ion:152 Resp: 334716
Ion Ratio Lower Upper
152 100
150 152.7 122.4 183.6
115 56.4 45.0 67.6



#5
2-Fluorophenol
Concen: 142.012 ng
RT: 5.375 min Scan# 389
Delta R.T. 0.000 min
Lab File: BP024135.D
Acq: 28 Feb 2025 14:53

Tgt Ion:112 Resp: 3046332
Ion Ratio Lower Upper
112 100
64 50.8 39.6 59.4
63 25.2 20.3 30.5









#7
Phenol-d6
Concen: 140.570 ng
RT: 6.946 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP024135.D
Acq: 28 Feb 2025 14:53




Instrument :
BNA_P
ClientSampleId :
PB166907BL


Tgt Ion: 99 Resp: 3875592
Ion Ratio Lower Upper
99 100
42 12.9 10.3 15.5
71 28.9 22.9 34.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.540 min Scan# 1267
Delta R.T. 0.006 min
Lab File: BP024135.D
Acq: 28 Feb 2025 14:53

Tgt Ion:136 Resp: 1350318
Ion Ratio Lower Upper
136 100
137 10.9 8.7 13.1
54 6.5 4.9 7.3
68 6.1 4.7 7.1









#23
Nitrobenzene-d5
Concen: 92.238 ng
RT: 8.910 min Scan# 990
Delta R.T. 0.000 min
Lab File: BP024135.D
Acq: 28 Feb 2025 14:53




Instrument :
BNA_P
ClientSampleId :
PB166907BL


Tgt Ion: 82 Resp: 2232531
Ion Ratio Lower Upper
82 100
128 47.8 37.4 56.2
54 40.3 32.4 48.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.393 min Scan# 1922
Delta R.T. 0.000 min
Lab File: BP024135.D
Acq: 28 Feb 2025 14:53

Tgt Ion:164 Resp: 863426
Ion Ratio Lower Upper
164 100
162 100.4 80.1 120.1
160 44.7 35.6 53.4









#42
2,4,6-Tribromophenol
Concen: 157.012 ng
RT: 15.916 min Scan# 2179
Delta R.T. 0.012 min
Lab File: BP024135.D
Acq: 28 Feb 2025 14:53




Instrument :
BNA_P
ClientSampleId :
PB166907BL


Tgt Ion:330 Resp: 1660563
Ion Ratio Lower Upper
330 100
332 96.2 77.0 115.4
141 29.9 28.3 42.5



#45
2-Fluorobiphenyl
Concen: 86.042 ng
RT: 13.010 min Scan# 1687
Delta R.T. 0.006 min
Lab File: BP024135.D
Acq: 28 Feb 2025 14:53

Tgt Ion:172 Resp: 5314113
Ion Ratio Lower Upper
172 100
171 35.5 28.2 42.2
170 23.8 19.0 28.6





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.198 min Scan# 21

Delta R.T. 0.012 min

Lab File: BP024135.D

Acq: 28 Feb 2025 14:53

Instrument :

BNA_P

ClientSampleId :

PB166907BL





Tgt Ion:188 Resp: 1690874

Ion Ratio Lower Upper

188 100

94 10.1 7.6 11.4

80 11.1 8.2 12.2



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.645 min Scan# 3155

Delta R.T. 0.000 min

Lab File: BP024135.D

Acq: 28 Feb 2025 14:53




Tgt Ion:240 Resp: 1575761


Ion Ratio Lower Upper

240 100

120 12.1 8.9 13.3

236 25.4 20.7 31.1





#79

Terphenyl-d14

Concen: 101.730 ng

RT: 19.922 min Scan# 21

Delta R.T. 0.006 min

Lab File: BP024135.D

Acq: 28 Feb 2025 14:53

Instrument :

BNA_P

ClientSampleId :

PB166907BL





Tgt Ion:244 Resp: 8101191

Ion Ratio Lower Upper

244 100

212 7.3 5.9 8.9

122 12.5 9.4 14.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.045 min Scan# 3733

Delta R.T. 0.012 min

Lab File: BP024135.D

Acq: 28 Feb 2025 14:53

Tgt Ion:264 Resp: 1698407

Ion Ratio Lower Upper

264 100

260 23.8 19.0 28.6

265 22.5 17.8 26.8

