

Data Path : Z:\SVOASRV\HPCHEM1\BNA_P\DATA\BP022920\
 Data File : BP001973.D
 Acq On : 29 Feb 2020 23:35
 Operator : CG/JU
 Sample : L1615-21
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBDP5

Quant Time: Mar 02 00:32:09 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 27 14:59:37 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	247973	20.00	ng/ul	0.00
18) Naphthalene-d8	10.41	136	994235	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	633109	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.03	188	1385864	20.00	ng/ul	0.00
78) Chrysene-d12	21.12	240	1360713	20.00	ng/ul	0.00
86) Perylene-d12	23.33	264	1544529	20.00	ng/ul	-0.01

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.17	96	44841	7.77	ng/uL	0.00
5) Phenol-d5	6.82	99	807706	42.70	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	457957	45.72	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	712267	43.53	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	678553	43.65	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	336577	44.07	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	379512	44.17	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.04	165	713614	43.11	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	969399	53.43	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	2222906	46.39	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	2600908	45.39	ng/ul	0.00
52) 4-Nitrophenol-d4	14.47	143	319465	34.88	ng/ul	0.00
58) Fluorene-d10	15.27	176	1943346	46.87	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	258213	33.80	ng/ul	0.00
71) Anthracene-d10	17.13	188	2960224	47.53	ng/ul	0.00
79) Pyrene-d10	19.37	212	3381956	47.48	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.19	264	3731821	47.22	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	6.85	94	34695	1.767	ng/ul	97
45) Dimethylphthalate	13.74	163	314791	6.365	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP022920\
Data File : BP001973.D
Acq On : 29 Feb 2020 23:35
Operator : CG/JU
Sample : L1615-21
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DBDP5

Quant Time: Mar 02 00:32:09 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Feb 27 14:59:37 2020
Response via : Initial Calibration





#6

Phenol

Concen: 1.767 ng/ul

RT: 6.85 min Scan# 673

Delta R.T. -0.00 min

Lab File: BP001973.D

Acq: 29 Feb 2020 23:35

Instrument :

BNA_P

ClientSampleId :

DBDP5





Tot Ion: 94 Resp: 34695

Ion Ratio Lower Upper

94 100

65 25.8 20.6 30.8

66 37.7 28.2 42.2



#45

Dimethylphthalate

Concen: 6.365 ng/ul

RT: 13.74 min Scan# 1845

Delta R.T. 0.00 min

Lab File: BP001973.D

Acq: 29 Feb 2020 23:35

Tgt Ion: 163 Resp: 314791

Ion Ratio Lower Upper

163 100

194 4.2 3.6 5.4

164 9.9 8.2 12.4

