

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP022924\
 Data File : BP019943.D
 Acq On : 29 Feb 2024 18:32
 Operator : MA/JU
 Sample : P1620-31
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SP-4

Quant Time: Mar 01 03:43:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP022624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 29 12:18:35 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.893	152	91629	20.000	ng	-0.02
21) Naphthalene-d8	10.693	136	356053	20.000	ng	-0.02
39) Acenaphthene-d10	14.539	164	256919	20.000	ng	-0.02
64) Phenanthrene-d10	17.304	188	616464	20.000	ng	-0.02
76) Chrysene-d12	21.404	240	562651	20.000	ng	-0.02
86) Perylene-d12	23.833	264	534687	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.463	112	375810	67.320	ng	-0.02
7) Phenol-d6	7.069	99	525733	63.254	ng	-0.02
23) Nitrobenzene-d5	9.063	82	371150	42.083	ng	-0.02
42) 2,4,6-Tribromophenol	16.039	330	308392	70.005	ng	-0.02
45) 2-Fluorobiphenyl	13.163	172	886085	46.598	ng	-0.02
79) Terphenyl-d14	19.874	244	1808009	50.648	ng	-0.02


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP022924\
Data File : BP019943.D
Acq On : 29 Feb 2024 18:32
Operator : MA/JU
Sample : P1620-31
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SP-4

Quant Time: Mar 01 03:43:05 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP022624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 29 12:18:35 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.893 min Scan# 81
Delta R.T. -0.017 min
Lab File: BP019943.D
Acq: 29 Feb 2024 18:32




Instrument :
BNA_P
ClientSampleId :
SP-4

Tgt Ion:152 Resp: 91629
Ion Ratio Lower Upper
152 100
150 152.9 128.6 192.8
115 63.0 53.4 80.2



#5
2-Fluorophenol
Concen: 67.320 ng
RT: 5.463 min Scan# 404
Delta R.T. -0.018 min
Lab File: BP019943.D
Acq: 29 Feb 2024 18:32

Tgt Ion:112 Resp: 375810
Ion Ratio Lower Upper
112 100
64 59.5 49.0 73.6
63 34.1 27.6 41.4









#7
Phenol-d6
Concen: 63.254 ng
RT: 7.069 min Scan# 61
Delta R.T. -0.018 min
Lab File: BP019943.D
Acq: 29 Feb 2024 18:32




Instrument :
BNA_P
ClientSampleId :
SP-4


Tgt Ion: 99 Resp: 525733
Ion Ratio Lower Upper
99 100
42 17.0 13.8 20.8
71 42.7 34.5 51.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.693 min Scan# 1293
Delta R.T. -0.024 min
Lab File: BP019943.D
Acq: 29 Feb 2024 18:32

Tgt Ion:136 Resp: 356053
Ion Ratio Lower Upper
136 100
137 10.8 8.7 13.1
54 6.7 6.0 9.0
68 5.5 4.2 6.2









#23
Nitrobenzene-d5
Concen: 42.083 ng
RT: 9.063 min Scan# 1016
Delta R.T. -0.024 min
Lab File: BP019943.D
Acq: 29 Feb 2024 18:32




Instrument :
BNA_P
ClientSampleId :
SP-4


Tgt Ion: 82 Resp: 371150
Ion Ratio Lower Upper
82 100
128 37.7 29.6 44.4
54 46.6 36.3 54.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.539 min Scan# 1947
Delta R.T. -0.018 min
Lab File: BP019943.D
Acq: 29 Feb 2024 18:32

Tgt Ion: 164 Resp: 256919
Ion Ratio Lower Upper
164 100
162 102.8 78.1 117.1
160 44.6 35.3 52.9





#42

2,4,6-Tribromophenol

Concen: 70.005 ng

RT: 16.039 min Scan# 21

Delta R.T. -0.024 min

Lab File: BP019943.D

Acq: 29 Feb 2024 18:32

Instrument :

BNA_P

ClientSampleId :

SP-4





Tgt Ion:330 Resp: 308392

Ion Ratio Lower Upper

330 100

332 97.3 77.4 116.2

141 28.7 24.6 37.0



#45

2-Fluorobiphenyl

Concen: 46.598 ng

RT: 13.163 min Scan# 1713

Delta R.T. -0.018 min

Lab File: BP019943.D

Acq: 29 Feb 2024 18:32




Tgt Ion:172 Resp: 886085


Ion Ratio Lower Upper

172 100

171 35.2 27.8 41.6

170 23.7 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.304 min Scan# 2417
Delta R.T. -0.018 min
Lab File: BP019943.D
Acq: 29 Feb 2024 18:32




Instrument :
BNA_P
ClientSampleId :
SP-4


Tgt Ion:188 Resp: 616464
Ion Ratio Lower Upper
188 100
94 6.9 6.2 9.4
80 8.0 7.0 10.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.404 min Scan# 3114
Delta R.T. -0.024 min
Lab File: BP019943.D
Acq: 29 Feb 2024 18:32

Tgt Ion:240 Resp: 562651
Ion Ratio Lower Upper
240 100
120 6.1 5.1 7.7
236 26.2 20.5 30.7









#79
 Terphenyl-d14
 Concen: 50.648 ng
 RT: 19.874 min Scan# 2854
 Delta R.T. -0.018 min
 Lab File: BP019943.D
 Acq: 29 Feb 2024 18:32

Instrument :
 BNA_P
 ClientSampleId :
 SP-4

Tgt Ion:244 Resp: 1808009
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.8 8.8
 122 6.4 5.0 7.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.833 min Scan# 3527
 Delta R.T. -0.035 min
 Lab File: BP019943.D
 Acq: 29 Feb 2024 18:32

Tgt Ion:264 Resp: 534687
 Ion Ratio Lower Upper
 264 100
 260 22.8 18.7 28.1
 265 21.9 17.4 26.2

