

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP031422\  
 Data File : BP009389.D  
 Acq On : 14 Mar 2022 19:07  
 Operator : CG/JU  
 Sample : N1908-09 5X  
 Misc :  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 BNA\_P  
 ClientSampleId :  
 WC-14A-1B

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\8270E-BP030522.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP009389.D\data.ms

| peak<br># | R.T.<br>min | first<br>scan | max<br>scan | last<br>scan | PK<br>TY | peak<br>height | corr.<br>area | corr.<br>% max. | % of<br>total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1         | 5.287       | 385           | 391         | 405          | rVB4     | 586791         | 1896511       | 12.01%          | 0.495%        |
| 2         | 5.422       | 405           | 414         | 420          | rBV      | 1244928        | 2258100       | 14.30%          | 0.590%        |
| 3         | 5.487       | 420           | 425         | 442          | rVB2     | 322880         | 1212850       | 7.68%           | 0.317%        |
| 4         | 5.717       | 457           | 464         | 471          | rBV2     | 510382         | 1235890       | 7.83%           | 0.323%        |
| 5         | 5.793       | 471           | 477         | 481          | rVV      | 631247         | 1070140       | 6.78%           | 0.279%        |
| 6         | 5.852       | 481           | 487         | 495          | rVB2     | 1981594        | 3695818       | 23.40%          | 0.965%        |
| 7         | 6.111       | 522           | 531         | 538          | rBV4     | 1068855        | 2693657       | 17.06%          | 0.703%        |
| 8         | 6.228       | 543           | 551         | 560          | rVB3     | 594482         | 1480261       | 9.37%           | 0.387%        |
| 9         | 6.322       | 560           | 567         | 574          | rBV4     | 1073046        | 2408915       | 15.25%          | 0.629%        |
| 10        | 6.393       | 574           | 579         | 584          | rBV      | 1434429        | 2388872       | 15.13%          | 0.624%        |
| 11        | 6.469       | 584           | 592         | 595          | rBV3     | 1441007        | 3098369       | 19.62%          | 0.809%        |
| 12        | 6.728       | 628           | 636         | 642          | rBV3     | 642543         | 1587815       | 10.05%          | 0.415%        |
| 13        | 6.822       | 642           | 652         | 657          | rBV4     | 1286082        | 3530067       | 22.35%          | 0.922%        |
| 14        | 6.881       | 657           | 662         | 665          | rVV      | 869417         | 1429535       | 9.05%           | 0.373%        |
| 15        | 6.916       | 665           | 668         | 672          | rVV      | 1207476        | 1948345       | 12.34%          | 0.509%        |
| 16        | 6.969       | 672           | 677         | 687          | rVV5     | 2207804        | 6589397       | 41.73%          | 1.721%        |
| 17        | 7.046       | 687           | 690         | 697          | rVB      | 1276051        | 2015295       | 12.76%          | 0.526%        |
| 18        | 7.211       | 713           | 718         | 723          | rBV2     | 1386660        | 2299716       | 14.56%          | 0.601%        |
| 19        | 7.316       | 732           | 736         | 744          | rVV3     | 734480         | 1737421       | 11.00%          | 0.454%        |
| 20        | 7.387       | 744           | 748         | 755          | rVB3     | 416593         | 874487        | 5.54%           | 0.228%        |
| 21        | 7.469       | 755           | 762         | 769          | rBV2     | 3650983        | 7790943       | 49.33%          | 2.035%        |
| 22        | 7.646       | 787           | 792         | 801          | rBV8     | 394909         | 1161566       | 7.36%           | 0.303%        |
| 23        | 7.728       | 801           | 806         | 808          | rBV2     | 592234         | 1021086       | 6.47%           | 0.267%        |
| 24        | 7.811       | 814           | 820         | 826          | rVB2     | 2733636        | 4837554       | 30.63%          | 1.263%        |
| 25        | 7.934       | 837           | 841         | 850          | rVB2     | 1285479        | 2632679       | 16.67%          | 0.688%        |
| 26        | 8.016       | 850           | 855         | 859          | rVV4     | 604190         | 973723        | 6.17%           | 0.254%        |
| 27        | 8.111       | 863           | 871         | 878          | rVV4     | 1113042        | 2849254       | 18.04%          | 0.744%        |
| 28        | 8.369       | 909           | 915         | 921          | rVB4     | 1138351        | 2287299       | 14.48%          | 0.597%        |
| 29        | 8.463       | 926           | 931         | 948          | rVB3     | 1362905        | 3750614       | 23.75%          | 0.979%        |
| 30        | 8.593       | 948           | 953         | 956          | rBV2     | 706932         | 1281184       | 8.11%           | 0.335%        |
| 31        | 8.822       | 988           | 992         | 999          | rVB      | 703357         | 1313962       | 8.32%           | 0.343%        |
| 32        | 8.928       | 1000          | 1010        | 1015         | rBV4     | 1653758        | 4119499       | 26.09%          | 1.076%        |
| 33        | 9.058       | 1028          | 1032        | 1042         | rVB      | 2597062        | 4685597       | 29.67%          | 1.224%        |
| 34        | 9.181       | 1042          | 1053        | 1059         | rBV6     | 1057518        | 3183368       | 20.16%          | 0.831%        |
| 35        | 9.258       | 1059          | 1066        | 1070         | rBV2     | 530184         | 1349652       | 8.55%           | 0.352%        |
| 36        | 9.310       | 1073          | 1075        | 1083         | rVB3     | 553936         | 909527        | 5.76%           | 0.238%        |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP031422\  
 Data File : BP009389.D  
 Acq On : 14 Mar 2022 19:07  
 Operator : CG/JU  
 Sample : N1908-09 5X  
 Misc :  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 BNA\_P  
 ClientSampleId :  
 WC-14A-1B

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\8270E-BP030522.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

|    |        |      |      |      |      |         |          |        |        |
|----|--------|------|------|------|------|---------|----------|--------|--------|
| 37 | 9.475  | 1095 | 1103 | 1105 | rBV2 | 426155  | 941955   | 5.96%  | 0.246% |
| 38 | 9.752  | 1146 | 1150 | 1154 | rVB2 | 648466  | 985615   | 6.24%  | 0.257% |
| 39 | 9.805  | 1154 | 1159 | 1167 | rVB5 | 865156  | 2090148  | 13.24% | 0.546% |
| 40 | 9.905  | 1168 | 1176 | 1181 | rVB5 | 627077  | 1531169  | 9.70%  | 0.400% |
| 41 | 9.975  | 1183 | 1188 | 1192 | rBV2 | 743360  | 1228663  | 7.78%  | 0.321% |
| 42 | 10.022 | 1192 | 1196 | 1199 | rBV2 | 591540  | 963991   | 6.10%  | 0.252% |
| 43 | 10.163 | 1215 | 1220 | 1224 | rBV2 | 614876  | 1148052  | 7.27%  | 0.300% |
| 44 | 10.528 | 1278 | 1282 | 1286 | rVV4 | 647873  | 1256971  | 7.96%  | 0.328% |
| 45 | 10.605 | 1287 | 1295 | 1302 | rVV2 | 6534326 | 13078173 | 82.81% | 3.415% |
| 46 | 10.663 | 1302 | 1305 | 1314 | rVV3 | 975240  | 2512412  | 15.91% | 0.656% |
| 47 | 10.740 | 1315 | 1318 | 1322 | rVV4 | 571861  | 1070764  | 6.78%  | 0.280% |
| 48 | 10.793 | 1322 | 1327 | 1332 | rVV  | 2251473 | 3833129  | 24.27% | 1.001% |
| 49 | 10.852 | 1332 | 1337 | 1344 | rVV4 | 460505  | 1132161  | 7.17%  | 0.296% |
| 50 | 11.328 | 1408 | 1418 | 1422 | rBV3 | 1122549 | 2761634  | 17.49% | 0.721% |
| 51 | 11.399 | 1427 | 1430 | 1436 | rVB2 | 602662  | 1002886  | 6.35%  | 0.262% |
| 52 | 11.469 | 1437 | 1442 | 1448 | rBV3 | 831163  | 1549225  | 9.81%  | 0.405% |
| 53 | 11.552 | 1451 | 1456 | 1462 | rVB4 | 1140296 | 2307931  | 14.61% | 0.603% |
| 54 | 11.663 | 1468 | 1475 | 1483 | rBV2 | 3564547 | 7628517  | 48.31% | 1.992% |
| 55 | 12.057 | 1535 | 1542 | 1552 | rBV  | 7201407 | 13105654 | 82.99% | 3.423% |
| 56 | 12.275 | 1574 | 1579 | 1588 | rVB  | 3646984 | 6963490  | 44.09% | 1.819% |
| 57 | 12.363 | 1588 | 1594 | 1600 | rBV8 | 422547  | 1278788  | 8.10%  | 0.334% |
| 58 | 12.499 | 1612 | 1617 | 1622 | rBV  | 1948920 | 3274451  | 20.73% | 0.855% |
| 59 | 12.693 | 1646 | 1650 | 1654 | rBV3 | 613176  | 1010763  | 6.40%  | 0.264% |
| 60 | 12.746 | 1654 | 1659 | 1665 | rVB4 | 1225634 | 2428536  | 15.38% | 0.634% |
| 61 | 12.799 | 1665 | 1668 | 1676 | rVB6 | 670092  | 1298384  | 8.22%  | 0.339% |
| 62 | 12.875 | 1676 | 1681 | 1690 | rVB2 | 1372954 | 3009303  | 19.06% | 0.786% |
| 63 | 12.963 | 1691 | 1696 | 1700 | rBV3 | 1133876 | 2211723  | 14.00% | 0.578% |
| 64 | 13.016 | 1700 | 1705 | 1710 | rVV  | 3832336 | 5748317  | 36.40% | 1.501% |
| 65 | 13.075 | 1711 | 1715 | 1720 | rVB  | 1081498 | 1772448  | 11.22% | 0.463% |
| 66 | 13.304 | 1747 | 1754 | 1761 | rBV  | 8079832 | 13461825 | 85.24% | 3.516% |
| 67 | 13.393 | 1766 | 1769 | 1776 | rVB4 | 738315  | 1146218  | 7.26%  | 0.299% |
| 68 | 13.622 | 1802 | 1808 | 1809 | rBV2 | 1985797 | 2900677  | 18.37% | 0.758% |
| 69 | 13.740 | 1824 | 1828 | 1830 | rBV4 | 735152  | 1060131  | 6.71%  | 0.277% |
| 70 | 13.781 | 1830 | 1835 | 1840 | rVV  | 2531617 | 4700995  | 29.77% | 1.228% |
| 71 | 13.834 | 1840 | 1844 | 1848 | rVV  | 2701029 | 4129016  | 26.15% | 1.078% |
| 72 | 13.963 | 1858 | 1866 | 1870 | rBV2 | 5054286 | 8711397  | 55.16% | 2.275% |
| 73 | 14.004 | 1870 | 1873 | 1879 | rVV3 | 1854915 | 3603817  | 22.82% | 0.941% |
| 74 | 14.081 | 1883 | 1886 | 1891 | rVB4 | 709214  | 895758   | 5.67%  | 0.234% |
| 75 | 14.175 | 1899 | 1902 | 1910 | rBV3 | 714813  | 1205892  | 7.64%  | 0.315% |
| 76 | 14.298 | 1920 | 1923 | 1931 | rVB3 | 1003214 | 2179574  | 13.80% | 0.569% |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP031422\  
 Data File : BP009389.D  
 Acq On : 14 Mar 2022 19:07  
 Operator : CG/JU  
 Sample : N1908-09 5X  
 Misc :  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 BNA\_P  
 ClientSampleId :  
 WC-14A-1B

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\8270E-BP030522.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

|     |        |      |      |      |      |          |          |         |        |
|-----|--------|------|------|------|------|----------|----------|---------|--------|
| 77  | 14.381 | 1931 | 1937 | 1942 | rBV  | 9437907  | 13927892 | 88.19%  | 3.637% |
| 78  | 14.457 | 1943 | 1950 | 1956 | rBV3 | 3442650  | 7426601  | 47.03%  | 1.939% |
| 79  | 14.675 | 1982 | 1987 | 1997 | rVB3 | 1145593  | 3866196  | 24.48%  | 1.010% |
| 80  | 14.940 | 2028 | 2032 | 2036 | rVB2 | 2116573  | 2885841  | 18.27%  | 0.754% |
| 81  | 14.998 | 2038 | 2042 | 2050 | rVB3 | 3006097  | 5509121  | 34.88%  | 1.439% |
| 82  | 15.087 | 2051 | 2057 | 2061 | rBV2 | 1484483  | 3110101  | 19.69%  | 0.812% |
| 83  | 15.134 | 2062 | 2065 | 2069 | rVB  | 1392830  | 1843699  | 11.67%  | 0.481% |
| 84  | 15.257 | 2079 | 2086 | 2089 | rBV5 | 1360705  | 3328335  | 21.08%  | 0.869% |
| 85  | 15.334 | 2094 | 2099 | 2104 | rBV  | 8778234  | 11780904 | 74.60%  | 3.077% |
| 86  | 15.510 | 2125 | 2129 | 2133 | rBV4 | 1156695  | 1834569  | 11.62%  | 0.479% |
| 87  | 15.557 | 2133 | 2137 | 2142 | rVV3 | 1018877  | 2022122  | 12.80%  | 0.528% |
| 88  | 15.745 | 2162 | 2169 | 2174 | rBV  | 5347505  | 9967342  | 63.11%  | 2.603% |
| 89  | 15.892 | 2190 | 2194 | 2200 | rBV3 | 1613503  | 3742154  | 23.70%  | 0.977% |
| 90  | 15.957 | 2200 | 2205 | 2212 | rVB4 | 2590928  | 5209070  | 32.98%  | 1.360% |
| 91  | 16.204 | 2242 | 2247 | 2249 | rBV2 | 10216601 | 15792394 | 100.00% | 4.124% |
| 92  | 16.228 | 2249 | 2251 | 2260 | rVB  | 9955160  | 14395239 | 91.15%  | 3.759% |
| 93  | 16.328 | 2265 | 2268 | 2273 | rBV2 | 1217782  | 1925425  | 12.19%  | 0.503% |
| 94  | 17.004 | 2378 | 2383 | 2387 | rBV  | 7944767  | 10360831 | 65.61%  | 2.706% |
| 95  | 17.057 | 2387 | 2392 | 2402 | rVB2 | 6433217  | 11685813 | 74.00%  | 3.052% |
| 96  | 17.222 | 2417 | 2420 | 2425 | rBV  | 2541870  | 4090845  | 25.90%  | 1.068% |
| 97  | 17.745 | 2505 | 2509 | 2514 | rBV  | 6539750  | 7967436  | 50.45%  | 2.081% |
| 98  | 18.422 | 2620 | 2624 | 2629 | rBV  | 5398791  | 6617281  | 41.90%  | 1.728% |
| 99  | 19.039 | 2725 | 2729 | 2734 | rVB2 | 4548522  | 6530339  | 41.35%  | 1.705% |
| 100 | 19.598 | 2821 | 2824 | 2827 | rBV  | 3377414  | 4377807  | 27.72%  | 1.143% |

Sum of corrected areas: 382916878



Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP031422\  
Data File : BP009389.D  
Acq On : 14 Mar 2022 19:07  
Operator : CG/JU  
Sample : N1908-09 5X  
Misc :  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
BNA\_P  
ClientSampleId :  
WC-14A-1B

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\8270E-BP030522.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library :  
TIC Integration Parameters: rteint.p

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP031422\  
Data File : BP009389.D  
Acq On : 14 Mar 2022 19:07  
Operator : CG/JU  
Sample : N1908-09 5X  
Misc :  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
BNA\_P  
ClientSampleId :  
WC-14A-1B

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\8270E-BP030522.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library :  
TIC Integration Parameters: rteint.p

| TIC Top Hit name | RT | EstConc | Units | Response | # | RT | Resp | Conc |
|------------------|----|---------|-------|----------|---|----|------|------|
|------------------|----|---------|-------|----------|---|----|------|------|