

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP031522\
 Data File : BP009408.D
 Acq On : 15 Mar 2022 20:46
 Operator : CG/JU
 Sample : N1886-02DL 2X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 2822-SDL

Quant Time: Mar 16 01:58:22 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP030522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 05 01:55:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.816	152	311354	20.000	ng	0.00
21) Naphthalene-d8	10.610	136	1232884	20.000	ng	0.00
39) Acenaphthene-d10	14.457	164	779924	20.000	ng	0.00
64) Phenanthrene-d10	17.216	188	1611247	20.000	ng	0.00
76) Chrysene-d12	21.333	240	1708292	20.000	ng	0.00
86) Perylene-d12	23.757	264	1915411	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	232035	10.878	ng	0.01
7) Phenol-d6	7.005	99	300895	11.101	ng	0.02
23) Nitrobenzene-d5	8.969	82	170812	7.631	ng	0.00
42) 2,4,6-Tribromophenol	15.951	330	158049	16.782	ng	0.00
45) 2-Fluorobiphenyl	13.075	172	469716	8.282	ng	-0.01
79) Terphenyl-d14	19.792	244	794416	8.776	ng	0.00
Target Compounds						
						Qvalue
15) Benzyl Alcohol	8.046	79	43747	2.288	ng	# 51
74) Di-n-butylphthalate	18.186	149	644453	6.933	ng	# 96
84) Bis(2-ethylhexyl)phtha...	21.251	149	2926379	43.951	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP031522\
Data File : BP009408.D
Acq On : 15 Mar 2022 20:46
Operator : CG/JU
Sample : N1886-02DL 2X
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
2822-SDL

Quant Time: Mar 16 01:58:22 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP030522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 05 01:55:59 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.816 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46




Instrument :
BNA_P
ClientSampleId :
2822-SDL


Tgt Ion:152 Resp: 311354
Ion Ratio Lower Upper
152 100
150 156.2 124.5 186.7
115 58.0 48.2 72.4



#5
2-Fluorophenol
Concen: 10.878 ng
RT: 5.422 min Scan# 414
Delta R.T. 0.011 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46

Tgt Ion:112 Resp: 232035
Ion Ratio Lower Upper
112 100
64 53.7 45.0 67.4
63 27.5 23.0 34.6









#7
Phenol-d6
Concen: 11.101 ng
RT: 7.005 min Scan# 61
Delta R.T. 0.018 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46




Instrument :
BNA_P
ClientSampleId :
2822-SDL


Tgt Ion: 99 Resp: 300895
Ion Ratio Lower Upper
99 100
42 21.0 12.8 19.2#
71 69.8 26.3 39.5#



#15
Benzyl Alcohol
Concen: 2.288 ng
RT: 8.046 min Scan# 860
Delta R.T. -0.012 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46

Tgt Ion: 79 Resp: 43747
Ion Ratio Lower Upper
79 100
108 9.6 62.5 93.7#
77 75.6 51.7 77.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.610 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46

Instrument :
BNA_P
ClientSampleId :
2822-SDL

Tgt Ion:136 Resp: 1232884




Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	12.8
54	6.8	5.8	8.8
68	6.0	5.2	7.8




#23
Nitrobenzene-d5
Concen: 7.631 ng
RT: 8.969 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46

Tgt Ion: 82 Resp: 170812

Ion	Ratio	Lower	Upper
82	100		
128	44.9	34.2	51.4
54	42.8	34.7	52.1









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.457 min Scan# 1950
Delta R.T. -0.006 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46




Instrument :
BNA_P
ClientSampleId :
2822-SDL


Tgt Ion:164 Resp: 779924
Ion Ratio Lower Upper
164 100
162 101.6 79.1 118.7
160 44.5 34.9 52.3



#42
2,4,6-Tribromophenol
Concen: 16.782 ng
RT: 15.951 min Scan# 2204
Delta R.T. -0.006 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46

Tgt Ion:330 Resp: 158049
Ion Ratio Lower Upper
330 100
332 96.2 77.0 115.6
141 25.1 27.6 41.4#









#45
2-Fluorobiphenyl
Concen: 8.282 ng
RT: 13.075 min Scan# 11
Delta R.T. -0.012 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46




Instrument :
BNA_P
ClientSampleId :
2822-SDL


Tgt Ion:172 Resp: 469716
Ion Ratio Lower Upper
172 100
171 35.1 28.0 42.0
170 22.9 18.6 27.8



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.216 min Scan# 2419
Delta R.T. -0.006 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46

Tgt Ion:188 Resp: 1611247
Ion Ratio Lower Upper
188 100
94 9.0 7.9 11.9
80 10.5 8.8 13.2









#74
Di-n-butylphthalate
Concen: 6.933 ng
RT: 18.186 min Scan# 2119
Delta R.T. -0.012 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46




Instrument :
BNA_P
ClientSampleId :
2822-SDL


Tgt Ion:149 Resp: 644453
Ion Ratio Lower Upper
149 100
150 11.0 7.3 10.9#
104 5.0 4.2 6.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.333 min Scan# 3119
Delta R.T. 0.006 min
Lab File: BP009408.D
Acq: 15 Mar 2022 20:46

Tgt Ion:240 Resp: 1708292
Ion Ratio Lower Upper
240 100
120 10.3 9.0 13.4
236 26.6 20.6 30.8









#79
 Terphenyl-d14
 Concen: 8.776 ng
 RT: 19.792 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP009408.D
 Acq: 15 Mar 2022 20:46




Instrument :
 BNA_P
 ClientSampleId :
 2822-SDL


Tgt Ion:244 Resp: 794416
 Ion Ratio Lower Upper
 244 100
 212 7.8 5.8 8.6
 122 12.7 8.3 12.5#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 43.951 ng
 RT: 21.251 min Scan# 3105
 Delta R.T. -0.006 min
 Lab File: BP009408.D
 Acq: 15 Mar 2022 20:46

Tgt Ion:149 Resp: 2926379
 Ion Ratio Lower Upper
 149 100
 167 30.3 22.6 33.8
 279 6.3 3.8 5.6#





#86

Perylene-d12

Concen: 20.000 ng

RT: 23.757 min Scan# 3

Delta R.T. 0.024 min

Lab File: BP009408.D

Acq: 15 Mar 2022 20:46

Instrument :

BNA_P

ClientSampleId :

2822-SDL

Tgt Ion:264 Resp: 1915411

Ion Ratio Lower Upper

264 100

260 24.0 19.4 29.0

265 22.5 17.2 25.8

