

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP031825\
 Data File : BP024180.D
 Acq On : 18 Mar 2025 10:26
 Operator : RC/JU
 Sample : PB167157BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB167157BL

Quant Time: Mar 18 11:08:48 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP031225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 13 05:55:58 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.769	152	334055	20.000	ng	0.00
21) Naphthalene-d8	10.545	136	1336335	20.000	ng	0.00
39) Acenaphthene-d10	14.404	164	814855	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	1550471	20.000	ng	0.00
76) Chrysene-d12	21.663	240	1479758	20.000	ng	0.00
86) Perylene-d12	25.051	264	1571336	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	3169610	151.460	ng	0.00
7) Phenol-d6	6.946	99	4016663	143.529	ng	0.00
23) Nitrobenzene-d5	8.916	82	2294715	96.885	ng	0.00
42) 2,4,6-Tribromophenol	15.922	330	1494177	145.573	ng	0.00
45) 2-Fluorobiphenyl	13.010	172	5406055	97.826	ng	0.00
79) Terphenyl-d14	19.933	244	7903635	110.254	ng	0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP031825\
Data File : BP024180.D
Acq On : 18 Mar 2025 10:26
Operator : RC/JU
Sample : PB167157BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB167157BL

Quant Time: Mar 18 11:08:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP031225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 13 05:55:58 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.769 min Scan# 796
Delta R.T. 0.000 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26




Instrument :
BNA_P
ClientSampleId :
PB167157BL


Tgt Ion:152 Resp: 334055
Ion Ratio Lower Upper
152 100
150 157.9 125.5 188.3
115 59.8 46.3 69.5



#5
2-Fluorophenol
Concen: 151.460 ng
RT: 5.381 min Scan# 390
Delta R.T. -0.000 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26

Tgt Ion:112 Resp: 3169610
Ion Ratio Lower Upper
112 100
64 51.8 41.3 61.9
63 25.8 20.6 31.0









#7
Phenol-d6
Concen: 143.529 ng
RT: 6.946 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26




Instrument :
BNA_P
ClientSampleId :
PB167157BL


Tgt Ion: 99 Resp: 4016663
Ion Ratio Lower Upper
99 100
42 13.5 10.6 16.0
71 29.4 23.3 34.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.545 min Scan# 1268
Delta R.T. -0.006 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26

Tgt Ion:136 Resp: 1336335
Ion Ratio Lower Upper
136 100
137 10.8 9.0 13.4
54 6.5 5.3 7.9
68 6.4 5.0 7.4









#23
Nitrobenzene-d5
Concen: 96.885 ng
RT: 8.916 min Scan# 991
Delta R.T. -0.006 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26




Instrument :
BNA_P
ClientSampleId :
PB167157BL


Tgt Ion: 82 Resp: 2294715
Ion Ratio Lower Upper
82 100
128 46.9 37.4 56.0
54 40.1 32.5 48.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.404 min Scan# 1924
Delta R.T. -0.000 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26

Tgt Ion: 164 Resp: 814855
Ion Ratio Lower Upper
164 100
162 100.8 80.6 121.0
160 45.4 35.4 53.2





#42

2,4,6-Tribromophenol

Concen: 145.573 ng

RT: 15.922 min Scan# 2181

Delta R.T. 0.006 min

Lab File: BP024180.D

Acq: 18 Mar 2025 10:26

Instrument :

BNA_P

ClientSampleId :

PB167157BL





Tgt Ion:330 Resp: 1494177

Ion Ratio Lower Upper

330 100

332 96.2 77.6 116.4

141 31.6 25.0 37.6



#45

2-Fluorobiphenyl

Concen: 97.826 ng

RT: 13.010 min Scan# 1687

Delta R.T. -0.006 min

Lab File: BP024180.D

Acq: 18 Mar 2025 10:26




Tgt Ion:172 Resp: 5406055


Ion Ratio Lower Upper

172 100

171 35.2 28.3 42.5

170 23.6 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2400
Delta R.T. -0.000 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26




Instrument :
BNA_P
ClientSampleId :
PB167157BL


Tgt Ion:188 Resp: 1550471
Ion Ratio Lower Upper
188 100
94 10.5 8.1 12.1
80 11.9 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.663 min Scan# 3158
Delta R.T. 0.006 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26

Tgt Ion:240 Resp: 1479758
Ion Ratio Lower Upper
240 100
120 12.5 9.2 13.8
236 25.6 20.4 30.6









#79
Terphenyl-d14
Concen: 110.254 ng
RT: 19.933 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26

Instrument :
BNA_P
ClientSampleId :
PB167157BL

Tgt Ion:244 Resp: 7903635
Ion Ratio Lower Upper
244 100
212 7.0 5.7 8.5
122 11.5 9.6 14.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.051 min Scan# 3734
Delta R.T. -0.006 min
Lab File: BP024180.D
Acq: 18 Mar 2025 10:26

Tgt Ion:264 Resp: 1571336
Ion Ratio Lower Upper
264 100
260 23.7 18.5 27.7
265 22.5 17.7 26.5

