

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP031825\
 Data File : BP024184.D
 Acq On : 18 Mar 2025 13:10
 Operator : RC/JU
 Sample : PB167171BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB167171BL

Quant Time: Mar 18 13:35:26 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP031225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 13 05:55:58 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.769	152	335947	20.000	ng	0.00
21) Naphthalene-d8	10.552	136	1339284	20.000	ng	0.00
39) Acenaphthene-d10	14.398	164	801993	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	1554225	20.000	ng	0.00
76) Chrysene-d12	21.651	240	1662991	20.000	ng	0.00
86) Perylene-d12	25.057	264	1790932	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	2068351	98.280	ng	0.00
7) Phenol-d6	6.946	99	2596384	92.255	ng	0.00
23) Nitrobenzene-d5	8.916	82	2282220	96.145	ng	0.00
42) 2,4,6-Tribromophenol	15.916	330	840478	83.198	ng	0.00
45) 2-Fluorobiphenyl	13.016	172	5128452	94.291	ng	0.00
79) Terphenyl-d14	19.928	244	8304556	103.082	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP031825\
Data File : BP024184.D
Acq On : 18 Mar 2025 13:10
Operator : RC/JU
Sample : PB167171BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB167171BL

Quant Time: Mar 18 13:35:26 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP031225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 13 05:55:58 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.769 min Scan# 796
Delta R.T. 0.000 min
Lab File: BP024184.D
Acq: 18 Mar 2025 13:10




Instrument :
BNA_P
ClientSampleId :
PB167171BL


Tgt Ion:152 Resp: 335947
Ion Ratio Lower Upper
152 100
150 155.2 125.5 188.3
115 59.3 46.3 69.5



#5
2-Fluorophenol
Concen: 98.280 ng
RT: 5.381 min Scan# 390
Delta R.T. 0.000 min
Lab File: BP024184.D
Acq: 18 Mar 2025 13:10

Tgt Ion:112 Resp: 2068351
Ion Ratio Lower Upper
112 100
64 52.2 41.3 61.9
63 26.2 20.6 31.0





#7

Phenol-d6

Concen: 92.255 ng

RT: 6.946 min Scan# 61

Delta R.T. -0.006 min

Lab File: BP024184.D

Acq: 18 Mar 2025 13:10

Instrument :





BNA_P

ClientSampleId :

PB167171BL

Tgt Ion: 99 Resp: 2596384

Ion	Ratio	Lower	Upper
99	100		
42	13.5	10.6	16.0
71	29.8	23.3	34.9



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.552 min Scan# 1269




Delta R.T. 0.000 min


Lab File: BP024184.D

Acq: 18 Mar 2025 13:10

Tgt Ion:136 Resp: 1339284

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.0	13.4
54	6.2	5.3	7.9
68	6.1	5.0	7.4









#23
 Nitrobenzene-d5
 Concen: 96.145 ng
 RT: 8.916 min Scan# 991
 Delta R.T. -0.006 min
 Lab File: BP024184.D
 Acq: 18 Mar 2025 13:10




Instrument :
 BNA_P
 ClientSampleId :
 PB167171BL


Tgt Ion: 82 Resp: 2282220
 Ion Ratio Lower Upper
 82 100
 128 45.6 37.4 56.0
 54 40.2 32.5 48.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.398 min Scan# 1923
 Delta R.T. -0.006 min
 Lab File: BP024184.D
 Acq: 18 Mar 2025 13:10

Tgt Ion: 164 Resp: 801993
 Ion Ratio Lower Upper
 164 100
 162 99.2 80.6 121.0
 160 45.1 35.4 53.2









#42
2,4,6-Tribromophenol
Concen: 83.198 ng
RT: 15.916 min Scan# 2181
Delta R.T. 0.000 min
Lab File: BP024184.D
Acq: 18 Mar 2025 13:10




Instrument :
BNA_P
ClientSampleId :
PB167171BL


Tgt Ion:330 Resp: 840478
Ion Ratio Lower Upper
330 100
332 96.7 77.6 116.4
141 32.0 25.0 37.6



#45
2-Fluorobiphenyl
Concen: 94.291 ng
RT: 13.016 min Scan# 1688
Delta R.T. 0.000 min
Lab File: BP024184.D
Acq: 18 Mar 2025 13:10

Tgt Ion:172 Resp: 5128452
Ion Ratio Lower Upper
172 100
171 35.5 28.3 42.5
170 23.8 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2400
Delta R.T. 0.000 min
Lab File: BP024184.D
Acq: 18 Mar 2025 13:10




Instrument :
BNA_P
ClientSampleId :
PB167171BL


Tgt Ion:188 Resp: 1554225
Ion Ratio Lower Upper
188 100
94 10.5 8.1 12.1
80 11.8 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.651 min Scan# 3156
Delta R.T. -0.006 min
Lab File: BP024184.D
Acq: 18 Mar 2025 13:10

Tgt Ion:240 Resp: 1662991
Ion Ratio Lower Upper
240 100
120 12.3 9.2 13.8
236 25.4 20.4 30.6









#79
 Terphenyl-d14
 Concen: 103.082 ng
 RT: 19.928 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BP024184.D
 Acq: 18 Mar 2025 13:10

Instrument :
 BNA_P
 ClientSampleId :
 PB167171BL

Tgt Ion:244 Resp: 8304556
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.7 8.5
 122 12.3 9.6 14.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.057 min Scan# 3735
 Delta R.T. 0.000 min
 Lab File: BP024184.D
 Acq: 18 Mar 2025 13:10

Tgt Ion:264 Resp: 1790932
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.5 27.7
 265 22.3 17.7 26.5

