

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032222\
 Data File : BP009489.D
 Acq On : 22 Mar 2022 15:49
 Operator : CG/JU
 Sample : N2030-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 MR-1

Quant Time: Mar 23 01:21:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP031722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 17 18:26:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.793	152	422291	20.000	ng	0.00
21) Naphthalene-d8	10.587	136	1597238	20.000	ng	0.00
39) Acenaphthene-d10	14.434	164	906465	20.000	ng	-0.01
64) Phenanthrene-d10	17.198	188	1729753	20.000	ng	0.00
76) Chrysene-d12	21.310	240	1780123	20.000	ng	0.00
86) Perylene-d12	23.710	264	2262373	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.399	112	3599418	148.815	ng	0.00
7) Phenol-d6	6.981	99	4437192	135.654	ng	-0.01
23) Nitrobenzene-d5	8.946	82	2798852	93.118	ng	-0.01
42) 2,4,6-Tribromophenol	15.934	330	1592555	106.467	ng	-0.01
45) 2-Fluorobiphenyl	13.057	172	5938459	90.819	ng	0.00
79) Terphenyl-d14	19.775	244	7672022	77.357	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032222\
Data File : BP009489.D
Acq On : 22 Mar 2022 15:49
Operator : CG/JU
Sample : N2030-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
MR-1

Quant Time: Mar 23 01:21:30 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP031722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 17 18:26:53 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.793 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP009489.D
Acq: 22 Mar 2022 15:49




Instrument :
BNA_P
ClientSampleId :
MR-1

Tgt Ion:152 Resp: 422291
Ion Ratio Lower Upper
152 100
150 154.4 124.5 186.7
115 58.0 48.2 72.4



#5
2-Fluorophenol
Concen: 148.815 ng
RT: 5.399 min Scan# 410
Delta R.T. -0.006 min
Lab File: BP009489.D
Acq: 22 Mar 2022 15:49

Tgt Ion:112 Resp: 3599418
Ion Ratio Lower Upper
112 100
64 54.4 45.0 67.4
63 28.0 23.0 34.6









#7
Phenol-d6
Concen: 135.654 ng
RT: 6.981 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP009489.D
Acq: 22 Mar 2022 15:49

Instrument :
BNA_P
ClientSampleId :
MR-1

Tgt Ion: 99 Resp: 4437192




Ion	Ratio	Lower	Upper
99	100		
42	15.1	12.8	19.2
71	32.4	26.3	39.5




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.587 min Scan# 1292
Delta R.T. -0.006 min
Lab File: BP009489.D
Acq: 22 Mar 2022 15:49

Tgt Ion:136 Resp: 1597238

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.6	12.8
54	6.6	5.8	8.8
68	6.2	5.2	7.8





#23

Nitrobenzene-d5

Concen: 93.118 ng

RT: 8.946 min Scan# 1015

Delta R.T. -0.012 min

Lab File: BP009489.D

Acq: 22 Mar 2022 15:49

Instrument :

BNA_P

ClientSampleId :

MR-1





Tgt Ion: 82 Resp: 2798852

Ion Ratio Lower Upper

82 100

128 43.9 34.2 51.4

54 43.1 34.7 52.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.434 min Scan# 1946

Delta R.T. -0.011 min

Lab File: BP009489.D

Acq: 22 Mar 2022 15:49




Tgt Ion:164 Resp: 906465


Ion Ratio Lower Upper

164 100

162 101.1 79.1 118.7

160 45.2 34.9 52.3









#42
2,4,6-Tribromophenol
Concen: 106.467 ng
RT: 15.934 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP009489.D
Acq: 22 Mar 2022 15:49




Instrument :
BNA_P
ClientSampleId :
MR-1


Tgt Ion:330 Resp: 1592555
Ion Ratio Lower Upper
330 100
332 97.2 77.0 115.6
141 29.7 27.6 41.4



#45
2-Fluorobiphenyl
Concen: 90.819 ng
RT: 13.057 min Scan# 1712
Delta R.T. -0.006 min
Lab File: BP009489.D
Acq: 22 Mar 2022 15:49

Tgt Ion:172 Resp: 5938459
Ion Ratio Lower Upper
172 100
171 35.2 28.0 42.0
170 23.5 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.198 min Scan# 2416
Delta R.T. -0.006 min
Lab File: BP009489.D
Acq: 22 Mar 2022 15:49




Instrument :
BNA_P
ClientSampleId :
MR-1


Tgt Ion:188 Resp: 1729753
Ion Ratio Lower Upper
188 100
94 8.8 7.9 11.9
80 9.6 8.8 13.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.310 min Scan# 3115
Delta R.T. -0.006 min
Lab File: BP009489.D
Acq: 22 Mar 2022 15:49

Tgt Ion:240 Resp: 1780123
Ion Ratio Lower Upper
240 100
120 9.7 9.0 13.4
236 25.8 20.6 30.8









#79
 Terphenyl-d14
 Concen: 77.357 ng
 RT: 19.775 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP009489.D
 Acq: 22 Mar 2022 15:49

Instrument :
 BNA_P
 ClientSampleId :
 MR-1

Tgt Ion:244 Resp: 7672022

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.9	8.3	12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.710 min Scan# 3523
 Delta R.T. -0.018 min
 Lab File: BP009489.D
 Acq: 22 Mar 2022 15:49

Tgt Ion:264 Resp: 2262373

Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.4	29.0
265	22.1	17.2	25.8

