

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032223\
 Data File : BP014262.D
 Acq On : 23 Mar 2023 17:34
 Operator : CG/JU
 Sample : SP
 Misc : SFAM SPIKE
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SP

Quant Time: Mar 24 00:52:10 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP030723.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 23 04:56:06 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.034	152	162743	20.000	ng/u1	0.00
20) Naphthalene-d8	10.857	136	720126	20.000	ng/u1	# 0.00
38) Acenaphthene-d10	14.681	164	509558	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.439	188	1168617	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.527	240	1154056	20.000	ng/u1	0.00
88) Perylene-d12	24.045	264	1165693	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.428	96	80	0.019	ng/uL	0.02
4) Pyridine-d5	3.840	84	967	0.081	ng/u1	0.00
7) Phenol-d5	7.205	99	211	0.015	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.358	67	180	0.021	ng/u1	0.00
11) 2-Chlorophenol-d4	7.534	132	18	0.002	ng/u1	-0.03
15) 4-Methylphenol-d8	8.857	113	119436	10.181	ng/u1	0.11
21) Nitrobenzene-d5	9.216	128	63	0.011	ng/u1	0.00
24) 2-Nitrophenol-d4	9.922	143	19	0.003	ng/u1	-0.02
28) 2,4-Dichlorophenol-d3	10.510	165	44581	3.445	ng/u1	0.03
31) 4-Chloroaniline-d4	10.999	131	728	0.043	ng/u1	0.00
46) Dimethylphthalate-d6	14.087	166	109	0.003	ng/u1	0.00
49) Acenaphthylene-d8	14.381	160	430	0.009	ng/u1	0.00
54) 4-Nitrophenol-d4	14.892	143	333	0.044	ng/u1	0.00
60) Fluorene-d10	15.675	176	681	0.019	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.822	200	8970	1.016	ng/u1	0.02
73) Anthracene-d10	17.539	188	2590	0.046	ng/u1	0.00
81) Pyrene-d10	19.763	212	852	0.013	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.045	264	1010185	16.292	ng/u1	0.16
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.434	88	124447	26.763	ng/uL#	88
5) Pyridine	3.852	79	880613	72.812	ng/u1	97
6) Benzaldehyde	7.175	77	890102	124.560	ng/u1	99
8) Phenol	7.222	94	1337323	90.295	ng/u1	97
10) Bis(2-Chloroethyl)ether	7.452	93	982398	86.580	ng/u1	98
12) 2-Chlorophenol	7.599	128	956350	86.750	ng/u1	96
13) 2-Methylphenol	8.487	108	998426	90.659	ng/u1	96
14) 2,2'-oxybis(1-Chloropr...	8.575	45	1253585	102.303	ng/u1	97
16) Acetophenone	8.875	105	1614350	85.184	ng/u1	99
17) N-Nitroso-di-n-propyla...	8.857	70	888136	91.606	ng/u1	98
18) 4-Methylphenol	8.822	108	1099792	90.791	ng/u1	99
19) Hexachloroethane	9.122	117	399602	82.762	ng/u1	95
22) Nitrobenzene	9.257	77	1291623	84.034	ng/u1	99
23) Isophorone	9.793	82	2516845	85.030	ng/u1	98
25) 2-Nitrophenol	9.969	139	575879	81.238	ng/u1	96
26) 2,4-Dimethylphenol	10.028	107	1305673	84.149	ng/u1	99
27) Bis(2-Chloroethoxy)met...	10.263	93	1459177	85.227	ng/u1	99
29) 2,4-Dichlorophenol	10.510	162	1027203	80.463	ng/u1	98
30) Naphthalene	10.910	128	3138994	79.379	ng/u1	99
32) 4-Chloroaniline	11.028	127	1341376	77.832	ng/u1	99
33) Hexachlorobutadiene	11.187	225	719917	70.867	ng/u1	99
34) Caprolactam	11.851	113	273617	66.009	ng/u1	93
35) 4-Chloro-3-methylphenol	12.151	107	1263018	85.558	ng/u1	96
36) 2-Methylnaphthalene	12.516	142	2190252	78.967	ng/u1	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032223\
 Data File : BP014262.D
 Acq On : 23 Mar 2023 17:34
 Operator : CG/JU
 Sample : SP
 Misc : SFAM SPIKE
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SP

Quant Time: Mar 24 00:52:10 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP030723.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 23 04:56:06 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.734	142	2233339	80.111	ng/ul	99
39) 1,2,4,5-Tetrachloroben...	12.881	216	1350706	73.302	ng/ul	99
40) Hexachlorocyclopentadiene	12.851	237	888653	67.348	ng/ul	98
41) 2,4,6-Trichlorophenol	13.122	196	918592	79.358	ng/ul	98
42) 2,4,5-Trichlorophenol	13.198	196	1003543	78.998	ng/ul	99
43) 1,1'-Biphenyl	13.516	154	3028275	77.192	ng/ul	98
44) 2-Chloronaphthalene	13.563	162	2423077	77.768	ng/ul	97
45) 2-Nitroaniline	13.775	65	865585	93.930	ng/ul	93
47) Dimethylphthalate	14.140	163	3260653	76.175	ng/ul	99
48) 2,6-Dinitrotoluene	14.269	165	714524	84.432	ng/ul	98
50) Acenaphthylene	14.410	152	3809855	79.246	ng/ul	100
51) 3-Nitroaniline	14.604	138	725318	96.799	ng/ul	95
52) Acenaphthene	14.751	153	2634780	78.394	ng/ul	100
53) 2,4-Dinitrophenol	14.804	184	493175	78.037	ng/ul	93
55) 4-Nitrophenol	14.910	109	565560	68.704	ng/ul	87
56) Dibenzofuran	15.087	168	3681822	75.301	ng/ul	100
57) 2,4-Dinitrotoluene	15.057	165	1038814	82.159	ng/ul	97
58) 2,3,4,6-Tetrachlorophenol	15.310	232	932342	76.715	ng/ul	99
59) Diethylphthalate	15.498	149	3323231	76.545	ng/ul	99
61) Fluorene	15.734	166	3063541	75.587	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.722	204	1629054	72.823	ng/ul	100
63) 4-Nitroaniline	15.775	138	740066	96.086	ng/ul	92
66) 4,6-Dinitro-2-methylph...	15.822	198	653452	77.547	ng/ul#	100
67) N-Nitrosodiphenylamine	15.939	169	2671323	80.937	ng/ul	100
68) 4-Bromophenyl-phenylether	16.622	248	1082888	76.651	ng/ul	99
69) Hexachlorobenzene	16.739	284	1269304	76.244	ng/ul	97
70) Atrazine	16.898	200	1114196	78.270	ng/ul	99
71) Pentachlorophenol	17.092	266	821631	75.503	ng/ul	97
72) Phenanthrene	17.486	178	4998457	78.420	ng/ul	100
74) Anthracene	17.581	178	5091262	78.778	ng/ul	100
75) 1,2,3,4-Tetrachloroben...	13.487	216	1373433	76.579	ng/ul	100
76) Pentachlorobenzene	15.004	250	1426592	76.574	ng/ul	99
77) Carbazole	17.851	167	4574982	80.255	ng/ul	99
78) Di-n-butylphthalate	18.375	149	5846800	82.067	ng/ul	100
80) Fluoranthene	19.445	202	6182086	85.213	ng/ul#	96
82) Pyrene	19.798	202	6343319	83.816	ng/ul	95
83) Butylbenzylphthalate	20.651	149	2797924	91.687	ng/ul	97
84) 3,3'-Dichlorobenzidine	21.433	252	2617996	88.616	ng/ul	100
85) Benzo(a)anthracene	21.510	228	6476866	79.792	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.404	149	4067432	89.153	ng/ul	99
87) Chrysene	21.569	228	6046846	78.166	ng/ul	99
89) Di-n-octyl phthalate	22.369	149	6964108	94.680	ng/ul	100
90) Benzo(b)fluoranthene	23.274	252	6579375	84.704	ng/ul	98
91) Benzo(k)fluoranthene	23.327	252	6062149	81.846	ng/ul	99
93) Benzo(a)pyrene	23.939	252	5421742	80.249	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	26.715	276	6215262	69.493	ng/ul#	95
95) Dibenzo(a,h)anthracene	26.727	278	5226829	70.315	ng/ul	99
96) Benzo(g,h,i)perylene	27.527	276	4802166	67.176	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032223\
Data File : BP014262.D
Acq On : 23 Mar 2023 17:34
Operator : CG/JU
Sample : SP
Misc : SFAM SPIKE
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SP

Quant Time: Mar 24 00:52:10 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP030723.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 23 04:56:06 2023
Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 26.763 ng/uL
RT: 3.434 min Scan# 41
Delta R.T. -0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion: 88 Resp: 124447
Ion Ratio Lower Upper
88 100
43 29.6 23.9 35.9
58 76.4 50.2 75.2#



#5
Pyridine
Concen: 72.812 ng/uL
RT: 3.852 min Scan# 113
Delta R.T. -0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion: 79 Resp: 880613
Ion Ratio Lower Upper
79 100
52 66.1 55.1 82.7
51 34.5 28.9 43.3









#6
Benzaldehyde
Concen: 124.560 ng/ul
RT: 7.175 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion: 77 Resp: 890102
Ion Ratio Lower Upper
77 100
105 93.3 74.2 111.2
106 88.3 69.8 104.8



#8
Phenol
Concen: 90.295 ng/ul
RT: 7.222 min Scan# 686
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion: 94 Resp: 1337323
Ion Ratio Lower Upper
94 100
65 31.0 25.2 37.8
66 43.4 37.2 55.8









#10
Bis(2-Chloroethyl)ether
Concen: 86.580 ng/ul
RT: 7.452 min Scan# 71
Delta R.T. -0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion: 93 Resp: 982398
Ion Ratio Lower Upper
93 100
63 75.9 58.8 88.2
95 31.7 25.8 38.6



#12
2-Chlorophenol
Concen: 86.750 ng/ul
RT: 7.599 min Scan# 750
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:128 Resp: 956350
Ion Ratio Lower Upper
128 100
64 52.5 38.3 57.5
130 32.0 25.7 38.5





#13

2-Methylphenol

Concen: 90.659 ng/ul

RT: 8.487 min Scan# 901

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :





SP

Tgt Ion:108 Resp: 998426

Ion Ratio Lower Upper

108 100

107 91.6 70.5 105.7



#14

2,2'-oxybis(1-Chloropropane)

Concen: 102.303 ng/ul

RT: 8.575 min Scan# 916

Delta R.T. 0.006 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion: 45 Resp: 1253585


Ion Ratio Lower Upper

45 100

77 16.2 14.2 21.2

79 12.7 10.6 15.8









#16
Acetophenone
Concen: 85.184 ng/ul
RT: 8.875 min Scan# 90
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:105 Resp: 1614350
Ion Ratio Lower Upper
105 100
77 82.9 65.4 98.2
51 27.7 21.8 32.8



#17
N-Nitroso-di-n-propylamine
Concen: 91.606 ng/ul
RT: 8.857 min Scan# 964
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion: 70 Resp: 888136
Ion Ratio Lower Upper
70 100
42 51.7 40.9 61.3
101 9.4 7.9 11.9
130 18.4 16.6 25.0









#18
4-Methylphenol
Concen: 90.791 ng/ul
RT: 8.822 min Scan# 91
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:108 Resp: 1099792
Ion Ratio Lower Upper
108 100
107 113.0 89.8 134.6



#19
Hexachloroethane
Concen: 82.762 ng/ul
RT: 9.122 min Scan# 1009
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:117 Resp: 399602
Ion Ratio Lower Upper
117 100
201 110.5 91.7 137.5
199 67.2 59.1 88.7









#22
Nitrobenzene
Concen: 84.034 ng/ul
RT: 9.257 min Scan# 1032
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion: 77 Resp: 1291623
Ion Ratio Lower Upper
77 100
123 39.6 32.6 48.8
65 13.7 11.2 16.8



#23
Isophorone
Concen: 85.030 ng/ul
RT: 9.793 min Scan# 1123
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion: 82 Resp: 2516845
Ion Ratio Lower Upper
82 100
95 7.9 7.1 10.7
138 15.7 13.3 19.9









#25
2-Nitrophenol
Concen: 81.238 ng/ul
RT: 9.969 min Scan# 1153
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:139 Resp: 575879
Ion Ratio Lower Upper
139 100
65 60.3 46.6 70.0
109 39.1 34.5 51.7



#26
2,4-Dimethylphenol
Concen: 84.149 ng/ul
RT: 10.028 min Scan# 1163
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:107 Resp: 1305673
Ion Ratio Lower Upper
107 100
121 46.7 37.1 55.7
122 77.7 61.2 91.8





#27

Bis(2-Chloroethoxy)methane

Concen: 85.227 ng/ul

RT: 10.263 min Scan# 1203

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion: 93 Resp: 1459177

Ion Ratio Lower Upper

93 100

95 32.1 25.6 38.4

123 10.0 8.5 12.7



#29

2,4-Dichlorophenol

Concen: 80.463 ng/ul

RT: 10.510 min Scan# 1245

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:162 Resp: 1027203


Ion Ratio Lower Upper

162 100

164 65.5 52.0 78.0

98 39.8 29.1 43.7









#30
Naphthalene
Concen: 79.379 ng/ul
RT: 10.910 min Scan# 1313
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:128 Resp: 3138994
Ion Ratio Lower Upper
128 100
129 11.0 8.5 12.7
127 13.5 11.0 16.4



#32
4-Chloroaniline
Concen: 77.832 ng/ul
RT: 11.028 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:127 Resp: 1341376
Ion Ratio Lower Upper
127 100
129 31.8 24.9 37.3





#33

Hexachlorobutadiene

Concen: 70.867 ng/ul

RT: 11.187 min Scan# 1

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:225 Resp: 719917

Ion Ratio Lower Upper

225 100

223 61.6 48.0 72.0

227 63.3 50.3 75.5



#34

Caprolactam

Concen: 66.009 ng/ul

RT: 11.851 min Scan# 1473

Delta R.T. 0.030 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:113 Resp: 273617


Ion Ratio Lower Upper

113 100

55 169.4 124.0 186.0

56 130.9 102.0 153.0









#35
4-Chloro-3-methylphenol
Concen: 85.558 ng/ul
RT: 12.151 min Scan# 1524
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:107 Resp: 1263018
Ion Ratio Lower Upper
107 100
144 22.9 19.4 29.0
142 70.9 59.6 89.4



#36
2-Methylnaphthalene
Concen: 78.967 ng/ul
RT: 12.516 min Scan# 1586
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:142 Resp: 2190252
Ion Ratio Lower Upper
142 100
141 90.9 71.7 107.5





#37

1-Methylnaphthalene

Concen: 80.111 ng/ul

RT: 12.734 min Scan# 1623

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:142 Resp: 2233339

Ion Ratio Lower Upper

142 100

141 92.9 73.8 110.6

116 4.6 3.7 5.5



#39

1,2,4,5-Tetrachlorobenzene

Concen: 73.302 ng/ul

RT: 12.881 min Scan# 1648

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Tgt Ion:216 Resp: 1350706




Ion Ratio Lower Upper


216 100

214 78.0 61.7 92.5

179 20.2 16.2 24.4

108 16.0 13.2 19.8





#40

Hexachlorocyclopentadiene

Concen: 67.348 ng/ul

RT: 12.851 min Scan# 1

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:237 Resp: 888653

Ion Ratio Lower Upper

237 100

235 62.6 49.0 73.6

272 12.6 9.6 14.4



#41

2,4,6-Trichlorophenol

Concen: 79.358 ng/ul

RT: 13.122 min Scan# 1689

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:196 Resp: 918592


Ion Ratio Lower Upper

196 100

198 95.9 78.5 117.7

200 31.2 25.4 38.0





#42

2,4,5-Trichlorophenol

Concen: 78.998 ng/ul

RT: 13.198 min Scan# 1702

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:196 Resp: 1003543

Ion Ratio Lower Upper

196 100

198 95.8 77.6 116.4

200 31.0 25.3 37.9



#43

1,1'-Biphenyl

Concen: 77.192 ng/ul

RT: 13.516 min Scan# 1756

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:154 Resp: 3028275


Ion Ratio Lower Upper

154 100

153 41.2 32.6 49.0

76 13.6 9.4 14.0









#44
2-Chloronaphthalene
Concen: 77.768 ng/ul
RT: 13.563 min Scan# 1764
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:162 Resp: 2423077
Ion Ratio Lower Upper
162 100
164 33.2 26.0 39.0
127 41.4 31.3 46.9



#45
2-Nitroaniline
Concen: 93.930 ng/ul
RT: 13.775 min Scan# 1800
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion: 65 Resp: 865585
Ion Ratio Lower Upper
65 100
92 68.4 56.3 84.5
138 92.4 81.4 122.2









#47
Dimethylphthalate
Concen: 76.175 ng/ul
RT: 14.140 min Scan# 1862
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:163 Resp: 3260653
Ion Ratio Lower Upper
163 100
194 4.2 3.6 5.4
164 10.1 8.2 12.4



#48
2,6-Dinitrotoluene
Concen: 84.432 ng/ul
RT: 14.269 min Scan# 1884
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:165 Resp: 714524
Ion Ratio Lower Upper
165 100
89 62.8 51.7 77.5
121 21.1 17.5 26.3





#50

Acenaphthylene

Concen: 79.246 ng/ul

RT: 14.410 min Scan# 1908

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:152 Resp: 3809855

Ion Ratio Lower Upper

152 100

151 20.6 16.2 24.2

153 13.0 10.4 15.6



#51

3-Nitroaniline

Concen: 96.799 ng/ul

RT: 14.604 min Scan# 1941

Delta R.T. 0.006 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:138 Resp: 725318


Ion Ratio Lower Upper

138 100

108 12.2 10.5 15.7

92 129.6 98.5 147.7









#52
Acenaphthene
Concen: 78.394 ng/ul
RT: 14.751 min Scan# 1966
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:153 Resp: 2634780
Ion Ratio Lower Upper
153 100
152 46.6 37.7 56.5
154 88.1 70.4 105.6



#53
2,4-Dinitrophenol
Concen: 78.037 ng/ul
RT: 14.804 min Scan# 1975
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:184 Resp: 493175
Ion Ratio Lower Upper
184 100
63 72.4 51.9 77.9
154 68.7 58.8 88.2









#55
4-Nitrophenol
Concen: 68.704 ng/ul
RT: 14.910 min Scan# 1992
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:109 Resp: 565560
Ion Ratio Lower Upper
109 100
139 105.6 74.5 111.7
65 121.5 86.6 130.0



#56
Dibenzofuran
Concen: 75.301 ng/ul
RT: 15.087 min Scan# 2023
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:168 Resp: 3681822
Ion Ratio Lower Upper
168 100
139 39.7 31.8 47.6





#57

2,4-Dinitrotoluene

Concen: 82.159 ng/ul

RT: 15.057 min Scan# 2017

Delta R.T. 0.006 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:165 Resp: 1038814

Ion Ratio Lower Upper

165 100

63 45.4 34.6 52.0

182 2.9 2.2 3.2



#58

2,3,4,6-Tetrachlorophenol

Concen: 76.715 ng/ul

RT: 15.310 min Scan# 2061

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Tgt Ion:232 Resp: 932342




Ion Ratio Lower Upper


232 100

131 42.1 34.1 51.1

130 2.4 2.1 3.1

166 29.5 23.0 34.6





#59

Diethylphthalate

Concen: 76.545 ng/ul

RT: 15.498 min Scan# 2093

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:149 Resp: 3323231

Ion Ratio Lower Upper

149 100

177 22.3 18.2 27.2

150 12.9 10.0 15.0



#61

Fluorene

Concen: 75.587 ng/ul

RT: 15.734 min Scan# 2133

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:166 Resp: 3063541


Ion Ratio Lower Upper

166 100

165 97.1 78.9 118.3

167 13.5 11.0 16.6









#62
4-Chlorophenyl-phenylether
Concen: 72.823 ng/ul
RT: 15.722 min Scan# 2131
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:204 Resp: 1629054
Ion Ratio Lower Upper
204 100
206 33.7 26.6 39.8
141 61.3 49.2 73.8



#63
4-Nitroaniline
Concen: 96.086 ng/ul
RT: 15.775 min Scan# 2140
Delta R.T. 0.012 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:138 Resp: 740066
Ion Ratio Lower Upper
138 100
92 57.2 44.5 66.7
108 97.9 87.2 130.8









#66
4,6-Dinitro-2-methylphenol
Concen: 77.547 ng/ul
RT: 15.822 min Scan# 2148
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:198 Resp: 653452
Ion Ratio Lower Upper
198 100
182 3.0 3.0 4.6#
77 25.4 20.3 30.5



#67
N-Nitrosodiphenylamine
Concen: 80.937 ng/ul
RT: 15.939 min Scan# 2168
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:169 Resp: 2671323
Ion Ratio Lower Upper
169 100
168 67.2 53.7 80.5
167 36.3 28.6 43.0









#68
4-Bromophenyl-phenylether
Concen: 76.651 ng/ul
RT: 16.622 min Scan# 2284
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:248 Resp: 1082888
Ion Ratio Lower Upper
248 100
250 98.9 78.8 118.2
141 74.6 60.8 91.2



#69
Hexachlorobenzene
Concen: 76.244 ng/ul
RT: 16.739 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:284 Resp: 1269304
Ion Ratio Lower Upper
284 100
142 31.5 23.2 34.8
249 33.0 25.7 38.5





#70

Atrazine

Concen: 78.270 ng/ul

RT: 16.898 min Scan# 2331

Delta R.T. 0.006 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:200 Resp: 1114196

Ion Ratio Lower Upper

200 100

173 25.1 19.0 28.4

215 47.9 38.5 57.7



#71

Pentachlorophenol

Concen: 75.503 ng/ul

RT: 17.092 min Scan# 2364

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:266 Resp: 821631


Ion Ratio Lower Upper

266 100

264 63.7 48.4 72.6

268 65.0 50.4 75.6





#72

Phenanthrene

Concen: 78.420 ng/ul

RT: 17.486 min Scan# 2431

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:178 Resp: 4998457

Ion Ratio Lower Upper

178 100

179 15.6 12.2 18.4

176 19.3 15.4 23.0



#74

Anthracene

Concen: 78.778 ng/ul

RT: 17.581 min Scan# 2447

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:178 Resp: 5091262


Ion Ratio Lower Upper

178 100

179 15.6 12.5 18.7

176 18.7 15.1 22.7





#75

1,2,3,4-Tetrachlorobenzene

Concen: 76.579 ng/uL

RT: 13.487 min Scan# 1

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:216 Resp: 1373433

Ion Ratio Lower Upper

216 100

214 77.3 61.4 92.2

218 49.0 39.1 58.7



#76

Pentachlorobenzene

Concen: 76.574 ng/uL

RT: 15.004 min Scan# 2009

Delta R.T. 0.006 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:250 Resp: 1426592


Ion Ratio Lower Upper

250 100

248 63.8 51.0 76.4

252 64.7 50.8 76.2









#77
Carbazole
Concen: 80.255 ng/ul
RT: 17.851 min Scan# 2493
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:167 Resp: 4574982
Ion Ratio Lower Upper
167 100
166 22.1 17.5 26.3
139 13.4 10.5 15.7



#78
Di-n-butylphthalate
Concen: 82.067 ng/ul
RT: 18.375 min Scan# 2582
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:149 Resp: 5846800
Ion Ratio Lower Upper
149 100
150 9.4 7.4 11.2
104 5.8 4.6 6.8









#80
Fluoranthene
Concen: 85.213 ng/ul
RT: 19.445 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:202 Resp: 6182086
Ion Ratio Lower Upper
202 100
101 9.8 6.6 10.0
100 7.6 5.0 7.4#



#82
Pyrene
Concen: 83.816 ng/ul
RT: 19.798 min Scan# 2824
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:202 Resp: 6343319
Ion Ratio Lower Upper
202 100
101 11.7 7.8 11.8
100 9.7 6.5 9.7





#83

Butylbenzylphthalate

Concen: 91.687 ng/ul

RT: 20.651 min Scan# 2969

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:149 Resp: 2797924

Ion Ratio Lower Upper

149 100

91 75.1 57.9 86.9

206 23.2 17.9 26.9



#84

3,3'-Dichlorobenzidine

Concen: 88.616 ng/ul

RT: 21.433 min Scan# 3102

Delta R.T. 0.000 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34




Tgt Ion:252 Resp: 2617996


Ion Ratio Lower Upper

252 100

254 64.0 51.3 76.9

126 9.5 6.9 10.3









#85
Benzo(a)anthracene
Concen: 79.792 ng/ul
RT: 21.510 min Scan# 3114
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:228 Resp: 6476866
Ion Ratio Lower Upper
228 100
229 19.7 15.5 23.3
226 27.2 22.1 33.1



#86
Bis(2-ethylhexyl)phthalate
Concen: 89.153 ng/ul
RT: 21.404 min Scan# 3097
Delta R.T. 0.000 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:149 Resp: 4067432
Ion Ratio Lower Upper
149 100
167 28.4 22.3 33.5
279 5.5 4.3 6.5





#87

Chrysene

Concen: 78.166 ng/ul

RT: 21.569 min Scan# 3124

Delta R.T. 0.006 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:228 Resp: 6046846

Ion Ratio Lower Upper

228 100

226 30.5 24.2 36.2

229 20.2 15.7 23.5



#89

Di-n-octyl phthalate

Concen: 94.680 ng/ul




RT: 22.369 min Scan# 3261


Delta R.T. 0.006 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Tgt Ion:149 Resp: 6964108









#90
Benzo(b)fluoranthene
Concen: 84.704 ng/ul
RT: 23.274 min Scan# 3414
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:252 Resp: 6579375
Ion Ratio Lower Upper
252 100
253 22.2 17.3 25.9
125 7.9 5.4 8.2



#91
Benzo(k)fluoranthene
Concen: 81.846 ng/ul
RT: 23.327 min Scan# 3424
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:252 Resp: 6062149
Ion Ratio Lower Upper
252 100
253 21.8 17.4 26.0
125 7.7 5.5 8.3









#93
Benzo(a)pyrene
Concen: 80.249 ng/ul
RT: 23.939 min Scan# 31
Delta R.T. 0.006 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34




Instrument :
BNA_P
ClientSampleId :
SP


Tgt Ion:252 Resp: 5421742
Ion Ratio Lower Upper
252 100
253 21.9 17.4 26.2
125 8.7 6.2 9.2



#94
Indeno(1,2,3-cd)pyrene
Concen: 69.493 ng/ul
RT: 26.715 min Scan# 4000
Delta R.T. 0.018 min
Lab File: BP014262.D
Acq: 23 Mar 2023 17:34

Tgt Ion:276 Resp: 6215262
Ion Ratio Lower Upper
276 100
138 19.8 13.1 19.7#
277 26.5 20.2 30.2





#95

Dibenzo(a,h)anthracene

Concen: 70.315 ng/ul

RT: 26.727 min Scan# 4002

Delta R.T. 0.018 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Instrument :

BNA_P

ClientSampleId :

SP





Tgt Ion:278 Resp: 5226829

Ion Ratio Lower Upper

278 100

139 12.0 8.7 13.1

279 23.6 19.0 28.4



#96

Benzo(g,h,i)perylene

Concen: 67.176 ng/ul

RT: 27.527 min Scan# 4138

Delta R.T. 0.018 min

Lab File: BP014262.D

Acq: 23 Mar 2023 17:34

Tgt Ion:276 Resp: 4802166

Ion Ratio Lower Upper

276 100

138 17.0 11.9 17.9

277 23.9 18.7 28.1

