

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032321\
 Data File : BP005028.D
 Acq On : 23 Mar 2021 17:18
 Operator : CG/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 ICVBP032321

Quant Time: Mar 23 18:05:26 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 23 17:09:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.728	152	33333	20.00	ng	0.00
21) Naphthalene-d8	10.516	136	121144	20.00	ng	# 0.00
39) Acenaphthene-d10	14.381	164	82429	20.00	ng	0.00
64) Phenanthrene-d10	17.139	188	169182	20.00	ng	# 0.00
76) Chrysene-d12	21.233	240	169801	20.00	ng	0.00
86) Perylene-d12	23.527	264	169028	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.316	112	172329	79.56	ng	0.00
7) Phenol-d6	6.905	99	248702	80.16	ng	0.00
23) Nitrobenzene-d5	8.887	82	230660	81.70	ng	0.00
42) 2,4,6-Tribromophenol	15.881	330	84330	78.52	ng	0.00
45) 2-Fluorobiphenyl	12.998	172	469633	77.07	ng	0.00
79) Terphenyl-d14	19.716	244	772787	82.85	ng	0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.258	88	36704	38.91	ng	96
3) Pyridine	3.658	79	100729	42.95	ng	96
4) n-Nitrosodimethylamine	3.570	42	35400	42.22	ng	86
6) Aniline	7.063	93	139173	39.58	ng	# 89
8) 2-Chlorophenol	7.293	128	89956	39.38	ng	# 81
9) Benzaldehyde	6.875	77	58886	41.80	ng	# 78
10) Phenol	6.928	94	126999	39.94	ng	80
11) bis(2-Chloroethyl)ether	7.163	93	91973	39.51	ng	94
12) 1,3-Dichlorobenzene	7.616	146	98508	38.81	ng	# 89
13) 1,4-Dichlorobenzene	7.763	146	99855	38.75	ng	# 93
14) 1,2-Dichlorobenzene	8.081	146	95663	38.70	ng	# 93
15) Benzyl Alcohol	7.975	79	96234	40.21	ng	# 86
16) 2,2'-oxybis(1-Chloropr...	8.263	45	67266	39.39	ng	95
17) 2-Methylphenol	8.175	107	81680	40.25	ng	# 89
18) Hexachloroethane	8.805	117	37722	38.41	ng	93
19) n-Nitroso-di-n-propyla...	8.540	70	78602	39.05	ng	# 92
20) 3+4-Methylphenols	8.505	107	111447	40.22	ng	89
22) Acetophenone	8.552	105	139782	40.14	ng	# 93
24) Nitrobenzene	8.928	77	121838	40.95	ng	# 75
25) Isophorone	9.457	82	213782	41.02	ng	# 88
26) 2-Nitrophenol	9.640	139	48713	42.21	ng	# 65
27) 2,4-Dimethylphenol	9.699	122	75544	40.71	ng	# 85
28) bis(2-Chloroethoxy)met...	9.940	93	107490	40.75	ng	97
29) 2,4-Dichlorophenol	10.169	162	85684	41.26	ng	93
30) 1,2,4-Trichlorobenzene	10.387	180	94994	40.73	ng	100
31) Naphthalene	10.569	128	277903	40.61	ng	100
32) Benzoic acid	9.846	122	60721	44.07	ng	# 67
33) 4-Chloroaniline	10.687	127	113506	41.00	ng	# 86
34) Hexachlorobutadiene	10.852	225	60403	40.25	ng	98
35) Caprolactam	11.481	113	29201	42.86	ng	# 75
36) 4-Chloro-3-methylphenol	11.816	107	103033	41.07	ng	# 81
37) 2-Methylnaphthalene	12.187	142	196829	39.83	ng	# 95
38) 1-Methylnaphthalene	12.410	142	184672	39.87	ng	100
40) 1,2,4,5-Tetrachloroben...	12.557	216	103375	38.51	ng	# 98
41) Hexachlorocyclopentadiene	12.534	237	59371	40.66	ng	99
43) 2,4,6-Trichlorophenol	12.804	196	74026	39.90	ng	98


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032321\
 Data File : BP005028.D
 Acq On : 23 Mar 2021 17:18
 Operator : CG/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 ICVBP032321

Quant Time: Mar 23 18:05:26 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 23 17:09:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.875	196	79773	39.70	ng	# 90
46) 1,1'-Biphenyl	13.210	154	240005	38.17	ng	96
47) 2-Chloronaphthalene	13.251	162	197559	38.60	ng	98
48) 2-Nitroaniline	13.463	65	66792	40.96	ng	# 61
49) Acenaphthylene	14.104	152	309070	38.83	ng	99
50) Dimethylphthalate	13.845	163	242717	38.23	ng	99
51) 2,6-Dinitrotoluene	13.963	165	56790	37.95	ng	# 58
52) Acenaphthene	14.445	154	188393	38.46	ng	99
53) 3-Nitroaniline	14.292	138	55488	40.29	ng	# 58
54) 2,4-Dinitrophenol	14.504	184	36681	40.48	ng	# 82
55) Dibenzofuran	14.787	168	311948	38.86	ng	99
56) 4-Nitrophenol	14.604	139	48594	43.01	ng	# 41
57) 2,4-Dinitrotoluene	14.757	165	78420	39.68	ng	# 58
58) Fluorene	15.434	166	250380	38.63	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.010	232	72406	39.06	ng	98
60) Diethylphthalate	15.216	149	246815	39.74	ng	99
61) 4-Chlorophenyl-phenyle...	15.434	204	132656	38.56	ng	98
62) 4-Nitroaniline	15.463	138	59728	42.21	ng	# 59
63) Azobenzene	15.728	77	272972	38.46	ng	86
65) 4,6-Dinitro-2-methylph...	15.522	198	52797	42.76	ng	86
66) n-Nitrosodiphenylamine	15.651	169	220778	40.59	ng	95
67) 4-Bromophenyl-phenylether	16.334	248	76517	39.04	ng	93
68) Hexachlorobenzene	16.445	284	86846	39.40	ng	96
69) Atrazine	16.610	200	76302	42.24	ng	94
70) Pentachlorophenol	16.792	266	61593	42.32	ng	98
71) Phenanthrene	17.186	178	393787	40.15	ng	99
72) Anthracene	17.275	178	389221	40.62	ng	98
73) Carbazole	17.551	167	373448	41.48	ng	98
74) Di-n-butylphthalate	18.110	149	410109	41.40	ng	# 97
75) Fluoranthene	19.163	202	469669	40.70	ng	98
77) Benzidine	19.345	184	154910	41.58	ng	99
78) Pyrene	19.510	202	476414	40.83	ng	100
80) Butylbenzylphthalate	20.392	149	186803	43.14	ng	# 75
81) Benzo(a)anthracene	21.222	228	473478	41.04	ng	98
82) 3,3'-Dichlorobenzidine	21.157	252	165002	42.56	ng	100
83) Chrysene	21.269	228	460974	40.71	ng	96
84) Bis(2-ethylhexyl)phtha...	21.151	149	268300	42.27	ng	# 93
85) Di-n-octyl phthalate	22.039	149	452030	42.23	ng	# 93
87) Indeno(1,2,3-cd)pyrene	25.880	276	501850	39.60	ng	97
88) Benzo(b)fluoranthene	22.833	252	492567	41.04	ng	99
89) Benzo(k)fluoranthene	22.833	252	492567	42.82	ng	99
90) Benzo(a)pyrene	23.427	252	438748	40.77	ng	97
91) Dibenzo(a,h)anthracene	25.898	278	442483	40.37	ng	# 96
92) Benzo(g,h,i)perylene	26.604	276	428533	40.52	ng	95





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.728 min Scan# 789
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:152 Resp: 33333
Ion Ratio Lower Upper
152 100
150 152.3 123.8 185.6
115 65.4 43.8 65.6



#2
1,4-Dioxane
Concen: 38.91 ng
RT: 3.258 min Scan# 29
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 88 Resp: 36704
Ion Ratio Lower Upper
88 100
58 58.0 44.2 66.4
43 20.8 15.2 22.8









#3
Pyridine
Concen: 42.95 ng
RT: 3.658 min Scan# 97
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion: 79 Resp: 100729
Ion Ratio Lower Upper
79 100
52 49.3 41.3 61.9
51 24.1 21.2 31.8



#4
n-Nitrosodimethylamine
Concen: 42.22 ng
RT: 3.570 min Scan# 82
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 42 Resp: 35400
Ion Ratio Lower Upper
42 100
74 165.2 148.6 223.0
44 6.3 5.3 7.9









#5
2-Fluorophenol
Concen: 79.56 ng
RT: 5.316 min Scan# 379
Delta R.T. 0.000 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:112 Resp: 172329
Ion Ratio Lower Upper
112 100
64 58.1 32.8 49.2#
63 32.1 17.0 25.4#



#6
Aniline
Concen: 39.58 ng
RT: 7.063 min Scan# 676
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 93 Resp: 139173
Ion Ratio Lower Upper
93 100
66 39.0 25.4 38.0#
65 18.7 12.5 18.7









#7
Phenol-d6
Concen: 80.16 ng
RT: 6.905 min Scan# 649
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion: 99 Resp: 248702
Ion Ratio Lower Upper
99 100
42 14.5 8.6 13.0#
71 39.1 23.4 35.2#



#8
2-Chlorophenol
Concen: 39.38 ng
RT: 7.293 min Scan# 715
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 128 Resp: 89956
Ion Ratio Lower Upper
128 100
130 32.3 13.0 53.0
64 51.0 10.4 50.4#









#9
Benzaldehyde
Concen: 41.80 ng
RT: 6.875 min Scan# 644
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion: 77 Resp: 58886
Ion Ratio Lower Upper
77 100
105 94.5 97.1 137.1#
106 88.1 93.7 133.7#



#10
Phenol
Concen: 39.94 ng
RT: 6.928 min Scan# 653
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 94 Resp: 126999
Ion Ratio Lower Upper
94 100
65 29.6 2.3 42.3
66 43.3 10.9 50.9









#11
bis(2-Chloroethyl)ether
Concen: 39.51 ng
RT: 7.163 min Scan# 693
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion: 93	Resp: 91973
Ion Ratio	Lower Upper
93 100	
63 64.2	39.0 79.0
95 30.9	12.8 52.8



#12
1,3-Dichlorobenzene
Concen: 38.81 ng
RT: 7.616 min Scan# 770
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 146	Resp: 98508
Ion Ratio	Lower Upper
146 100	
148 63.2	52.5 78.7
75 39.7	18.1 27.1









#13
1,4-Dichlorobenzene
Concen: 38.75 ng
RT: 7.763 min Scan# 795
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:146 Resp: 99855
Ion Ratio Lower Upper
146 100
148 61.6 51.3 76.9
111 44.1 28.9 43.3#



#14
1,2-Dichlorobenzene
Concen: 38.70 ng
RT: 8.081 min Scan# 849
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:146 Resp: 95663
Ion Ratio Lower Upper
146 100
148 63.3 51.6 77.4
111 48.2 31.0 46.6#









#15
Benzyl Alcohol
Concen: 40.21 ng
RT: 7.975 min Scan# 831
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion: 79 Resp: 96234
Ion Ratio Lower Upper
79 100
108 70.4 73.5 110.3#
77 63.3 50.3 75.5



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.39 ng
RT: 8.263 min Scan# 880
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 45 Resp: 67266
Ion Ratio Lower Upper
45 100
77 25.1 2.3 42.3
79 18.7 0.0 36.6





#17

2-Methylphenol

Concen: 40.25 ng

RT: 8.175 min Scan# 865

Delta R.T. 0.006 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18





Instrument :

BNA_P

ClientSampleId :

ICVBP032321

Tgt Ion:	107	Resp:	81680
Ion Ratio	Lower	Upper	
107	100		
108	110.8	89.6	134.4
77	55.6	31.8	47.6#
79	53.0	31.1	46.7#



#18

Hexachloroethane

Concen: 38.41 ng




RT: 8.805 min Scan# 972


Delta R.T. 0.012 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18


Tgt Ion:	117	Resp:	37722
Ion Ratio	Lower	Upper	
117	100		
119	92.3	78.8	118.2
201	107.6	92.3	138.5








#19
n-Nitroso-di-n-propylamine
Concen: 39.05 ng
RT: 8.540 min Scan# 927
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Instrument :
BNA_P
ClientSampleId :
ICVBP032321







Tgt Ion:	70	Resp:	78602
Ion Ratio	Lower	Upper	
70	100		
42	40.7	32.8	49.2
101	10.6	9.6	14.4
130	19.4	24.3	36.5#



#20
3+4-Methylphenols
Concen: 40.22 ng
RT: 8.505 min Scan# 921
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:	107	Resp:	111447
Ion Ratio	Lower	Upper	
107	100		
108	93.1	69.0	109.0
77	40.2	8.5	48.5
79	36.3	4.8	44.8









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.516 min Scan# 1263
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:	136	Resp:	121144
Ion Ratio	Lower	Upper	
136	100		
137	10.4	8.6	13.0
54	6.3	3.6	5.4#
68	6.7	3.3	4.9#



#22
Acetophenone
Concen: 40.14 ng
RT: 8.552 min Scan# 929
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:	105	Resp:	139782
Ion Ratio	Lower	Upper	
105	100		
71	3.5	2.6	3.8
51	21.2	13.5	20.3#
120	21.8	19.6	29.4









#23
Nitrobenzene-d5
Concen: 81.70 ng
RT: 8.887 min Scan# 986
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion: 82 Resp: 230660
Ion Ratio Lower Upper
82 100
128 36.3 45.6 68.4#
54 41.2 30.1 45.1



#24
Nitrobenzene
Concen: 40.95 ng
RT: 8.928 min Scan# 993
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 77 Resp: 121838
Ion Ratio Lower Upper
77 100
123 38.4 48.6 72.8#
65 13.7 10.0 15.0









#25
Isophorone
Concen: 41.02 ng
RT: 9.457 min Scan# 1083
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion: 82 Resp: 213782
Ion Ratio Lower Upper
82 100
95 8.6 6.4 9.6
138 16.0 18.7 28.1#



#26
2-Nitrophenol
Concen: 42.21 ng
RT: 9.640 min Scan# 1114
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 139 Resp: 48713
Ion Ratio Lower Upper
139 100
109 38.2 22.1 33.1#
65 60.0 26.5 39.7#









#27
2,4-Dimethylphenol
Concen: 40.71 ng
RT: 9.699 min Scan# 1124
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:122 Resp: 75544
Ion Ratio Lower Upper
122 100
107 132.8 87.3 130.9#
121 57.5 47.3 70.9



#28
bis(2-Chloroethoxy)methane
Concen: 40.75 ng
RT: 9.940 min Scan# 1165
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 93 Resp: 107490
Ion Ratio Lower Upper
93 100
95 32.8 26.7 40.1
123 10.7 10.5 15.7









#29
2,4-Dichlorophenol
Concen: 41.26 ng
RT: 10.169 min Scan# 1204
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:162 Resp: 85684
Ion Ratio Lower Upper
162 100
164 65.6 45.8 85.8
98 41.4 10.2 50.2



#30
1,2,4-Trichlorobenzene
Concen: 40.73 ng
RT: 10.387 min Scan# 1241
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:180 Resp: 94994
Ion Ratio Lower Upper
180 100
182 95.2 76.2 114.2
145 29.0 23.8 35.8









#31
Naphthalene
Concen: 40.61 ng
RT: 10.569 min Scan# 1272
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:128 Resp: 277903
Ion Ratio Lower Upper
128 100
129 10.9 8.8 13.2
127 13.4 10.6 15.8



#32
Benzoic acid
Concen: 44.07 ng
RT: 9.846 min Scan# 1149
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:122 Resp: 60721
Ion Ratio Lower Upper
122 100
105 140.8 94.1 134.1#
77 109.1 50.1 90.1#









#33
4-Chloroaniline
Concen: 41.00 ng
RT: 10.687 min Scan# 1292
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:	127	Resp:	113506
Ion Ratio	Lower	Upper	
127	100		
129	32.0	25.7	38.5
65	35.7	17.3	25.9#
92	25.2	12.9	19.3#



#34
Hexachlorobutadiene
Concen: 40.25 ng
RT: 10.852 min Scan# 1320
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:	225	Resp:	60403
Ion Ratio	Lower	Upper	
225	100		
223	62.3	50.1	75.1
227	66.8	51.4	77.2









#35
Caprolactam
Concen: 42.86 ng
RT: 11.481 min Scan# 1427
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:113 Resp: 29201
Ion Ratio Lower Upper
113 100
55 111.5 77.3 117.3
56 108.3 55.9 95.9#



#36
4-Chloro-3-methylphenol
Concen: 41.07 ng
RT: 11.816 min Scan# 1484
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:107 Resp: 103033
Ion Ratio Lower Upper
107 100
144 22.9 22.7 34.1
142 68.2 70.7 106.1#









#37
2-Methylnaphthalene
Concen: 39.83 ng
RT: 12.187 min Scan# 1547
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:142 Resp: 196829
Ion Ratio Lower Upper
142 100
141 87.6 71.4 107.2
115 40.2 25.8 38.6#



#38
1-Methylnaphthalene
Concen: 39.87 ng
RT: 12.410 min Scan# 1585
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:142 Resp: 184672
Ion Ratio Lower Upper
142 100
141 93.3 74.4 111.6
116 4.1 2.9 4.3









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.381 min Scan# 1920
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:164 Resp: 82429
Ion Ratio Lower Upper
164 100
162 92.2 79.4 119.2
160 39.8 36.1 54.1



#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.51 ng
RT: 12.557 min Scan# 1610
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:216 Resp: 103375
Ion Ratio Lower Upper
216 100
214 78.3 63.0 94.6
179 20.5 16.9 25.3
108 19.5 12.6 19.0#









#41
Hexachlorocyclopentadiene
Concen: 40.66 ng
RT: 12.534 min Scan# 1606
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:237	Resp:	59371
Ion Ratio	Lower	Upper
237	100	
235	63.6	43.2 83.2
272	12.5	0.0 33.3



#42
2,4,6-Tribromophenol
Concen: 78.52 ng
RT: 15.881 min Scan# 2175
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:330	Resp:	84330
Ion Ratio	Lower	Upper
330	100	
332	96.3	77.1 115.7
141	35.3	23.4 35.2#





#43

2,4,6-Trichlorophenol

Concen: 39.90 ng

RT: 12.804 min Scan# 1652

Delta R.T. 0.006 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18





Tgt Ion:196 Resp: 74026

Ion Ratio Lower Upper

196 100

198 93.8 77.0 115.6

200 32.4 25.1 37.7



#44

2,4,5-Trichlorophenol

Concen: 39.70 ng

RT: 12.875 min Scan# 1664

Delta R.T. 0.006 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18

Tgt Ion:196 Resp: 79773




Ion Ratio Lower Upper


196 100

198 101.0 77.3 115.9

97 57.7 31.0 46.4#

132 25.9 20.9 31.3









#45
2-Fluorobiphenyl
Concen: 77.07 ng
RT: 12.998 min Scan# 1685
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:172 Resp: 469633
Ion Ratio Lower Upper
172 100
171 34.4 28.5 42.7
170 22.2 19.2 28.8



#46
1,1'-Biphenyl
Concen: 38.17 ng
RT: 13.210 min Scan# 1721
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:154 Resp: 240005
Ion Ratio Lower Upper
154 100
153 41.6 20.4 60.4
76 14.4 0.0 29.3









#47
2-Chloronaphthalene
Concen: 38.60 ng
RT: 13.251 min Scan# 1728
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:162 Resp: 197559
Ion Ratio Lower Upper
162 100
127 39.1 29.9 44.9
164 33.0 26.1 39.1



#48
2-Nitroaniline
Concen: 40.96 ng
RT: 13.463 min Scan# 1764
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 65 Resp: 66792
Ion Ratio Lower Upper
65 100
92 73.0 70.6 106.0
138 97.3 133.6 200.4#





#49

Acenaphthylene

Concen: 38.83 ng

RT: 14.104 min Scan# 1873

Delta R.T. 0.012 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18





Tgt Ion:152 Resp: 309070

Ion Ratio Lower Upper

152 100

151 20.6 15.9 23.9

153 13.4 10.5 15.7



#50

Dimethylphthalate

Concen: 38.23 ng

RT: 13.845 min Scan# 1829

Delta R.T. 0.006 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18




Tgt Ion:163 Resp: 242717


Ion Ratio Lower Upper

163 100

194 4.9 3.3 4.9

164 9.9 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 37.95 ng
RT: 13.963 min Scan# 1849
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:165 Resp: 56790
Ion Ratio Lower Upper
165 100
63 64.9 27.8 41.6#
89 64.9 34.6 52.0#



#52
Acenaphthene
Concen: 38.46 ng
RT: 14.445 min Scan# 1931
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:154 Resp: 188393
Ion Ratio Lower Upper
154 100
153 114.7 91.0 136.6
152 53.0 43.0 64.6









#53
3-Nitroaniline
Concen: 40.29 ng
RT: 14.292 min Scan# 1905
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:138 Resp: 55488
Ion Ratio Lower Upper
138 100
108 13.0 7.5 11.3#
92 137.6 75.0 112.6#



#54
2,4-Dinitrophenol
Concen: 40.48 ng
RT: 14.504 min Scan# 1941
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:184 Resp: 36681
Ion Ratio Lower Upper
184 100
63 64.8 32.3 48.5#
154 64.7 49.1 73.7









#55
Dibenzofuran
Concen: 38.86 ng
RT: 14.787 min Scan# 1989
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:168 Resp: 311948
Ion Ratio Lower Upper
168 100
139 37.0 29.1 43.7
169 12.8 10.4 15.6



#56
4-Nitrophenol
Concen: 43.01 ng
RT: 14.604 min Scan# 1958
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:139 Resp: 48594
Ion Ratio Lower Upper
139 100
109 99.3 44.6 84.6#
65 118.3 41.6 81.6#









#57
2,4-Dinitrotoluene
Concen: 39.68 ng
RT: 14.757 min Scan# 1984
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:	165	Resp:	78420
Ion Ratio	Lower	Upper	
165	100		
63	51.0	20.6	31.0#
89	82.3	42.6	63.8#
182	3.8	2.4	3.6#



#58
Fluorene
Concen: 38.63 ng
RT: 15.434 min Scan# 2099
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:	166	Resp:	250380
Ion Ratio	Lower	Upper	
166	100		
165	95.8	77.8	116.8
167	13.7	11.0	16.4









#59
2,3,4,6-Tetrachlorophenol
Concen: 39.06 ng
RT: 15.010 min Scan# 2027
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:	232	Resp:	72406
Ion Ratio	Lower	Upper	
232	100		
131	41.9	34.1	51.1
130	2.8	1.8	2.8
166	29.0	24.6	36.8



#60
Diethylphthalate
Concen: 39.74 ng
RT: 15.216 min Scan# 2062
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:	149	Resp:	246815
Ion Ratio	Lower	Upper	
149	100		
177	23.1	18.0	27.0
150	12.8	10.0	15.0









#61
4-Chlorophenyl-phenylether
Concen: 38.56 ng
RT: 15.434 min Scan# 2099
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:204 Resp: 132656
Ion Ratio Lower Upper
204 100
206 31.7 25.9 38.9
141 56.7 46.5 69.7



#62
4-Nitroaniline
Concen: 42.21 ng
RT: 15.463 min Scan# 2104
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:138 Resp: 59728
Ion Ratio Lower Upper
138 100
92 65.5 20.7 60.7#
108 101.6 47.8 87.8#









#63
Azobenzene
Concen: 38.46 ng
RT: 15.728 min Scan# 2149
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion: 77	Resp: 272972
Ion Ratio	Lower Upper
77 100	
182 24.5	16.9 56.9
105 19.8	5.6 45.6
51 25.6	2.9 42.9



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.139 min Scan# 2389
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion: 188	Resp: 169182
Ion Ratio	Lower Upper
188 100	
94 10.4	6.2 9.2#
80 11.1	6.2 9.2#









#65
4,6-Dinitro-2-methylphenol
Concen: 42.76 ng
RT: 15.522 min Scan# 2114
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:198 Resp: 52797
Ion Ratio Lower Upper
198 100
51 37.0 6.4 46.4
105 45.0 18.9 58.9



#66
n-Nitrosodiphenylamine
Concen: 40.59 ng
RT: 15.651 min Scan# 2136
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:169 Resp: 220778
Ion Ratio Lower Upper
169 100
168 63.0 53.8 80.6
167 33.8 28.9 43.3









#67
4-Bromophenyl-phenylether
Concen: 39.04 ng
RT: 16.334 min Scan# 2252
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:248 Resp: 76517
Ion Ratio Lower Upper
248 100
250 102.1 76.7 115.1
141 73.1 53.0 79.6



#68
Hexachlorobenzene
Concen: 39.40 ng
RT: 16.445 min Scan# 2271
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:284 Resp: 86846
Ion Ratio Lower Upper
284 100
142 32.2 24.2 36.4
249 32.4 23.8 35.8









#69
Atrazine
Concen: 42.24 ng
RT: 16.610 min Scan# 2299
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:200 Resp: 76302
Ion Ratio Lower Upper
200 100
173 27.2 5.9 45.9
215 53.2 28.4 68.4



#70
Pentachlorophenol
Concen: 42.32 ng
RT: 16.792 min Scan# 2330
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:266 Resp: 61593
Ion Ratio Lower Upper
266 100
268 65.8 51.1 76.7
264 62.8 50.6 76.0









#71
Phenanthrene
Concen: 40.15 ng
RT: 17.186 min Scan# 2397
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:178 Resp: 393787
Ion Ratio Lower Upper
178 100
176 18.5 15.3 22.9
179 15.3 12.5 18.7



#72
Anthracene
Concen: 40.62 ng
RT: 17.275 min Scan# 2412
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:178 Resp: 389221
Ion Ratio Lower Upper
178 100
176 17.6 15.0 22.4
179 15.0 12.5 18.7









#73
 Carbazole
 Concen: 41.48 ng
 RT: 17.551 min Scan# 2459
 Delta R.T. 0.006 min
 Lab File: BP005028.D
 Acq: 23 Mar 2021 17:18




Instrument :
 BNA_P
 ClientSampleId :
 ICVBP032321


Tgt Ion:167 Resp: 373448
 Ion Ratio Lower Upper
 167 100
 166 21.0 17.6 26.4
 139 12.2 10.2 15.4



#74
 Di-n-butylphthalate
 Concen: 41.40 ng
 RT: 18.110 min Scan# 2554
 Delta R.T. 0.012 min
 Lab File: BP005028.D
 Acq: 23 Mar 2021 17:18

Tgt Ion:149 Resp: 410109
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.3 10.9
 104 6.5 3.4 5.0#









#75
Fluoranthene
Concen: 40.70 ng
RT: 19.163 min Scan# 2733
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:202 Resp: 469669
Ion Ratio Lower Upper
202 100
101 9.6 0.0 29.4
203 16.8 0.0 37.8



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.233 min Scan# 3085
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:240 Resp: 169801
Ion Ratio Lower Upper
240 100
120 8.6 7.8 11.6
236 24.6 20.8 31.2





#77

Benzidine

Concen: 41.58 ng

RT: 19.345 min Scan# 2764

Delta R.T. 0.006 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18





Tgt Ion:184 Resp: 154910

Ion Ratio Lower Upper

184 100

185 14.1 11.5 17.3

183 12.5 9.6 14.4



#78

Pyrene

Concen: 40.83 ng

RT: 19.510 min Scan# 2792

Delta R.T. 0.006 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18




Tgt Ion:202 Resp: 476414


Ion Ratio Lower Upper

202 100

200 21.7 17.1 25.7

203 17.7 14.2 21.2





#79

Terphenyl-d14

Concen: 82.85 ng

RT: 19.716 min Scan# 2827

Delta R.T. 0.012 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18





Tgt Ion:244 Resp: 772787

Ion Ratio Lower Upper

244 100

212 6.4 5.8 8.6

122 8.8 7.8 11.8



#80

Butylbenzylphthalate

Concen: 43.14 ng

RT: 20.392 min Scan# 2942

Delta R.T. 0.006 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18




Tgt Ion:149 Resp: 186803


Ion Ratio Lower Upper

149 100

91 79.0 45.4 68.0#

206 26.2 17.1 25.7#









#81
Benzo(a)anthracene
Concen: 41.04 ng
RT: 21.222 min Scan# 3083
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:228 Resp: 473478
Ion Ratio Lower Upper
228 100
226 26.4 22.1 33.1
229 20.3 15.9 23.9



#82
3,3'-Dichlorobenzidine
Concen: 42.56 ng
RT: 21.157 min Scan# 3072
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:252 Resp: 165002
Ion Ratio Lower Upper
252 100
254 63.4 51.0 76.4
126 9.5 7.9 11.9









#83
Chrysene
Concen: 40.71 ng
RT: 21.269 min Scan# 3091
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:	228	Resp:	460974
Ion Ratio	Lower	Upper	
228	100		
226	27.4	24.4	36.6
229	19.3	15.8	23.6



#84
Bis(2-ethylhexyl)phthalate
Concen: 42.27 ng
RT: 21.151 min Scan# 3071
Delta R.T. 0.006 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:	149	Resp:	268300
Ion Ratio	Lower	Upper	
149	100		
167	31.9	22.6	34.0
279	6.7	4.2	6.2#









#85
Di-n-octyl phthalate
Concen: 42.23 ng
RT: 22.039 min Scan# 3222
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:149 Resp: 452030
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 7.5 3.7 5.5#



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.527 min Scan# 3475
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:264 Resp: 169028
Ion Ratio Lower Upper
264 100
260 22.5 18.8 28.2
265 22.3 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 39.60 ng

RT: 25.880 min Scan# 3875

Delta R.T. 0.018 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18

Instrument :

BNA_P

ClientSampleId :

ICVBP032321





Tgt Ion:276 Resp: 501850

Ion Ratio Lower Upper

276 100

138 21.1 18.7 28.1

277 26.5 20.4 30.6



#88

Benzo(b)fluoranthene

Concen: 41.04 ng

RT: 22.833 min Scan# 3357

Delta R.T. 0.012 min

Lab File: BP005028.D

Acq: 23 Mar 2021 17:18




Tgt Ion:252 Resp: 492567


Ion Ratio Lower Upper

252 100

253 21.8 17.6 26.4

125 8.8 7.3 10.9









#89
Benzo(k)fluoranthene
Concen: 42.82 ng
RT: 22.833 min Scan# 3357
Delta R.T. -0.035 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18




Instrument :
BNA_P
ClientSampleId :
ICVBP032321


Tgt Ion:252 Resp: 492567
Ion Ratio Lower Upper
252 100
253 21.8 17.8 26.8
125 8.8 7.4 11.2



#90
Benzo(a)pyrene
Concen: 40.77 ng
RT: 23.427 min Scan# 3458
Delta R.T. 0.012 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:252 Resp: 438748
Ion Ratio Lower Upper
252 100
253 22.3 17.4 26.0
125 8.4 8.2 12.4









#91
Dibenzo(a,h)anthracene
Concen: 40.37 ng
RT: 25.898 min Scan# 3878
Delta R.T. 0.018 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Instrument :
BNA_P
ClientSampleId :
ICVBP032321

Tgt Ion:278 Resp: 442483
Ion Ratio Lower Upper
278 100
139 12.1 12.4 18.6#
279 23.5 19.0 28.6



#92
Benzo(g,h,i)perylene
Concen: 40.52 ng
RT: 26.604 min Scan# 3998
Delta R.T. 0.018 min
Lab File: BP005028.D
Acq: 23 Mar 2021 17:18

Tgt Ion:276 Resp: 428533
Ion Ratio Lower Upper
276 100
277 24.8 19.0 28.6
138 16.7 16.6 24.8

