

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032521\
 Data File : BP005040.D
 Acq On : 25 Mar 2021 09:28
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040

Quant Time: Mar 25 10:19:14 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 25 10:18:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.716	152	28496	20.00	ng	# 0.00
21) Naphthalene-d8	10.510	136	111285	20.00	ng	# 0.00
39) Acenaphthene-d10	14.375	164	74428	20.00	ng	0.00
64) Phenanthrene-d10	17.133	188	154697	20.00	ng	# 0.00
76) Chrysene-d12	21.227	240	155824	20.00	ng	0.00
86) Perylene-d12	23.515	264	154038	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.311	112	151102	81.60	ng	0.00
7) Phenol-d6	6.893	99	221314	83.44	ng	0.00
23) Nitrobenzene-d5	8.881	82	211493	81.54	ng	0.00
42) 2,4,6-Tribromophenol	15.869	330	80766	83.29	ng	0.00
45) 2-Fluorobiphenyl	12.993	172	442927	80.50	ng	0.00
79) Terphenyl-d14	19.704	244	721764	84.32	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.252	88	31595	39.18	ng	96
3) Pyridine	3.652	79	88358	44.07	ng	93
4) n-Nitrosodimethylamine	3.564	42	30195	42.12	ng	76
6) Aniline	7.058	93	125209	41.66	ng	# 89
8) 2-Chlorophenol	7.287	128	79511	40.71	ng	# 81
9) Benzaldehyde	6.869	77	52708	44.13	ng	# 78
10) Phenol	6.922	94	111287	40.94	ng	83
11) bis(2-Chloroethyl)ether	7.152	93	82910	41.66	ng	95
12) 1,3-Dichlorobenzene	7.610	146	89534	41.26	ng	# 90
13) 1,4-Dichlorobenzene	7.752	146	89996	40.85	ng	# 93
14) 1,2-Dichlorobenzene	8.069	146	88237	41.75	ng	# 92
15) Benzyl Alcohol	7.963	79	85873	41.97	ng	# 85
16) 2,2'-oxybis(1-Chloropr...	8.246	45	60650	41.55	ng	89
17) 2-Methylphenol	8.163	107	72894	42.02	ng	# 90
18) Hexachloroethane	8.793	117	34531	41.13	ng	93
19) n-Nitroso-di-n-propyla...	8.528	70	72993	42.42	ng	# 90
20) 3+4-Methylphenols	8.493	107	99912	42.18	ng	91
22) Acetophenone	8.546	105	129767	40.56	ng	# 93
24) Nitrobenzene	8.922	77	110707	40.50	ng	# 77
25) Isophorone	9.446	82	200567	41.90	ng	# 89
26) 2-Nitrophenol	9.628	139	46061	43.45	ng	# 70
27) 2,4-Dimethylphenol	9.693	122	72278	42.40	ng	86
28) bis(2-Chloroethoxy)met...	9.928	93	102448	42.28	ng	98
29) 2,4-Dichlorophenol	10.163	162	79877	41.88	ng	95
30) 1,2,4-Trichlorobenzene	10.375	180	88282	41.21	ng	98
31) Naphthalene	10.563	128	257886	41.02	ng	99
32) Benzoic acid	9.840	122	49786	39.34	ng	# 69
33) 4-Chloroaniline	10.675	127	106489	41.87	ng	# 88
34) Hexachlorobutadiene	10.846	225	56639	41.08	ng	98
35) Caprolactam	11.469	113	26069	41.65	ng	# 78
36) 4-Chloro-3-methylphenol	11.810	107	97590	42.35	ng	# 79
37) 2-Methylnaphthalene	12.181	142	186412	41.07	ng	# 93
38) 1-Methylnaphthalene	12.398	142	179023	42.07	ng	99
40) 1,2,4,5-Tetrachloroben...	12.551	216	98486	40.63	ng	# 98
41) Hexachlorocyclopentadiene	12.528	237	55661	42.22	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032521\
 Data File : BP005040.D
 Acq On : 25 Mar 2021 09:28
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1


Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Quant Time: Mar 25 10:19:14 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 25 10:18:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 2,4,6-Trichlorophenol	12.798	196	68892	41.12	ng	99
44) 2,4,5-Trichlorophenol	12.863	196	75525	41.62	ng	# 89
46) 1,1'-Biphenyl	13.198	154	229710	40.46	ng	97
47) 2-Chloronaphthalene	13.240	162	188185	40.72	ng	98
48) 2-Nitroaniline	13.451	65	61996	42.11	ng	# 57
49) Acenaphthylene	14.092	152	296189	41.22	ng	99
50) Dimethylphthalate	13.840	163	233107	40.66	ng	# 99
51) 2,6-Dinitrotoluene	13.957	165	55424	41.02	ng	# 61
52) Acenaphthene	14.439	154	180546	40.83	ng	97
53) 3-Nitroaniline	14.287	138	51935	41.76	ng	# 62
54) 2,4-Dinitrophenol	14.492	184	33937	41.48	ng	# 77
55) Dibenzofuran	14.775	168	299115	41.27	ng	99
56) 4-Nitrophenol	14.598	139	44245	43.37	ng	# 51
57) 2,4-Dinitrotoluene	14.745	165	75325	42.21	ng	# 61
58) Fluorene	15.428	166	237776	40.63	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.004	232	67542	40.36	ng	99
60) Diethylphthalate	15.210	149	230442	41.10	ng	97
61) 4-Chlorophenyl-phenyle...	15.422	204	124528	40.09	ng	98
62) 4-Nitroaniline	15.457	138	55348	43.32	ng	# 65
63) Azobenzene	15.716	77	257718	40.21	ng	85
65) 4,6-Dinitro-2-methylph...	15.510	198	50659	44.87	ng	90
66) n-Nitrosodiphenylamine	15.639	169	207219	41.67	ng	100
67) 4-Bromophenyl-phenylether	16.322	248	76199	42.51	ng	94
68) Hexachlorobenzene	16.433	284	83991	41.67	ng	91
69) Atrazine	16.604	200	71904	43.54	ng	98
70) Pentachlorophenol	16.781	266	57213	42.99	ng	97
71) Phenanthrene	17.175	178	376056	41.93	ng	99
72) Anthracene	17.269	178	368871	42.10	ng	99
73) Carbazole	17.545	167	348242	42.30	ng	99
74) Di-n-butylphthalate	18.098	149	388100	42.84	ng	# 98
75) Fluoranthene	19.151	202	440811	41.78	ng	99
77) Benzidine	19.339	184	151922	44.44	ng	98
78) Pyrene	19.504	202	452531	42.26	ng	98
80) Butylbenzylphthalate	20.386	149	175014	44.05	ng	# 77
81) Benzo(a)anthracene	21.216	228	448595	42.37	ng	97
82) 3,3'-Dichlorobenzidine	21.151	252	153115	43.04	ng	98
83) Chrysene	21.263	228	437514	42.11	ng	98
84) Bis(2-ethylhexyl)phtha...	21.139	149	254066	43.61	ng	99
85) Di-n-octyl phthalate	22.027	149	432433	44.03	ng	# 94
87) Indeno(1,2,3-cd)pyrene	25.862	276	488058	42.26	ng	97
88) Benzo(b)fluoranthene	22.821	252	462228	42.26	ng	97
89) Benzo(k)fluoranthene	22.868	252	439969	41.97	ng	99
90) Benzo(a)pyrene	23.415	252	414603	42.27	ng	98
91) Dibenzo(a,h)anthracene	25.880	278	424747	42.53	ng	97
92) Benzo(g,h,i)perylene	26.580	276	403869	41.91	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Mar 25 10:19:14 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 25 10:18:57 2021
Response via : Initial Calibration









1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.716 min Scan# 787
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	152	Resp:	28496
Ion	Ratio	Lower	Upper
152	100		
150	156.3	123.8	185.6
115	66.9	43.8	65.6#



1,4-Dioxane
 Concen: 39.18 ng
 RT: 3.252 min Scan# 28
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	88	Resp:	31595
Ion	Ratio	Lower	Upper
88	100		
58	57.7	44.2	66.4
43	21.4	15.2	22.8









Pyridine
 Concen: 44.07 ng
 RT: 3.652 min Scan# 96
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	79	Resp:	88358
Ion	Ratio	Lower	Upper
79	100		
52	45.3	41.3	61.9
51	25.4	21.2	31.8



n-Nitrosodimethylamine
 Concen: 42.12 ng
 RT: 3.564 min Scan# 81
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	42	Resp:	30195
Ion	Ratio	Lower	Upper
42	100		
74	149.4	148.6	223.0
44	5.9	5.3	7.9









2-Fluorophenol
 Concen: 81.60 ng
 RT: 5.311 min Scan# 378
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	112	Resp:	151102
Ion	Ratio	Lower	Upper
112	100		
64	58.2	32.8	49.2#
63	31.9	17.0	25.4#



Aniline
 Concen: 41.66 ng
 RT: 7.058 min Scan# 675
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	93	Resp:	125209
Ion	Ratio	Lower	Upper
93	100		
66	38.0	25.4	38.0
65	19.6	12.5	18.7#









Phenol-d6
 Concen: 83.44 ng
 RT: 6.893 min Scan# 647
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	99	Resp:	221314
Ion	Ratio	Lower	Upper
99	100		
42	15.0	8.6	13.0#
71	39.3	23.4	35.2#



2-Chlorophenol
 Concen: 40.71 ng
 RT: 7.287 min Scan# 714
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	128	Resp:	79511
Ion	Ratio	Lower	Upper
128	100		
130	33.1	13.0	53.0
64	51.8	10.4	50.4#









Scan 643 (6.869 min): BP005024.D\data.ms (-635) #9
 Benzaldehyde
 Concen: 44.13 ng
 RT: 6.869 min Scan# 643
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	77	Resp:	52708
Ion	Ratio	Lower	Upper
77	100		
105	93.8	97.1	137.1#
106	89.8	93.7	133.7#



Scan 652 (6.922 min): BP005024.D\data.ms (-642) #10
 Phenol
 Concen: 40.94 ng
 RT: 6.922 min Scan# 652
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	94	Resp:	111287
Ion	Ratio	Lower	Upper
94	100		
65	28.5	2.3	42.3
66	41.9	10.9	50.9









#1
 bis(2-Chloroethyl)ether
 Concen: 41.66 ng
 RT: 7.152 min Scan# 691
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	93	Resp:	82910
Ion	Ratio	Lower	Upper
93	100		
63	63.5	39.0	79.0
95	30.4	12.8	52.8



#12
 1,3-Dichlorobenzene
 Concen: 41.26 ng
 RT: 7.610 min Scan# 769
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	146	Resp:	89534
Ion	Ratio	Lower	Upper
146	100		
148	63.2	52.5	78.7
75	36.6	18.1	27.1#









1,4-Dichlorobenzene
 Concen: 40.85 ng
 RT: 7.752 min Scan# 793
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	146	Resp:	89996
Ion	Ratio	Lower	Upper
146	100		
148	64.8	51.3	76.9
111	46.6	28.9	43.3#



1,2-Dichlorobenzene
 Concen: 41.75 ng
 RT: 8.069 min Scan# 847
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	146	Resp:	88237
Ion	Ratio	Lower	Upper
146	100		
148	63.0	51.6	77.4
111	49.1	31.0	46.6#









Benzyl Alcohol
Concen: 41.97 ng
RT: 7.963 min Scan# 829
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 85873
Ion Ratio Lower Upper
79 100
108 69.5 73.5 110.3#
77 61.2 50.3 75.5



2,2'-oxybis(1-Chloropropane)
Concen: 41.55 ng
RT: 8.246 min Scan# 877
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion: 45 Resp: 60650
Ion Ratio Lower Upper
45 100
77 26.9 2.3 42.3
79 21.7 0.0 36.6









2-Methylphenol
 Concen: 42.02 ng
 RT: 8.163 min Scan# 863
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	107	Resp:	72894
Ion	Ratio	Lower	Upper
107	100		
108	112.5	89.6	134.4
77	55.0	31.8	47.6#
79	51.5	31.1	46.7#



Hexachloroethane
 Concen: 41.13 ng
 RT: 8.793 min Scan# 970
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	117	Resp:	34531
Ion	Ratio	Lower	Upper
117	100		
119	93.5	78.8	118.2
201	105.1	92.3	138.5









#19
 n-Nitroso-di-n-propylamine
 Concen: 42.42 ng
 RT: 8.528 min Scan# 925
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	70	Resp:	72993
Ion	Ratio	Lower	Upper
70	100		
42	39.6	32.8	49.2
101	9.5	9.6	14.4#
130	19.0	24.3	36.5#



#20
 3+4-Methylphenols
 Concen: 42.18 ng
 RT: 8.493 min Scan# 919
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	107	Resp:	99912
Ion	Ratio	Lower	Upper
107	100		
108	92.0	69.0	109.0
77	37.7	8.5	48.5
79	35.0	4.8	44.8









Naphthalene-d8
 Concen: 20.00 ng
 RT: 10.510 min Scan# 1262
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	136	Resp:	111285
Ion	Ratio	Lower	Upper
136	100		
137	11.6	8.6	13.0
54	5.7	3.6	5.4#
68	7.0	3.3	4.9#



Acetophenone
 Concen: 40.56 ng
 RT: 8.546 min Scan# 928
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	105	Resp:	129767
Ion	Ratio	Lower	Upper
105	100		
71	3.0	2.6	3.8
51	21.9	13.5	20.3#
120	21.8	19.6	29.4









Nitrobenzene-d5
 Concen: 81.54 ng
 RT: 8.881 min Scan# 985
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040

Tgt Ion:	82	Resp:	211493
Ion	Ratio	Lower	Upper
82	100		
128	36.5	45.6	68.4#
54	38.0	30.1	45.1




Nitrobenzene
 Concen: 40.50 ng
 RT: 8.922 min Scan# 992
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	77	Resp:	110707
Ion	Ratio	Lower	Upper
77	100		
123	40.4	48.6	72.8#
65	13.6	10.0	15.0





Abundance Scan 1082 (9.452 min): BP005024.D\data.ms (-1025-)




Isophorone
Concen: 41.90 ng
RT: 9.446 min Scan# 1081
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	82	Resp:	200567
Ion	Ratio	Lower	Upper
82	100		
95	8.3	6.4	9.6
138	16.2	18.7	28.1#



Abundance Scan 1081 (9.446 min): BP005040.D\data.ms (-1030-)





Abundance Scan 1112 (9.628 min): BP005024.D\data.ms (-1106-)




2-Nitrophenol
Concen: 43.45 ng
RT: 9.628 min Scan# 1112
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28


Tgt Ion:	139	Resp:	46061
Ion	Ratio	Lower	Upper
139	100		
109	38.7	22.1	33.1#
65	54.4	26.5	39.7#



Abundance Scan 1112 (9.628 min): BP005040.D\data.ms (-1061-)






Abundance Scan 1123 (9.693 min): BP005024.D\data.ms (-1127-)




2,4-Dimethylphenol
Concen: 42.40 ng
RT: 9.693 min Scan# 1123
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	122	Resp:	72278
Ion	Ratio	Lower	Upper
122	100		
107	130.8	87.3	130.9
121	57.4	47.3	70.9







Abundance Scan 1164 (9.934 min): BP005024.D\data.ms (-1128-)



bis(2-Chloroethoxy)methane
Concen: 42.28 ng
RT: 9.928 min Scan# 1163
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	93	Resp:	102448
Ion	Ratio	Lower	Upper
93	100		
95	32.9	26.7	40.1
123	11.6	10.5	15.7









2,4-Dichlorophenol
Concen: 41.88 ng
RT: 10.163 min Scan# 1203
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	162	Resp:	79877
Ion	Ratio	Lower	Upper
162	100		
164	66.5	45.8	85.8
98	38.6	10.2	50.2



1,2,4-Trichlorobenzene
Concen: 41.21 ng
RT: 10.375 min Scan# 1239
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	180	Resp:	88282
Ion	Ratio	Lower	Upper
180	100		
182	96.2	76.2	114.2
145	28.1	23.8	35.8









Naphthalene
Concen: 41.02 ng
RT: 10.563 min Scan# 1271
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	128	Resp:	257886
Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.8	13.2
127	12.8	10.6	15.8




Benzoic acid
Concen: 39.34 ng
RT: 9.840 min Scan# 1148
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	122	Resp:	49786
Ion	Ratio	Lower	Upper
122	100		
105	137.7	94.1	134.1#
77	107.6	50.1	90.1#






Abundance Scan 1291 (10.681 min): BP005024.D\data.ms (-1239) (-)




4-Chloroaniline
Concen: 41.87 ng
RT: 10.675 min Scan# 1290
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	127	Resp:	106489
Ion	Ratio	Lower	Upper
127	100		
129	31.4	25.7	38.5
65	33.8	17.3	25.9#
92	22.7	12.9	19.3#







Abundance Scan 1319 (10.846 min): BP005024.D\data.ms (-1268) (-)



Hexachlorobutadiene
Concen: 41.08 ng
RT: 10.846 min Scan# 1319
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	225	Resp:	56639
Ion	Ratio	Lower	Upper
225	100		
223	60.3	50.1	75.1
227	64.9	51.4	77.2









Scan 1426 (11.475 min): BP005024.D\data.ms (-1426) (-)
 Caprolactam
 Concen: 41.65 ng
 RT: 11.469 min Scan# 1425
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:	113	Resp:	26069
Ion	Ratio	Lower	Upper
113	100		
55	118.4	77.3	117.3#
56	95.5	55.9	95.9



Scan 1483 (11.810 min): BP005024.D\data.ms (-1483) (-)
 4-Chloro-3-methylphenol
 Concen: 42.35 ng
 RT: 11.810 min Scan# 1483
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	107	Resp:	97590
Ion	Ratio	Lower	Upper
107	100		
144	22.7	22.7	34.1#
142	65.2	70.7	106.1#









#37 (-)
 2-Methylnaphthalene
 Concen: 41.07 ng
 RT: 12.181 min Scan# 1546
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleID :
 SSTDCCC040

Tgt Ion:	142	Resp:	186412
Ion	Ratio	Lower	Upper
142	100		
141	85.1	71.4	107.2
115	40.1	25.8	38.6#




#38 (-)
 1-Methylnaphthalene
 Concen: 42.07 ng
 RT: 12.398 min Scan# 1583
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	142	Resp:	179023
Ion	Ratio	Lower	Upper
142	100		
141	91.8	74.4	111.6
116	4.2	2.9	4.3






Abundance Scan 1919 (14.375 min): BP005024.D\data.ms (-1868) (-)




Acenaphthene-d10
Concen: 20.00 ng
RT: 14.375 min Scan# 1919
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	164	Resp:	74428
Ion	Ratio	Lower	Upper
164	100		
162	95.8	79.4	119.2
160	47.2	36.1	54.1






Abundance Scan 1609 (12.551 min): BP005024.D\data.ms (-1558) (-)




1,2,4,5-Tetrachlorobenzene
Concen: 40.63 ng
RT: 12.551 min Scan# 1609
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	216	Resp:	98486
Ion	Ratio	Lower	Upper
216	100		
214	78.4	63.0	94.6
179	19.8	16.9	25.3
108	19.6	12.6	19.0#






Abundance Scan 1605 (12.528 min): BP005024.D\data.ms (-1554) (-)




Hexachlorocyclopentadiene
Concen: 42.22 ng
RT: 12.528 min Scan# 1605
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	237	Resp:	55661
Ion	Ratio	Lower	Upper
237	100		
235	60.8	43.2	83.2
272	12.1	0.0	33.3

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040






Abundance Scan 2174 (15.875 min): BP005024.D\data.ms (-2165) (-)




2,4,6-Tribromophenol
Concen: 83.29 ng
RT: 15.869 min Scan# 2173
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	330	Resp:	80766
Ion	Ratio	Lower	Upper
330	100		
332	95.0	77.1	115.7
141	34.7	23.4	35.2






Abundance Scan 1651 (12.798 min): BP005024.D\data.ms (-1643) (-)




2,4,6-Trichlorophenol
Concen: 41.12 ng
RT: 12.798 min Scan# 1651
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampled :
SSTDCCC040

Tgt Ion:	196	Resp:	68892
Ion Ratio	Lower	Upper	
196	100		
198	95.8	77.0	115.6
200	30.0	25.1	37.7






Abundance Scan 1663 (12.869 min): BP005024.D\data.ms (-1647) (-)




2,4,5-Trichlorophenol
Concen: 41.62 ng
RT: 12.863 min Scan# 1662
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	196	Resp:	75525
Ion Ratio	Lower	Upper	
196	100		
198	89.2	77.3	115.9
97	52.9	31.0	46.4#
132	24.3	20.9	31.3






Abundance Scan 1684 (12.993 min): BP005024.D\data.ms (-1675) (-)




2-Fluorobiphenyl
Concen: 80.50 ng
RT: 12.993 min Scan# 1684
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	172	Resp:	442927
Ion	Ratio	Lower	Upper
172	100		
171	34.7	28.5	42.7
170	22.4	19.2	28.8






Abundance Scan 1720 (13.204 min): BP005024.D\data.ms (-1705) (-)




1,1'-Biphenyl
Concen: 40.46 ng
RT: 13.198 min Scan# 1719
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	154	Resp:	229710
Ion	Ratio	Lower	Upper
154	100		
153	40.9	20.4	60.4
76	13.3	0.0	29.3





Abundance Scan 1727 (13.245 min): BP005024.D\data.ms (-1710) (-)




2-Chloronaphthalene
Concen: 40.72 ng
RT: 13.240 min Scan# 1726
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	162	Resp:	188185
Ion	Ratio	Lower	Upper
162	100		
127	37.9	29.9	44.9
164	30.4	26.1	39.1



Abundance Scan 1726 (13.240 min): BP005040.D\data.ms (-1675) (-)





Abundance Scan 1763 (13.457 min): BP005024.D\data.ms (-1744) (-)





2-Nitroaniline
Concen: 42.11 ng
RT: 13.451 min Scan# 1762
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	65	Resp:	61996
Ion	Ratio	Lower	Upper
65	100		
92	71.1	70.6	106.0
138	90.3	133.6	200.4#



Abundance Scan 1762 (13.451 min): BP005040.D\data.ms (-1711) (-)









Acenaphthylene
Concen: 41.22 ng
RT: 14.092 min Scan# 1871
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	152	Resp:	296189
Ion	Ratio	Lower	Upper
152	100		
151	18.8	15.9	23.9
153	13.1	10.5	15.7



Dimethylphthalate
Concen: 40.66 ng
RT: 13.840 min Scan# 1828
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28


Tgt Ion:	163	Resp:	233107
Ion	Ratio	Lower	Upper
163	100		
194	4.9	3.3	4.9#
164	10.4	8.2	12.2





Abundance Scan 1848 (13.957 min): BP005024.D\data.ms (-1850) (-)

2,6-Dinitrotoluene
Concen: 41.02 ng
RT: 13.957 min Scan# 1848
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28


Instrument :
BNA_P
ClientSampleId :
SSTDCCC040



Tgt Ion:	165	Resp:	55424
Ion	Ratio	Lower	Upper
165	100		
63	63.2	27.8	41.6#
89	63.6	34.6	52.0#




Abundance Scan 1848 (13.957 min): BP005040.D\data.ms (-1797) (-)





Abundance Scan 1930 (14.439 min): BP005024.D\data.ms (-1950) (-)

Acenaphthene
Concen: 40.83 ng
RT: 14.439 min Scan# 1930
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	154	Resp:	180546
Ion	Ratio	Lower	Upper
154	100		
153	111.2	91.0	136.6
152	50.6	43.0	64.6




Abundance Scan 1930 (14.439 min): BP005040.D\data.ms (-1879) (-)






Abundance Scan 1904 (14.287 min): BP005024.D\data.ms (-1853) (-)

3-Nitroaniline
Concen: 41.76 ng
RT: 14.287 min Scan# 1904
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040







Tgt Ion:	138	Resp:	51935
Ion	Ratio	Lower	Upper
138	100		
108	12.8	7.5	11.3#
92	132.9	75.0	112.6#




Abundance Scan 1939 (14.492 min): BP005024.D\data.ms (-1851) (-)

2,4-Dinitrophenol
Concen: 41.48 ng
RT: 14.492 min Scan# 1939
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	184	Resp:	33937
Ion	Ratio	Lower	Upper
184	100		
63	74.3	32.3	48.5#
154	59.8	49.1	73.7





Abundance Scan 1987 (14.775 min): BP005024.D\data.ms (-1935) (-)




Dibenzofuran
Concen: 41.27 ng
RT: 14.775 min Scan# 1987
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	168	Resp:	299115
Ion	Ratio	Lower	Upper
168	100		
139	37.0	29.1	43.7
169	13.8	10.4	15.6



Abundance Scan 1987 (14.775 min): BP005040.D\data.ms (-1936) (-)





Abundance Scan 1957 (14.598 min): BP005024.D\data.ms (-1946) (-)




4-Nitrophenol
Concen: 43.37 ng
RT: 14.598 min Scan# 1957
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	139	Resp:	44245
Ion	Ratio	Lower	Upper
139	100		
109	92.4	44.6	84.6#
65	109.8	41.6	81.6#




Abundance Scan 1957 (14.598 min): BP005040.D\data.ms (-1906) (-)






Abundance Scan 1982 (14.745 min): BP005024.D\data.ms (-1952) (-)

2,4-Dinitrotoluene
Concen: 42.21 ng
RT: 14.745 min Scan# 1982
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040




Tgt Ion:	165	Resp:	75325
Ion	Ratio	Lower	Upper
165	100		
63	48.3	20.6	31.0#
89	81.0	42.6	63.8#
182	2.6	2.4	3.6






Abundance Scan 2098 (15.428 min): BP005024.D\data.ms (-2058) (-)


Fluorene
Concen: 40.63 ng
RT: 15.428 min Scan# 2098
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28



Tgt Ion:	166	Resp:	237776
Ion	Ratio	Lower	Upper
166	100		
165	97.1	77.8	116.8
167	13.8	11.0	16.4






Abundance Scan 2026 (15.004 min): BP005024.D\data.ms (-2015) (-)




2,3,4,6-Tetrachlorophenol
Concen: 40.36 ng
RT: 15.004 min Scan# 2026
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	232	Resp:	67542
Ion	Ratio	Lower	Upper
232	100		
131	42.3	34.1	51.1
130	2.3	1.8	2.8
166	29.8	24.6	36.8






Abundance Scan 2061 (15.210 min): BP005024.D\data.ms (-2015) (-)




Diethylphthalate
Concen: 41.10 ng
RT: 15.210 min Scan# 2061
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	149	Resp:	230442
Ion	Ratio	Lower	Upper
149	100		
177	24.5	18.0	27.0
150	13.2	10.0	15.0





Abundance Scan 2098 (15.428 min): BP005024.D\data.ms (-2069) (-)




4-Chlorophenyl-phenylether
Concen: 40.09 ng
RT: 15.422 min Scan# 2097
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 124528
Ion Ratio Lower Upper
204 100
206 34.1 25.9 38.9
141 58.9 46.5 69.7



Abundance Scan 2097 (15.422 min): BP005040.D\data.ms (-2046) (-)





Abundance Scan 2103 (15.457 min): BP005024.D\data.ms (-2052) (-)




4-Nitroaniline
Concen: 43.32 ng
RT: 15.457 min Scan# 2103
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:138 Resp: 55348
Ion Ratio Lower Upper
138 100
92 58.4 20.7 60.7
108 98.8 47.8 87.8#




Abundance Scan 2103 (15.457 min): BP005040.D\data.ms (-2052) (-)





Abundance Scan 2148 (15.722 min): BP005024.D\data.ms (-2361) (-)

Azobenzene
Concen: 40.21 ng
RT: 15.716 min Scan# 2147
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28


Instrument :
BNA_P
ClientSampleId :
SSTDCCC040



Tgt Ion:	77	Resp:	257718
Ion	Ratio	Lower	Upper
77	100		
182	23.3	16.9	56.9
105	19.1	5.6	45.6
51	24.5	2.9	42.9





Abundance Scan 2147 (15.716 min): BP005040.D\data.ms (-2096) (-)




Abundance Scan 2388 (17.133 min): BP005024.D\data.ms (-2359) (-)

Phenanthrene-d10
Concen: 20.00 ng
RT: 17.133 min Scan# 2388
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28


Tgt Ion:	188	Resp:	154697
Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.2	9.2
80	9.9	6.2	9.2#



Abundance Scan 2388 (17.133 min): BP005040.D\data.ms (-2337) (-)






Abundance Scan 2112 (15.510 min): BP005024.D\data.ms (-2165) (-)




4,6-Dinitro-2-methylphenol
Concen: 44.87 ng
RT: 15.510 min Scan# 2112
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	198	Resp:	50659
Ion	Ratio	Lower	Upper
198	100		
51	36.9	6.4	46.4
105	40.3	18.9	58.9






Abundance Scan 2135 (15.645 min): BP005024.D\data.ms (-2165) (-)



n-Nitrosodiphenylamine
Concen: 41.67 ng
RT: 15.639 min Scan# 2134
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28


Tgt Ion:	169	Resp:	207219
Ion	Ratio	Lower	Upper
169	100		
168	67.2	53.8	80.6
167	36.2	28.9	43.3






Abundance Scan 2250 (16.322 min): BP005024.D\data.ms (-246) (-)

4-Bromophenyl-phenylether
Concen: 42.51 ng
RT: 16.322 min Scan# 2250
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040






Tgt Ion:	248	Resp:	76199
Ion	Ratio	Lower	Upper
248	100		
250	99.6	76.7	115.1
141	73.9	53.0	79.6




Abundance Scan 2269 (16.433 min): BP005024.D\data.ms (-246) (-)

Hexachlorobenzene
Concen: 41.67 ng
RT: 16.433 min Scan# 2269
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28


Tgt Ion:	284	Resp:	83991
Ion	Ratio	Lower	Upper
284	100		
142	35.1	24.2	36.4
249	34.8	23.8	35.8



Abundance Scan 2269 (16.433 min): BP005040.D\data.ms (-2218) (-)






Abundance Scan 2298 (16.604 min): BP005024.D\data.ms (-2247) (-)




Atrazine
Concen: 43.54 ng
RT: 16.604 min Scan# 2298
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	200	Resp:	71904
Ion	Ratio	Lower	Upper
200	100		
173	26.1	5.9	45.9
215	50.6	28.4	68.4







Abundance Scan 2328 (16.781 min): BP005024.D\data.ms (-2247) (-)



Pentachlorophenol
Concen: 42.99 ng
RT: 16.781 min Scan# 2328
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	266	Resp:	57213
Ion	Ratio	Lower	Upper
266	100		
268	60.4	51.1	76.7
264	61.4	50.6	76.0









Phenanthrene
 Concen: 41.93 ng
 RT: 17.175 min Scan# 2395
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040

Tgt Ion:	178	Resp:	376056
Ion	Ratio	Lower	Upper
178	100		
176	18.3	15.3	22.9
179	15.3	12.5	18.7




Anthracene
 Concen: 42.10 ng
 RT: 17.269 min Scan# 2411
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	178	Resp:	368871
Ion	Ratio	Lower	Upper
178	100		
176	17.9	15.0	22.4
179	15.4	12.5	18.7






Abundance Scan 2458 (17.545 min): BP005024.D\data.ms (-2473) (-)




Carbazole
Concen: 42.30 ng
RT: 17.545 min Scan# 2458
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	167	Resp:	348242
Ion	Ratio	Lower	Upper
167	100		
166	21.6	17.6	26.4
139	12.3	10.2	15.4






Abundance Scan 2552 (18.098 min): BP005024.D\data.ms (-2573) (-)




Di-n-butylphthalate
Concen: 42.84 ng
RT: 18.098 min Scan# 2552
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	149	Resp:	388100
Ion	Ratio	Lower	Upper
149	100		
150	8.9	7.3	10.9
104	6.2	3.4	5.0#






Abundance Scan 2731 (19.151 min): BP005024.D\data.ms (-275) (-)




Fluoranthene
Concen: 41.78 ng
RT: 19.151 min Scan# 2731
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	202	Resp:	440811
Ion	Ratio	Lower	Upper
202	100		
101	10.8	0.0	29.4
203	17.7	0.0	37.8






Abundance Scan 3084 (21.227 min): BP005024.D\data.ms (-3075) (-)




Chrysene-d12
Concen: 20.00 ng
RT: 21.227 min Scan# 3084
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	240	Resp:	155824
Ion	Ratio	Lower	Upper
240	100		
120	8.4	7.8	11.6
236	23.8	20.8	31.2






Abundance Scan 2763 (19.339 min): BP005024.D\data.ms (-2712) (-)




Benzidine
Concen: 44.44 ng
RT: 19.339 min Scan# 2763
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:184 Resp: 151922
Ion Ratio Lower Upper
184 100
185 13.7 11.5 17.3
183 12.6 9.6 14.4






Abundance Scan 2791 (19.504 min): BP005024.D\data.ms (-2740) (-)




Pyrene
Concen: 42.26 ng
RT: 19.504 min Scan# 2791
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:202 Resp: 452531
Ion Ratio Lower Upper
202 100
200 20.2 17.1 25.7
203 16.9 14.2 21.2





Abundance Scan 2825 (19.704 min): BP005024.D\data.ms (-2774) (-)




Terphenyl-d14
Concen: 84.32 ng
RT: 19.704 min Scan# 2825
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	244	Resp:	721764
Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.8	8.6
122	9.9	7.8	11.8



Abundance Scan 2825 (19.704 min): BP005040.D\data.ms (-2774) (-)





Abundance Scan 2941 (20.386 min): BP005024.D\data.ms (-2890) (-)




Butylbenzylphthalate
Concen: 44.05 ng
RT: 20.386 min Scan# 2941
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28


Tgt Ion:	149	Resp:	175014
Ion	Ratio	Lower	Upper
149	100		
91	78.1	45.4	68.0#
206	24.9	17.1	25.7



Abundance Scan 2941 (20.386 min): BP005040.D\data.ms (-2890) (-)






Abundance Scan 3081 (21.210 min): BP005024.D\data.ms (-3081) (-)




Benzo(a)anthracene
Concen: 42.37 ng
RT: 21.216 min Scan# 3082
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 448595
Ion Ratio Lower Upper
228 100
226 25.7 22.1 33.1
229 19.1 15.9 23.9







Abundance Scan 3071 (21.151 min): BP005024.D\data.ms (-3071) (-)



3,3'-Dichlorobenzidine
Concen: 43.04 ng
RT: 21.151 min Scan# 3071
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:252 Resp: 153115
Ion Ratio Lower Upper
252 100
254 65.3 51.0 76.4
126 8.8 7.9 11.9









#83 (-)
Chrysene
 Concen: 42.11 ng
 RT: 21.263 min Scan# 3090
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
ClientSampleId :
 SSTDCCC040

Tgt Ion:	228	Resp:	437514
Ion	Ratio	Lower	Upper
228	100		
226	29.3	24.4	36.6
229	19.4	15.8	23.6




#82 (-)
Bis(2-ethylhexyl)phthalate
 Concen: 43.61 ng
 RT: 21.139 min Scan# 3069
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	149	Resp:	254066
Ion	Ratio	Lower	Upper
149	100		
167	29.0	22.6	34.0
279	5.2	4.2	6.2






Abundance Scan 3220 (22.027 min): BP005024.D\data.ms (-3185) (-)




Di-n-octyl phthalate
Concen: 44.03 ng
RT: 22.027 min Scan# 3220
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	149	Resp:	432433
Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	7.3	3.7	5.5#






Abundance Scan 3473 (23.515 min): BP005024.D\data.ms (-3485) (-)




Perylene-d12
Concen: 20.00 ng
RT: 23.515 min Scan# 3473
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	264	Resp:	154038
Ion	Ratio	Lower	Upper
264	100		
260	24.3	18.8	28.2
265	22.1	17.4	26.2






Abundance Scan 3872 (25.862 min): BP005024.D\data.ms (-3837) (-)




Indeno(1,2,3-cd)pyrene
Concen: 42.26 ng
RT: 25.862 min Scan# 3872
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	276	Resp:	488058
Ion	Ratio	Lower	Upper
276	100		
138	20.9	18.7	28.1
277	25.7	20.4	30.6







Abundance Scan 3355 (22.821 min): BP005024.D\data.ms (-3344) (-)



Benzo(b)fluoranthene
Concen: 42.26 ng
RT: 22.821 min Scan# 3355
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	252	Resp:	462228
Ion	Ratio	Lower	Upper
252	100		
253	23.6	17.6	26.4
125	8.3	7.3	10.9









Benzo(k)fluoranthene
 Concen: 41.97 ng
 RT: 22.868 min Scan# 3363
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28




Instrument :
 BNA_P
 ClientSampleId :
 SSTCCCC040

Tgt Ion:	252	Resp:	439969
Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.8	26.8
125	8.9	7.4	11.2




Benzo(a)pyrene
 Concen: 42.27 ng
 RT: 23.415 min Scan# 3456
 Delta R.T. 0.000 min
 Lab File: BP005040.D
 Acq: 25 Mar 2021 09:28

Tgt Ion:	252	Resp:	414603
Ion	Ratio	Lower	Upper
252	100		
253	22.4	17.4	26.0
125	9.1	8.2	12.4






Abundance Scan 3875 (25.880 min): BP005024.D\data.ms (-3875) (-)




Dibenzo(a,h)anthracene
Concen: 42.53 ng
RT: 25.880 min Scan# 3875
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:	278	Resp:	424747
Ion	Ratio	Lower	Upper
278	100		
139	12.6	12.4	18.6
279	24.1	19.0	28.6



Abundance Scan 3995 (26.586 min): BP005024.D\data.ms (-3995) (-)



Benzo(g,h,i)perylene
Concen: 41.91 ng
RT: 26.580 min Scan# 3994
Delta R.T. 0.000 min
Lab File: BP005040.D
Acq: 25 Mar 2021 09:28

Tgt Ion:	276	Resp:	403869
Ion	Ratio	Lower	Upper
276	100		
277	23.2	19.0	28.6
138	18.4	16.6	24.8

