

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032624\
 Data File : BP019995.D
 Acq On : 26 Mar 2024 12:46
 Operator : MA/JU
 Sample : P1601-06
 Misc : SFAM-MDL-ME SOIL-02
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 MDL-MED-SOIL-QT1-2024-02

Quant Time: Mar 26 23:54:46 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032224.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Mar 25 10:46:59 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 03/29/2024
 Supervised By :mohammad ahmed 03/29/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.605	152	120098	20.000	ng/u1	-0.01
20) Naphthalene-d8	10.363	136	473531	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.251	164	319920	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.075	188	724755	20.000	ng/u1	0.00
79) Chrysene-d12	21.545	240	740657	20.000	ng/u1	0.00
88) Perylene-d12	24.821	264	824004	20.000	ng/u1	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.240	96	14314	5.222	ng/uL	0.00
4) Pyridine-d5	3.634	84	193449	23.373	ng/u1	0.00
7) Phenol-d5	6.787	99	228863	22.595	ng/u1	-0.01
9) Bis-(2-Chloroethyl)eth...	6.964	67	151780	23.000	ng/u1	0.00
11) 2-Chlorophenol-d4	7.140	132	167411	23.014	ng/u1	-0.01
15) 4-Methylphenol-d8	8.299	113	171993	21.948	ng/u1	0.00
21) Nitrobenzene-d5	8.758	128	82767	22.804	ng/u1	0.00
24) 2-Nitrophenol-d4	9.463	143	90892	22.382	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	9.993	165	159515	21.508	ng/u1	0.00
31) 4-Chloroaniline-d4	10.516	131	214178	22.153	ng/u1	0.00
46) Dimethylphthalate-d6	13.646	166	524636	23.390	ng/u1	0.00
49) Acenaphthylene-d8	13.940	160	578913	22.094	ng/u1	0.00
54) 4-Nitrophenol-d4	14.493	143	72792	20.643	ng/u1	0.01
60) Fluorene-d10	15.257	176	456820	23.908	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.416	200	84248	19.420	ng/u1	0.00
73) Anthracene-d10	17.169	188	681955	21.257	ng/u1	0.00
81) Pyrene-d10	19.569	212	892342	20.535	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.610	264	915808m	23.134	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.275	88	3729	1.192	ng/uL#	82
5) Pyridine	3.658	79	37211	4.411	ng/u1#	71
6) Benzaldehyde	6.781	77	29036	5.797	ng/u1	99
8) Phenol	6.816	94	43819	4.138	ng/u1	94
10) Bis(2-Chloroethyl)ether	7.052	93	37680	4.394	ng/u1	96
12) 2-Chlorophenol	7.175	128	32266	4.209	ng/u1	94
13) 2-Methylphenol	8.052	108	30397	3.982	ng/u1	100
14) 2,2'-oxybis(1-Chloropr...	8.128	45	52360	4.440	ng/u1	97
16) Acetophenone	8.428	105	54939	4.346	ng/u1	97
17) N-Nitroso-di-n-propyla...	8.411	70	30184	4.281	ng/u1	97
18) 4-Methylphenol	8.375	108	32907	4.005	ng/u1	97
19) Hexachloroethane	8.652	117	15866	4.456	ng/u1	97
22) Nitrobenzene	8.799	77	46774	4.524	ng/u1	100
23) Isophorone	9.316	82	83573	4.337	ng/u1	99
25) 2-Nitrophenol	9.499	139	18219	4.304	ng/u1	95
26) 2,4-Dimethylphenol	9.552	107	30022	3.249	ng/u1	91
27) Bis(2-Chloroethoxy)met...	9.793	93	48445	4.299	ng/u1	97
29) 2,4-Dichlorophenol	10.016	162	28890	3.982	ng/u1	92
30) Naphthalene	10.410	128	106609	4.388	ng/u1	99
32) 4-Chloroaniline	10.540	127	40274	4.245	ng/u1	98
33) Hexachlorobutadiene	10.675	225	24883	4.352	ng/u1	98
34) Caprolactam	11.363	113	10491	4.652	ng/u1	91
35) 4-Chloro-3-methylphenol	11.681	107	33254	4.126	ng/u1	97
36) 2-Methylnaphthalene	12.034	142	69697	4.309	ng/u1	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032624\
 Data File : BP019995.D
 Acq On : 26 Mar 2024 12:46
 Operator : MA/JU
 Sample : P1601-06
 Misc : SFAM-MDL-ME SOIL-02
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 MDL-MED-SOIL-QT1-2024-02

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 03/29/2024
 Supervised By :mohammad ahmed 03/29/2024

Quant Time: Mar 26 23:54:46 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032224.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Mar 25 10:46:59 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.257	142	73449	4.540	ng/ul	96
39) 1,2,4,5-Tetrachloroben...	12.399	216	41658	3.938	ng/ul	97
40) Hexachlorocyclopentadiene	12.363	237	23152	3.868	ng/ul	97
41) 2,4,6-Trichlorophenol	12.663	196	24612	3.788	ng/ul	94
42) 2,4,5-Trichlorophenol	12.740	196	26962	4.012	ng/ul	96
43) 1,1'-Biphenyl	13.063	154	95791	4.135	ng/ul	100
44) 2-Chloronaphthalene	13.104	162	76167	4.077	ng/ul	99
45) 2-Nitroaniline	13.334	65	24096	4.094	ng/ul	97
47) Dimethylphthalate	13.693	163	102979	4.548	ng/ul	100
48) 2,6-Dinitrotoluene	13.846	165	18914	4.115	ng/ul	95
50) Acenaphthylene	13.969	152	124844	4.261	ng/ul	99
51) 3-Nitroaniline	14.193	138	16134	3.811	ng/ul	97
52) Acenaphthene	14.316	153	84461	4.339	ng/ul	97
53) 2,4-Dinitrophenol	14.404	184	10159	3.883	ng/ul	99
55) 4-Nitrophenol	14.504	109	14096	4.356	ng/ul	85
56) Dibenzofuran	14.663	168	120944	4.575	ng/ul	98
57) 2,4-Dinitrotoluene	14.663	165	27624	4.395	ng/ul	98
58) 2,3,4,6-Tetrachlorophenol	14.887	232	24620	4.272	ng/ul	97
59) Diethylphthalate	15.104	149	104093	4.636	ng/ul	97
61) Fluorene	15.322	166	97614	4.527	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.322	204	51532	4.462	ng/ul	97
63) 4-Nitroaniline	15.387	138	16075	4.446	ng/ul	96
66) 4,6-Dinitro-2-methylph...	15.434	198	19300	4.192	ng/ul#	83
67) N-Nitrosodiphenylamine	15.540	169	80573	4.025	ng/ul	99
68) 4-Bromophenyl-phenylether	16.245	248	31247	3.972	ng/ul	97
69) Hexachlorobenzene	16.340	284	36072	4.130	ng/ul	99
70) Atrazine	16.551	200	33858	4.414	ng/ul	97
71) Pentachlorophenol	16.722	266	21613m	4.221	ng/ul	
72) Phenanthrene	17.110	178	160755	4.290	ng/ul	99
74) Anthracene	17.216	178	151508	3.982	ng/ul	99
75) 1,2,3,4-Tetrachloroben...	13.016	216	41708	3.530	ng/uL	96
76) Pentachlorobenzene	14.569	250	45288	4.138	ng/uL	97
77) Carbazole	17.504	167	139600	4.291	ng/ul	100
78) Di-n-butylphthalate	18.104	149	175879	4.330	ng/ul	99
80) Fluoranthene	19.216	202	195250	3.825	ng/ul	99
82) Pyrene	19.604	202	208231	3.925	ng/ul	99
83) Butylbenzylphthalate	20.575	149	82874	3.847	ng/ul	99
84) 3,3'-Dichlorobenzidine	21.463	252	55383	3.516	ng/ul	97
85) Benzo(a)anthracene	21.527	228	213460	4.165	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.469	149	127905	4.064	ng/ul	98
87) Chrysene	21.592	228	202437	4.248	ng/ul	99
89) Di-n-octyl phthalate	22.733	149	221803	4.244	ng/ul	100
90) Benzo(b)fluoranthene	23.792	252	203806	4.219	ng/ul	98
91) Benzo(k)fluoranthene	23.851	252	212784	4.334	ng/ul	99
93) Benzo(a)pyrene	24.668	252	197977	4.237	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	28.551	276	242408m	4.119	ng/ul	
95) Dibenzo(a,h)anthracene	28.633	278	197567	4.127	ng/ul	98
96) Benzo(g,h,i)perylene	29.703	276	196179m	4.126	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032624\
Data File : BP019995.D
Acq On : 26 Mar 2024 12:46
Operator : MA/JU
Sample : P1601-06
Misc : SFAM-MDL-ME SOIL-02
ALS Vial : 6 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02

Quant Time: Mar 26 23:54:46 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032224.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Mar 25 10:46:59 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024





#2
1,4-Dioxane
Concen: 1.192 ng/uL
RT: 3.275 min Scan# 30
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion: 88 Resp: 3729
Ion Ratio Lower Upper
88 100
43 36.9 23.3 34.9
58 56.4 58.3 87.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#5
Pyridine
Concen: 4.411 ng/uL
RT: 3.658 min Scan# 97
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion: 79 Resp: 37211
Ion Ratio Lower Upper
79 100
52 106.0 57.9 86.9
51 39.1 28.2 42.2









#6
Benzaldehyde
Concen: 5.797 ng/ul
RT: 6.781 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02

Tgt Ion: 77 Resp: 2903
Ion Ratio Lower Upper
77 100
105 91.8 72.2 108.4
106 87.3 69.1 103.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#8
Phenol
Concen: 4.138 ng/ul
RT: 6.816 min Scan# 634
Delta R.T. -0.012 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion: 94 Resp: 43819
Ion Ratio Lower Upper
94 100
65 32.6 23.8 35.8
66 45.3 33.2 49.8





#10
Bis(2-Chloroethyl)ether
Concen: 4.394 ng/ul
RT: 7.052 min Scan# 610
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion: 93 Resp: 37680
Ion Ratio Lower Upper
93 100
63 74.8 63.5 95.3
95 30.8 24.9 37.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#12
2-Chlorophenol
Concen: 4.209 ng/ul
RT: 7.175 min Scan# 695
Delta R.T. -0.012 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion:128 Resp: 32266
Ion Ratio Lower Upper
128 100
64 58.9 42.5 63.7
130 29.2 25.0 37.4









#13
2-Methylphenol
Concen: 3.982 ng/ul
RT: 8.052 min Scan# 843
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02

Tgt Ion:108 Resp: 3039
Ion Ratio Lower Upper
108 100
107 90.0 72.3 108.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#14
2,2'-oxybis(1-Chloropropane)
Concen: 4.440 ng/ul
RT: 8.128 min Scan# 857
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion: 45 Resp: 52360
Ion Ratio Lower Upper
45 100
77 16.5 12.3 18.5
79 13.1 9.4 14.0





#16
Acetophenone
Concen: 4.346 ng/ul
RT: 8.428 min Scan# 908
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion: 105 Resp: 54939
Ion Ratio Lower Upper
105 100
77 86.2 67.8 101.6
51 30.4 21.8 32.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#17
N-Nitroso-di-n-propylamine
Concen: 4.281 ng/ul
RT: 8.411 min Scan# 905
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion: 70 Resp: 30184
Ion Ratio Lower Upper
70 100
42 51.4 43.1 64.7
101 10.0 7.7 11.5
130 18.2 14.2 21.4









#18
4-Methylphenol
Concen: 4.005 ng/ul
RT: 8.375 min Scan# 899
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02

Tgt Ion:108 Resp: 3290
Ion Ratio Lower Upper
108 100
107 110.7 91.3 136.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#19
Hexachloroethane
Concen: 4.456 ng/ul
RT: 8.652 min Scan# 946
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:117 Resp: 15866
Ion Ratio Lower Upper
117 100
201 100.6 82.1 123.1
199 63.1 53.8 80.8





#22
Nitrobenzene
Concen: 4.524 ng/ul
RT: 8.799 min Scan# 91
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02




Tgt Ion: 77 Resp: 46774
Ion Ratio Lower Upper
77 100
123 38.1 30.6 46.0
65 14.1 11.4 17.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024




#23
Isophorone
Concen: 4.337 ng/ul
RT: 9.316 min Scan# 1059
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46



Tgt Ion: 82 Resp: 83573
Ion Ratio Lower Upper
82 100
95 7.6 5.6 8.4
138 15.1 12.1 18.1









#25
2-Nitrophenol
Concen: 4.304 ng/ul
RT: 9.499 min Scan# 1090
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02

Tgt Ion:	139	Resp:	18219
Ion Ratio	Lower	Upper	
139	100		
65	67.1	49.0	73.6
109	35.4	27.8	41.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#26
2,4-Dimethylphenol
Concen: 3.249 ng/ul
RT: 9.552 min Scan# 1099
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion:	107	Resp:	30022
Ion Ratio	Lower	Upper	
107	100		
121	43.7	37.4	56.2
122	68.5	63.3	94.9





#27

Bis(2-Chloroethoxy)methane

Concen: 4.299 ng/ul

RT: 9.793 min Scan# 1141

Delta R.T. -0.006 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNA_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion: 93	Resp: 4844
Ion Ratio	Lower Upper
93 100	
95 33.0	25.2 37.8
123 8.6	7.9 11.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#29

2,4-Dichlorophenol

Concen: 3.982 ng/ul




RT: 10.016 min Scan# 1178


Delta R.T. -0.012 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46


Tgt Ion:162	Resp: 28890
Ion Ratio	Lower Upper
162 100	
164 76.2	52.7 79.1
98 40.7	32.4 48.6





#30
Naphthalene
Concen: 4.388 ng/ul
RT: 10.410 min Scan# 1245
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion:128 Resp: 106609
Ion Ratio Lower Upper
128 100
129 10.7 8.8 13.2
127 13.2 10.3 15.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#32
4-Chloroaniline
Concen: 4.245 ng/ul
RT: 10.540 min Scan# 1267
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:127 Resp: 40274
Ion Ratio Lower Upper
127 100
129 33.8 26.2 39.2





#33
Hexachlorobutadiene
Concen: 4.352 ng/ul
RT: 10.675 min Scan# 1291
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument : BNA_P
ClientSampleId : MDL-MED-SOIL-QT1-2024-02



Tgt Ion:225 Resp: 2488
Ion Ratio Lower Upper
225 100
223 61.3 50.5 75.7
227 64.5 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#34
Caprolactam
Concen: 4.652 ng/ul
RT: 11.363 min Scan# 1407
Delta R.T. 0.012 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion:113 Resp: 10491
Ion Ratio Lower Upper
113 100
55 178.9 149.5 224.3
56 126.0 114.6 172.0









#35
4-Chloro-3-methylphenol
Concen: 4.126 ng/ul
RT: 11.681 min Scan# 1459
Delta R.T. 0.012 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02

Tgt Ion:107 Resp: 33254
Ion Ratio Lower Upper
107 100
144 22.2 19.0 28.4
142 69.5 57.8 86.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#36
2-Methylnaphthalene
Concen: 4.309 ng/ul
RT: 12.034 min Scan# 1521
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:142 Resp: 69697
Ion Ratio Lower Upper
142 100
141 91.1 71.8 107.8





#37
1-Methylnaphthalene
Concen: 4.540 ng/ul
RT: 12.257 min Scan# 1559
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion:142 Resp: 73449
Ion Ratio Lower Upper
142 100
141 95.2 73.2 109.8
116 4.2 3.4 5.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#39
1,2,4,5-Tetrachlorobenzene
Concen: 3.938 ng/ul
RT: 12.399 min Scan# 1583
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:216 Resp: 41658
Ion Ratio Lower Upper
216 100
214 79.9 62.1 93.1
179 21.8 16.6 24.8
108 18.4 13.2 19.8





#40
Hexachlorocyclopentadiene
Concen: 3.868 ng/ul
RT: 12.363 min Scan# 11
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion:237 Resp: 2315
Ion Ratio Lower Upper
237 100
235 59.6 49.7 74.5
272 12.5 9.4 14.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#41
2,4,6-Trichlorophenol
Concen: 3.788 ng/ul
RT: 12.663 min Scan# 1628
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:196 Resp: 24612
Ion Ratio Lower Upper
196 100
198 87.0 75.8 113.8
200 30.4 25.0 37.4





#42
2,4,5-Trichlorophenol
Concen: 4.012 ng/ul
RT: 12.740 min Scan# 1640
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion:196 Resp: 26962
Ion Ratio Lower Upper
196 100
198 100.0 77.3 115.9
200 35.2 25.1 37.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#43
1,1'-Biphenyl
Concen: 4.135 ng/ul
RT: 13.063 min Scan# 1696
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion:154 Resp: 95791
Ion Ratio Lower Upper
154 100
153 39.2 31.6 47.4
76 14.4 11.4 17.0





#44

2-Chloronaphthalene

Concen: 4.077 ng/ul

RT: 13.104 min Scan# 1702

Delta R.T. -0.000 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNA_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion:	162	Resp:	7616
Ion Ratio	Lower	Upper	
162	100		
164	33.2	25.8	38.8
127	38.9	31.4	47.0

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#45

2-Nitroaniline

Concen: 4.094 ng/ul




RT: 13.334 min Scan# 1742


Delta R.T. 0.006 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46


Tgt Ion:	65	Resp:	24096
Ion Ratio	Lower	Upper	
65	100		
92	67.2	51.8	77.6
138	86.4	70.6	106.0





#47
Dimethylphthalate
Concen: 4.548 ng/ul
RT: 13.693 min Scan# 1803
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument : BNA_P
ClientSampleId : MDL-MED-SOIL-QT1-2024-02




Tgt Ion:163 Resp: 102979
Ion Ratio Lower Upper
163 100
194 4.2 3.3 4.9
164 9.8 8.0 12.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024




#48
2,6-Dinitrotoluene
Concen: 4.115 ng/ul
RT: 13.846 min Scan# 1829
Delta R.T. 0.012 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Tgt Ion:165 Resp: 18914
Ion Ratio Lower Upper
165 100
89 62.7 54.3 81.5
121 23.0 19.0 28.4





#50
Acenaphthylene
Concen: 4.261 ng/ul
RT: 13.969 min Scan# 1850
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument : BNA_P
ClientSampleId : MDL-MED-SOIL-QT1-2024-02




Tgt Ion:152 Resp: 12484
Ion Ratio Lower Upper
152 100
151 20.2 15.8 23.6
153 13.5 10.9 16.3

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024




#51
3-Nitroaniline
Concen: 3.811 ng/ul
RT: 14.193 min Scan# 1888
Delta R.T. 0.029 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46



Tgt Ion:138 Resp: 16134
Ion Ratio Lower Upper
138 100
108 12.4 10.5 15.7
92 132.5 103.4 155.0





#52

Acenaphthene

Concen: 4.339 ng/ul

RT: 14.316 min Scan# 1909

Delta R.T. -0.000 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNA_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion:	153	Resp:	8446
Ion Ratio	Lower	Upper	
153	100		
152	47.9	37.9	56.9
154	92.1	70.8	106.2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#53

2,4-Dinitrophenol

Concen: 3.883 ng/ul




RT: 14.404 min Scan# 1924


Delta R.T. 0.006 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46


Tgt Ion:	184	Resp:	10159
Ion Ratio	Lower	Upper	
184	100		
63	77.3	60.8	91.2
154	68.8	55.6	83.4





#55
4-Nitrophenol
Concen: 4.356 ng/ul
RT: 14.504 min Scan# 1940
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion:109 Resp: 14090
Ion Ratio Lower Upper
109 100
139 96.3 93.3 139.9
65 151.6 109.9 164.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#56
Dibenzofuran
Concen: 4.575 ng/ul
RT: 14.663 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion:168 Resp: 120944
Ion Ratio Lower Upper
168 100
139 38.7 29.8 44.8









#57
2,4-Dinitrotoluene
Concen: 4.395 ng/ul
RT: 14.663 min Scan# 1964
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02

Tgt Ion:165 Resp: 27624
Ion Ratio Lower Upper
165 100
63 71.3 55.9 83.9
182 2.6 2.4 3.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#58
2,3,4,6-Tetrachlorophenol
Concen: 4.272 ng/ul
RT: 14.887 min Scan# 2006
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:232 Resp: 24620
Ion Ratio Lower Upper
232 100
131 44.0 34.2 51.2
130 2.3 1.8 2.6
166 32.6 24.2 36.2





#59
Diethylphthalate
Concen: 4.636 ng/ul
RT: 15.104 min Scan# 2043
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion:149 Resp: 104093
Ion Ratio Lower Upper
149 100
177 23.2 17.0 25.6
150 11.7 9.7 14.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#61
Fluorene
Concen: 4.527 ng/ul
RT: 15.322 min Scan# 2080
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:166 Resp: 97614
Ion Ratio Lower Upper
166 100
165 97.6 79.2 118.8
167 13.7 11.1 16.7





#62
4-Chlorophenyl-phenylether
Concen: 4.462 ng/ul
RT: 15.322 min Scan# 2079
Delta R.T. 0.012 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument : BNA_P
ClientSampleId : MDL-MED-SOIL-QT1-2024-02



Tgt Ion: 204 Resp: 5153
Ion Ratio Lower Upper
204 100
206 31.7 26.2 39.2
141 62.7 47.8 71.6




Manual Integrations
APPROVED


Reviewed By : Yogesh Patel 03/29/2024
Supervised By : mohammad ahmed 03/29/2024



#63
4-Nitroaniline
Concen: 4.446 ng/ul
RT: 15.387 min Scan# 2091
Delta R.T. 0.012 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion: 138 Resp: 16075
Ion Ratio Lower Upper
138 100
92 59.2 51.0 76.6
108 95.3 74.7 112.1









#66
4,6-Dinitro-2-methylphenol
Concen: 4.192 ng/ul
RT: 15.434 min Scan# 2098
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Instrument : BNA_P
ClientSampleId : MDL-MED-SOIL-QT1-2024-02

Tgt Ion:198 Resp: 19300
Ion Ratio Lower Upper
198 100
182 6.0 3.6 5.4
77 37.5 22.1 33.1




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#67
N-Nitrosodiphenylamine
Concen: 4.025 ng/ul
RT: 15.540 min Scan# 2117
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:169 Resp: 80573
Ion Ratio Lower Upper
169 100
168 64.1 52.5 78.7
167 35.4 28.0 42.0





#68
4-Bromophenyl-phenylether
Concen: 3.972 ng/ul
RT: 16.245 min Scan# 211
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument : BNA_P
ClientSampleId : MDL-MED-SOIL-QT1-2024-02



Tgt Ion: 248 Resp: 3124
Ion Ratio Lower Upper
248 100
250 97.7 76.3 114.5
141 74.2 56.8 85.2




Manual Integrations
APPROVED


Reviewed By : Yogesh Patel 03/29/2024
Supervised By : mohammad ahmed 03/29/2024



#69
Hexachlorobenzene
Concen: 4.130 ng/ul
RT: 16.340 min Scan# 2253
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion: 284 Resp: 36072
Ion Ratio Lower Upper
284 100
142 35.9 28.2 42.2
249 33.9 27.5 41.3





#70

Atrazine

Concen: 4.414 ng/ul

RT: 16.551 min Scan# 21

Delta R.T. 0.012 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNA_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion:	200	Resp:	3385
Ion Ratio	Lower	Upper	
200	100		
173	26.3	19.0	28.6
215	45.0	37.4	56.0

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#71

Pentachlorophenol

Concen: 4.221 ng/ul m




RT: 16.722 min Scan# 2318


Delta R.T. 0.006 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Tgt Ion:	266	Resp:	21613
Ion Ratio	Lower	Upper	
266	100		
264	62.0	49.9	74.9
268	67.9	52.5	78.7





#72

Phenanthrene

Concen: 4.290 ng/ul

RT: 17.110 min Scan# 21

Delta R.T. -0.000 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNP_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion:178 Resp: 160758
Ion Ratio Lower Upper
178 100
179 15.0 12.2 18.2
176 18.7 15.3 22.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#74

Anthracene

Concen: 3.982 ng/ul




RT: 17.216 min Scan# 2402


Delta R.T. 0.012 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Tgt Ion:178 Resp: 151508
Ion Ratio Lower Upper
178 100
179 15.8 12.2 18.2
176 18.2 14.8 22.2









#75
1,2,3,4-Tetrachlorobenzene
Concen: 3.530 ng/uL
RT: 13.016 min Scan# 1688
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Instrument : BNA_P
ClientSampleId : MDL-MED-SOIL-QT1-2024-02

Tgt Ion:216 Resp: 41708
Ion Ratio Lower Upper
216 100
214 74.6 62.2 93.4
218 46.8 39.9 59.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#76
Pentachlorobenzene
Concen: 4.138 ng/uL
RT: 14.569 min Scan# 1952
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46


Tgt Ion:250 Resp: 45288
Ion Ratio Lower Upper
250 100
248 62.7 51.3 76.9
252 67.2 51.1 76.7





#77
 Carbazole
 Concen: 4.291 ng/ul
 RT: 17.504 min Scan# 2452
 Delta R.T. -0.000 min
 Lab File: BP019995.D
 Acq: 26 Mar 2024 12:46




Instrument : BNA_P
 ClientSampleId : MDL-MED-SOIL-QT1-2024-02



Tgt Ion:167 Resp: 139600
 Ion Ratio Lower Upper
 167 100
 166 21.2 16.8 25.2
 139 12.8 10.2 15.4




Manual Integrations
 APPROVED


Reviewed By :Yogesh Patel 03/29/2024
 Supervised By :mohammad ahmed 03/29/2024



#78
 Di-n-butylphthalate
 Concen: 4.330 ng/ul
 RT: 18.104 min Scan# 2553
 Delta R.T. 0.012 min
 Lab File: BP019995.D
 Acq: 26 Mar 2024 12:46


Tgt Ion:149 Resp: 175879
 Ion Ratio Lower Upper
 149 100
 150 9.2 7.0 10.6
 104 5.8 4.2 6.4





#80
Fluoranthene
Concen: 3.825 ng/ul
RT: 19.216 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument :
BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02



Tgt Ion:202 Resp: 195250
Ion Ratio Lower Upper
202 100
101 10.4 8.8 13.2
100 8.4 6.6 9.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#82
Pyrene
Concen: 3.925 ng/ul
RT: 19.604 min Scan# 2808
Delta R.T. 0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion:202 Resp: 208231
Ion Ratio Lower Upper
202 100
101 12.0 9.4 14.2
100 10.2 7.7 11.5





#83

Butylbenzylphthalate

Concen: 3.847 ng/ul

RT: 20.575 min Scan# 2972

Delta R.T. -0.000 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNA_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion:	149	Resp:	82874
Ion Ratio	Lower	Upper	
149	100		
91	80.5	63.4	95.2
206	23.0	17.8	26.6

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#84

3,3'-Dichlorobenzidine

Concen: 3.516 ng/ul




RT: 21.463 min Scan# 3124


Delta R.T. 0.006 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46


Tgt Ion:	252	Resp:	55383
Ion Ratio	Lower	Upper	
252	100		
254	67.8	52.4	78.6
126	9.6	8.1	12.1





#85
Benzo(a)anthracene
Concen: 4.165 ng/ul
RT: 21.527 min Scan# 3135
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument : BNA_P
ClientSampleId : MDL-MED-SOIL-QT1-2024-02



Tgt Ion:228 Resp: 213460
Ion Ratio Lower Upper
228 100
229 19.3 15.6 23.4
226 27.2 22.1 33.1




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024



#86
Bis(2-ethylhexyl)phthalate
Concen: 4.064 ng/ul
RT: 21.469 min Scan# 3125
Delta R.T. -0.006 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46

Tgt Ion:149 Resp: 127905
Ion Ratio Lower Upper
149 100
167 28.0 23.0 34.6
279 3.8 3.6 5.4





#87

Chrysene

Concen: 4.248 ng/ul

RT: 21.592 min Scan# 3146

Delta R.T. -0.006 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNA_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion:228	Resp: 20243
Ion Ratio	Lower Upper
228 100	
226 30.0	23.2 34.8
229 19.1	15.3 22.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#89

Di-n-octyl phthalate

Concen: 4.244 ng/ul




RT: 22.733 min Scan# 3340


Delta R.T. -0.006 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Tgt Ion:149 Resp: 221803





#90

Benzo(b)fluoranthene

Concen: 4.219 ng/ul

RT: 23.792 min Scan# 3516

Delta R.T. -0.000 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNA_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion:252 Resp: 203800
 Ion Ratio Lower Upper
 252 100
 253 21.9 17.2 25.8
 125 9.4 6.5 9.7

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#91

Benzo(k)fluoranthene

Concen: 4.334 ng/ul




RT: 23.851 min Scan# 3530


Delta R.T. -0.024 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46


Tgt Ion:252 Resp: 212784
 Ion Ratio Lower Upper
 252 100
 253 21.7 17.4 26.0
 125 9.5 7.1 10.7





#93
Benzo(a)pyrene
Concen: 4.237 ng/ul
RT: 24.668 min Scan# 3669
Delta R.T. -0.012 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46




Instrument : BNA_P
ClientSampleId :
MDL-MED-SOIL-QT1-2024-02




Tgt Ion:252 Resp: 19797
Ion Ratio Lower Upper
252 100
253 22.0 17.4 26.0
125 8.2 7.4 11.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 03/29/2024
Supervised By :mohammad ahmed 03/29/2024




#94
Indeno(1,2,3-cd)pyrene
Concen: 4.119 ng/ul m
RT: 28.551 min Scan# 4329
Delta R.T. -0.000 min
Lab File: BP019995.D
Acq: 26 Mar 2024 12:46



Tgt Ion:276 Resp: 242408
Ion Ratio Lower Upper
276 100
138 18.0 13.1 19.7
277 21.8 19.5 29.3





#95

Dibenzo(a,h)anthracene

Concen: 4.127 ng/ul

RT: 28.633 min Scan# 41

Delta R.T. -0.018 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Instrument :

BNA_P

ClientSampleId :

MDL-MED-SOIL-QT1-2024-02





Tgt Ion:	278	Resp:	19756
Ion Ratio	Lower	Upper	
278	100		
139	16.3	11.4	17.2
279	25.0	19.7	29.5

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 03/29/2024

Supervised By :mohammad ahmed 03/29/2024



#96

Benzo(g,h,i)perylene

Concen: 4.126 ng/ul m

RT: 29.703 min Scan# 4525

Delta R.T. -0.018 min

Lab File: BP019995.D

Acq: 26 Mar 2024 12:46

Tgt Ion:	276	Resp:	196179
Ion Ratio	Lower	Upper	
276	100		
138	15.0	15.5	23.3#
277	22.8	18.8	28.2

