

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032723\
 Data File : BP014324.D
 Acq On : 27 Mar 2023 21:47
 Operator : CG/JU
 Sample : 02039-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 MW-7

Quant Time: Mar 28 02:12:49 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP030623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 25 03:19:01 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.028	152	110884	20.000	ng	0.00
21) Naphthalene-d8	10.846	136	424553	20.000	ng	# 0.00
39) Acenaphthene-d10	14.669	164	263003	20.000	ng	0.00
64) Phenanthrene-d10	17.428	188	599010	20.000	ng	# 0.00
76) Chrysene-d12	21.510	240	628786	20.000	ng	# 0.00
86) Perylene-d12	24.027	264	722237	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	577695	84.491	ng	0.00
7) Phenol-d6	7.187	99	550866	61.365	ng	0.00
23) Nitrobenzene-d5	9.199	82	895740	96.432	ng	-0.01
42) 2,4,6-Tribromophenol	16.169	330	642842	150.753	ng	0.00
45) 2-Fluorobiphenyl	13.292	172	1872690	92.251	ng	0.00
79) Terphenyl-d14	19.969	244	3665463	96.124	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032723\
Data File : BP014324.D
Acq On : 27 Mar 2023 21:47
Operator : CG/JU
Sample : 02039-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
MW-7

Quant Time: Mar 28 02:12:49 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP030623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 25 03:19:01 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.028 min Scan# 81
Delta R.T. 0.000 min
Lab File: BP014324.D
Acq: 27 Mar 2023 21:47




Instrument :
BNA_P
ClientSampleId :
MW-7


Tgt Ion:152 Resp: 110884
Ion Ratio Lower Upper
152 100
150 151.2 122.3 183.5
115 66.5 51.6 77.4



#5
2-Fluorophenol
Concen: 84.491 ng
RT: 5.575 min Scan# 406
Delta R.T. -0.000 min
Lab File: BP014324.D
Acq: 27 Mar 2023 21:47

Tgt Ion:112 Resp: 577695
Ion Ratio Lower Upper
112 100
64 63.7 46.7 70.1
63 35.2 26.6 40.0









#7
Phenol-d6
Concen: 61.365 ng
RT: 7.187 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP014324.D
Acq: 27 Mar 2023 21:47




Instrument :
BNA_P
ClientSampleId :
MW-7


Tgt Ion: 99 Resp: 550866
Ion Ratio Lower Upper
99 100
42 19.5 15.0 22.6
71 41.4 34.3 51.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.846 min Scan# 1302
Delta R.T. -0.006 min
Lab File: BP014324.D
Acq: 27 Mar 2023 21:47

Tgt Ion:136 Resp: 424553
Ion Ratio Lower Upper
136 100
137 11.4 8.7 13.1
54 9.2 5.8 8.8#
68 6.3 4.0 6.0#









#23
Nitrobenzene-d5
Concen: 96.432 ng
RT: 9.199 min Scan# 1033
Delta R.T. -0.012 min
Lab File: BP014324.D
Acq: 27 Mar 2023 21:47




Instrument :
BNA_P
ClientSampleId :
MW-7


Tgt Ion: 82 Resp: 895740
Ion Ratio Lower Upper
82 100
128 36.2 31.1 46.7
54 50.7 40.0 60.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.669 min Scan# 1952
Delta R.T. -0.006 min
Lab File: BP014324.D
Acq: 27 Mar 2023 21:47

Tgt Ion: 164 Resp: 263003
Ion Ratio Lower Upper
164 100
162 102.5 82.1 123.1
160 47.0 36.2 54.2





#42

2,4,6-Tribromophenol

Concen: 150.753 ng

RT: 16.169 min Scan# 2215

Delta R.T. -0.006 min

Lab File: BP014324.D

Acq: 27 Mar 2023 21:47

Instrument :

BNA_P

ClientSampleId :

MW-7





Tgt Ion:330 Resp: 642842

Ion Ratio Lower Upper

330 100

332 97.0 77.1 115.7

141 34.0 25.6 38.4



#45

2-Fluorobiphenyl

Concen: 92.251 ng

RT: 13.292 min Scan# 1718

Delta R.T. -0.006 min

Lab File: BP014324.D

Acq: 27 Mar 2023 21:47




Tgt Ion:172 Resp: 1872690


Ion Ratio Lower Upper

172 100

171 36.1 28.3 42.5

170 23.4 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.428 min Scan# 2430
Delta R.T. -0.006 min
Lab File: BP014324.D
Acq: 27 Mar 2023 21:47




Instrument :
BNA_P
ClientSampleId :
MW-7


Tgt Ion:188 Resp: 599010
Ion Ratio Lower Upper
188 100
94 9.6 5.8 8.6#
80 11.1 6.6 9.8#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.510 min Scan# 3115
Delta R.T. -0.006 min
Lab File: BP014324.D
Acq: 27 Mar 2023 21:47

Tgt Ion:240 Resp: 628786
Ion Ratio Lower Upper
240 100
120 9.9 6.4 9.6#
236 26.7 21.2 31.8





#79

Terphenyl-d14

Concen: 96.124 ng

RT: 19.969 min Scan# 2861

Delta R.T. -0.006 min

Lab File: BP014324.D

Acq: 27 Mar 2023 21:47

Instrument :

BNA_P

ClientSampleId :

MW-7





Tgt Ion:244 Resp: 3665463

Ion Ratio Lower Upper

244 100

212 7.5 6.0 9.0

122 9.1 5.8 8.6#



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.027 min Scan# 3543

Delta R.T. -0.006 min

Lab File: BP014324.D

Acq: 27 Mar 2023 21:47

Tgt Ion:264 Resp: 722237

Ion Ratio Lower Upper

264 100

260 23.7 19.4 29.2

265 22.5 17.8 26.8

