

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040121\
 Data File : BP005133.D
 Acq On : 01 Apr 2021 13:28
 Operator : CG/JU
 Sample : PB135470TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB135470TB

Quant Time: Apr 01 14:19:42 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 01 12:23:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.705	152	26740	20.00	ng	# 0.00
21) Naphthalene-d8	10.499	136	98294	20.00	ng	# 0.00
39) Acenaphthene-d10	14.363	164	64617	20.00	ng	0.00
64) Phenanthrene-d10	17.122	188	141531	20.00	ng	# 0.00
76) Chrysene-d12	21.222	240	147599	20.00	ng	0.00
86) Perylene-d12	23.510	264	149704	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.305	112	241174	138.80	ng	0.00
7) Phenol-d6	6.887	99	302448	121.52	ng	0.00
23) Nitrobenzene-d5	8.869	82	194863	85.06	ng	0.00
42) 2,4,6-Tribromophenol	15.863	330	108801	129.23	ng	0.00
45) 2-Fluorobiphenyl	12.981	172	389895	81.62	ng	0.00
79) Terphenyl-d14	19.704	244	691852	85.33	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.004	149	11395	2.07	ng	Qvalue # 53


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040121\
Data File : BP005133.D
Acq On : 01 Apr 2021 13:28
Operator : CG/JU
Sample : PB135470TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB135470TB

Quant Time: Apr 01 14:19:42 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 01 12:23:57 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.705 min Scan# 785
Delta R.T. -0.000 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28




Instrument :
BNA_P
ClientSampleId :
PB135470TB


Tgt Ion:152 Resp: 26740
Ion Ratio Lower Upper
152 100
150 158.9 123.8 185.6
115 65.8 43.8 65.6#



#5
2-Fluorophenol
Concen: 138.80 ng
RT: 5.305 min Scan# 377
Delta R.T. 0.000 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28

Tgt Ion:112 Resp: 241174
Ion Ratio Lower Upper
112 100
64 56.8 32.8 49.2#
63 29.6 17.0 25.4#









#7
Phenol-d6
Concen: 121.52 ng
RT: 6.887 min Scan# 646
Delta R.T. 0.000 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28




Instrument :
BNA_P
ClientSampleId :
PB135470TB


Tgt Ion: 99 Resp: 302448
Ion Ratio Lower Upper
99 100
42 14.5 8.6 13.0#
71 39.8 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.499 min Scan# 1260
Delta R.T. 0.000 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28

Tgt Ion:136 Resp: 98294
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 5.8 3.6 5.4#
68 6.0 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 85.06 ng
RT: 8.869 min Scan# 983
Delta R.T. 0.000 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28




Instrument :
BNA_P
ClientSampleId :
PB135470TB


Tgt Ion: 82 Resp: 194863
Ion Ratio Lower Upper
82 100
128 38.2 45.6 68.4#
54 40.1 30.1 45.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.363 min Scan# 1917
Delta R.T. 0.000 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28

Tgt Ion:164 Resp: 64617
Ion Ratio Lower Upper
164 100
162 96.7 79.4 119.2
160 41.1 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 129.23 ng
RT: 15.863 min Scan# 2172
Delta R.T. 0.000 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28




Instrument :
BNA_P
ClientSampleId :
PB135470TB


Tgt Ion:330 Resp: 108801
Ion Ratio Lower Upper
330 100
332 95.4 77.1 115.7
141 34.8 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 81.62 ng
RT: 12.981 min Scan# 1682
Delta R.T. 0.000 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28

Tgt Ion:172 Resp: 389895
Ion Ratio Lower Upper
172 100
171 36.0 28.5 42.7
170 22.9 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.122 min Scan# 2386
Delta R.T. -0.006 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28




Instrument :
BNA_P
ClientSampleId :
PB135470TB


Tgt Ion:188 Resp: 141531
Ion Ratio Lower Upper
188 100
94 9.4 6.2 9.2#
80 11.6 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.222 min Scan# 3083
Delta R.T. -0.006 min
Lab File: BP005133.D
Acq: 01 Apr 2021 13:28

Tgt Ion:240 Resp: 147599
Ion Ratio Lower Upper
240 100
120 9.7 7.8 11.6
236 25.6 20.8 31.2









#79
 Terphenyl-d14
 Concen: 85.33 ng
 RT: 19.704 min Scan# 2825
 Delta R.T. 0.006 min
 Lab File: BP005133.D
 Acq: 01 Apr 2021 13:28




Instrument :
 BNA_P
 ClientSampleId :
 PB135470TB


Tgt Ion:244 Resp: 691852
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.8 8.6
 122 9.6 7.8 11.8



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 2.07 ng
 RT: 21.004 min Scan# 3046
 Delta R.T. -0.135 min
 Lab File: BP005133.D
 Acq: 01 Apr 2021 13:28

Tgt Ion:149 Resp: 11395
 Ion Ratio Lower Upper
 149 100
 167 0.6 22.6 34.0#
 279 0.2 4.2 6.2#





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.510 min Scan# 3472
 Delta R.T. -0.000 min
 Lab File: BP005133.D
 Acq: 01 Apr 2021 13:28

Instrument :
 BNA_P
 ClientSampleId :
 PB135470TB

Tgt Ion:264 Resp: 149704
 Ion Ratio Lower Upper
 264 100
 260 22.6 18.8 28.2
 265 21.0 17.4 26.2

