

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040221\
 Data File : BP005153.D
 Acq On : 02 Apr 2021 11:36
 Operator : CG/JU
 Sample : M1828-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 FS-SB14(5-6)

Manual Integrations
 APPROVED

mohammad
 4/5/2021 11:55:07 AM

Quant Time: Apr 02 13:43:19 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 01 12:23:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.705	152	27665	20.00	ng	0.00
21) Naphthalene-d8	10.493	136	110375	20.00	ng	# 0.00
39) Acenaphthene-d10	14.357	164	72228	20.00	ng	0.00
64) Phenanthrene-d10	17.116	188	146739	20.00	ng	#-0.01
76) Chrysene-d12	21.216	240	147389	20.00	ng	-0.01
86) Perylene-d12	23.498	264	150922	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.299	112	171071	95.16	ng	0.00
7) Phenol-d6	6.881	99	228378	88.69	ng	0.00
23) Nitrobenzene-d5	8.863	82	145930	56.73	ng	0.00
42) 2,4,6-Tribromophenol	15.857	330	74569	79.24	ng	0.00
45) 2-Fluorobiphenyl	12.975	172	267737	50.14	ng	0.00
79) Terphenyl-d14	19.692	244	366540	45.27	ng	0.00
Target Compounds						Qvalue
31) Naphthalene	10.540	128	21149	3.39	ng	# 97
52) Acenaphthene	14.422	154	19869	4.63	ng	96
55) Dibenzofuran	14.757	168	25323	3.60	ng	96
58) Fluorene	15.410	166	30191	5.32	ng	90
71) Phenanthrene	17.163	178	355103	41.74	ng	98
72) Anthracene	17.251	178	71223	8.57	ng	99
73) Carbazole	17.528	167	35923	4.60	ng	99
75) Fluoranthene	19.139	202	405079	40.48	ng	97
78) Pyrene	19.492	202	351555	34.71	ng	98
81) Benzo(a)anthracene	21.204	228	178164	17.79	ng	98
83) Chrysene	21.251	228	164109m	16.70	ng	
87) Indeno(1,2,3-cd)pyrene	25.833	276	84126	7.43	ng	95
88) Benzo(b)fluoranthene	22.810	252	183245	17.10	ng	99
89) Benzo(k)fluoranthene	22.851	252	63902m	6.22	ng	
90) Benzo(a)pyrene	23.398	252	137012	14.26	ng	98
92) Benzo(g,h,i)perylene	26.557	276	78108	8.27	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040221\
Data File : BP005153.D
Acq On : 02 Apr 2021 11:36
Operator : CG/JU
Sample : M1828-04
Misc :
ALS Vial : 6 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)

Manual Integrations
APPROVED

mohammad
4/5/2021 11:55:07 AM

Quant Time: Apr 02 13:43:19 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 01 12:23:57 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.705 min Scan# 785
Delta R.T. -0.000 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36

Tgt Ion	Ratio	Lower	Upper
152	100		
150	149.3	123.8	185.6
115	64.1	43.8	65.6

Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Manual Integrations
APPROVED


mohammad
4/5/2021 11:55:07 AM



#5
2-Fluorophenol
Concen: 95.16 ng
RT: 5.299 min Scan# 376
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36


Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.1	32.8	49.2#
63	31.9	17.0	25.4#





#7
Phenol-d6
Concen: 88.69 ng
RT: 6.881 min Scan# 645
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Tgt Ion: 99 Resp: 228378
Ion Ratio Lower Upper
99 100
42 13.7 8.6 13.0#
71 38.5 23.4 35.2#

Manual Integrations
APPROVED



mohammad
4/5/2021 11:55:07 AM




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.493 min Scan# 1259
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Tgt Ion: 136 Resp: 110375
Ion Ratio Lower Upper
136 100
137 11.3 8.6 13.0
54 6.5 3.6 5.4#
68 6.0 3.3 4.9#





#23
Nitrobenzene-d5
Concen: 56.73 ng
RT: 8.863 min Scan# 982
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)



Tgt Ion: 82 Resp: 145930
Ion Ratio Lower Upper
82 100
128 37.8 45.6 68.4#
54 38.5 30.1 45.1




Manual Integrations
APPROVED


mohammad
4/5/2021 11:55:07 AM



#31
Naphthalene
Concen: 3.39 ng
RT: 10.540 min Scan# 1267
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36


Tgt Ion: 128 Resp: 21149
Ion Ratio Lower Upper
128 100
129 13.3 8.8 13.2#
127 12.8 10.6 15.8





#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.357 min Scan# 1916
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)



Tgt Ion	Ratio	Lower	Upper
164	100		
162	99.1	79.4	119.2
160	43.4	36.1	54.1




Manual Integrations
APPROVED


mohammad
4/5/2021 11:55:07 AM



#42
2,4,6-Tribromophenol
Concen: 79.24 ng
RT: 15.857 min Scan# 2171
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36


Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.1	115.7
141	34.8	23.4	35.2





#45
2-Fluorobiphenyl
Concen: 50.14 ng
RT: 12.975 min Scan# 1681
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Tgt Ion:172 Resp: 267737
Ion Ratio Lower Upper
172 100
171 34.8 28.5 42.7
170 21.9 19.2 28.8

Manual Integrations
APPROVED



mohammad
4/5/2021 11:55:07 AM




#52
Acenaphthene
Concen: 4.63 ng
RT: 14.422 min Scan# 1927
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36



Tgt Ion:154 Resp: 19869
Ion Ratio Lower Upper
154 100
153 107.0 91.0 136.6
152 53.9 43.0 64.6









#55
Dibenzofuran
Concen: 3.60 ng
RT: 14.757 min Scan# 1984
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36

Tgt Ion:	168	Resp:	25323
Ion Ratio	100	Lower	Upper
168	100		
139	33.1	29.1	43.7
169	13.3	10.4	15.6

Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Manual Integrations
APPROVED


mohammad
4/5/2021 11:55:07 AM



#58
Fluorene
Concen: 5.32 ng
RT: 15.410 min Scan# 2095
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36

Tgt Ion:	166	Resp:	30191
Ion Ratio	100	Lower	Upper
166	100		
165	86.5	77.8	116.8
167	16.1	11.0	16.4









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.116 min Scan# 2385
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36

Tgt Ion	Ratio	Lower	Upper
188	100		
94	10.5	6.2	9.2#
80	11.6	6.2	9.2#

Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Manual Integrations
APPROVED


mohammad
4/5/2021 11:55:07 AM



#71
Phenanthrene
Concen: 41.74 ng
RT: 17.163 min Scan# 2393
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36

Tgt Ion	Ratio	Lower	Upper
178	100		
176	17.9	15.3	22.9
179	15.4	12.5	18.7









#72
 Anthracene
 Concen: 8.57 ng
 RT: 17.251 min Scan# 2408
 Delta R.T. -0.006 min
 Lab File: BP005153.D
 Acq: 02 Apr 2021 11:36

Tgt Ion:	178	Resp:	71223
Ion Ratio	Lower	Upper	
178	100		
176	18.2	15.0	22.4
179	16.0	12.5	18.7

Instrument :
 BNA_P
 ClientSampleId :
 FS-SB14(5-6)




Manual Integrations
 APPROVED


mohammad
 4/5/2021 11:55:07 AM



#73
 Carbazole
 Concen: 4.60 ng
 RT: 17.528 min Scan# 2455
 Delta R.T. -0.006 min
 Lab File: BP005153.D
 Acq: 02 Apr 2021 11:36


Tgt Ion:	167	Resp:	35923
Ion Ratio	Lower	Upper	
167	100		
166	21.1	17.6	26.4
139	12.8	10.2	15.4





#75
Fluoranthene
Concen: 40.48 ng
RT: 19.139 min Scan# 2729
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Tgt Ion:202 Resp: 405079
Ion Ratio Lower Upper
202 100
101 11.8 0.0 29.4
203 18.1 0.0 37.8

Manual Integrations
APPROVED



mohammad
4/5/2021 11:55:07 AM




#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.216 min Scan# 3082
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Tgt Ion:240 Resp: 147389
Ion Ratio Lower Upper
240 100
120 11.1 7.8 11.6
236 25.3 20.8 31.2





#78
Pyrene
Concen: 34.71 ng
RT: 19.492 min Scan# 2789
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Tgt Ion:202 Resp: 351555
Ion Ratio Lower Upper
202 100
200 19.6 17.1 25.7
203 17.7 14.2 21.2

Manual Integrations
APPROVED



mohammad
4/5/2021 11:55:07 AM




#79
Terphenyl-d14
Concen: 45.27 ng
RT: 19.692 min Scan# 2823
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36



Tgt Ion:244 Resp: 366540
Ion Ratio Lower Upper
244 100
212 6.4 5.8 8.6
122 10.2 7.8 11.8









#81
Benzo(a)anthracene
Concen: 17.79 ng
RT: 21.204 min Scan# 3080
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36

Tgt Ion:228 Resp: 178164
Ion Ratio Lower Upper
228 100
226 26.0 22.1 33.1
229 19.3 15.9 23.9

Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Manual Integrations
APPROVED


mohammad
4/5/2021 11:55:07 AM



#83
Chrysene
Concen: 16.70 ng m
RT: 21.251 min Scan# 3088
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36


Tgt Ion:228 Resp: 164109
Ion Ratio Lower Upper
228 100
226 29.2 24.4 36.6
229 21.6 15.8 23.6





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.498 min Scan# 3470
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)




Tgt Ion:264 Resp: 150922
Ion Ratio Lower Upper
264 100
260 22.1 18.8 28.2
265 22.9 17.4 26.2

Manual Integrations
APPROVED



mohammad
4/5/2021 11:55:07 AM




#87
Indeno(1,2,3-cd)pyrene
Concen: 7.43 ng
RT: 25.833 min Scan# 3867
Delta R.T. -0.030 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Tgt Ion:276 Resp: 84126
Ion Ratio Lower Upper
276 100
138 19.9 18.7 28.1
277 24.4 20.4 30.6





#88
Benzo(b)fluoranthene
Concen: 17.10 ng
RT: 22.810 min Scan# 3353
Delta R.T. -0.006 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)



Tgt Ion:252 Resp: 183245
Ion Ratio Lower Upper
252 100
253 22.3 17.6 26.4
125 10.3 7.3 10.9




Manual Integrations
APPROVED


mohammad
4/5/2021 11:55:07 AM



#89
Benzo(k)fluoranthene
Concen: 6.22 ng m
RT: 22.851 min Scan# 3360
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36


Tgt Ion:252 Resp: 63902
Ion Ratio Lower Upper
252 100
253 22.8 17.8 26.8
125 9.1 7.4 11.2





#90
Benzo(a)pyrene
Concen: 14.26 ng
RT: 23.398 min Scan# 3453
Delta R.T. -0.012 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36




Instrument :
BNA_P
ClientSampleId :
FS-SB14(5-6)



Tgt Ion: 252 Resp: 137012
Ion Ratio Lower Upper
252 100
253 22.5 17.4 26.0
125 10.9 8.2 12.4

Manual Integrations
APPROVED

mohammad
4/5/2021 11:55:07 AM



#92
Benzo(g,h,i)perylene
Concen: 8.27 ng
RT: 26.557 min Scan# 3990
Delta R.T. -0.024 min
Lab File: BP005153.D
Acq: 02 Apr 2021 11:36

Tgt Ion: 276 Resp: 78108
Ion Ratio Lower Upper
276 100
277 24.2 19.0 28.6
138 19.1 16.6 24.8

