

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040323\
 Data File : BP014523.D
 Acq On : 04 Apr 2023 12:19
 Operator : CG/JU
 Sample : 02093-12DL 10X
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 CB991DL

Quant Time: Apr 04 23:09:22 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 04 01:34:36 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.004	152	123192	20.000	ng/u1	0.00
20) Naphthalene-d8	10.828	136	485307	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.657	164	285353	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.416	188	655461	20.000	ng/u1	-0.01
79) Chrysene-d12	21.504	240	726392	20.000	ng/u1	-0.01
88) Perylene-d12	24.015	264	837654	20.000	ng/u1	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.387	96	1928	0.607	ng/uL	0.00
4) Pyridine-d5	3.822	84	435	0.053	ng/u1	0.00
7) Phenol-d5	7.204	99	5235	0.461	ng/u1	0.03
9) Bis-(2-Chloroethyl)eth...	7.334	67	18239	2.502	ng/u1	0.00
11) 2-Chlorophenol-d4	7.546	132	14539	1.771	ng/u1	0.00
15) 4-Methylphenol-d8	8.751	113	12469	1.361	ng/u1	0.02
21) Nitrobenzene-d5	9.193	128	9150	2.335	ng/u1	0.00
24) 2-Nitrophenol-d4	9.922	143	7931	1.768	ng/u1	0.01
28) 2,4-Dichlorophenol-d3	10.487	165	10316	1.263	ng/u1	0.03
31) 4-Chloroaniline-d4	11.004	131	18575	1.726	ng/u1	0.02
46) Dimethylphthalate-d6	14.069	166	59637	2.578	ng/u1	0.00
49) Acenaphthylene-d8	14.351	160	63099	2.458	ng/u1	0.00
54) 4-Nitrophenol-d4	14.881	143	46	0.013	ng/u1	-0.01
60) Fluorene-d10	15.657	176	53920	2.795	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.804	200	3241	0.672	ng/u1	0.02
73) Anthracene-d10	17.522	188	88635	2.794	ng/u1	0.00
81) Pyrene-d10	19.751	212	111182	2.279	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.857	264	118089	2.653	ng/u1	0.00


Target Compounds					Qvalue	
2) 1,4-Dioxane	3.416	88	83093	23.802	ng/uL	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040323\
Data File : BP014523.D
Acq On : 04 Apr 2023 12:19
Operator : CG/JU
Sample : 02093-12DL 10X
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
CB991DL


Quant Time: Apr 04 23:09:22 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 04 01:34:36 2023
Response via : Initial Calibration





#2
 1,4-Dioxane
 Concen: 23.802 ng/uL
 RT: 3.416 min Scan# 39
 Delta R.T. -0.000 min
 Lab File: BP014523.D
 Acq: 04 Apr 2023 12:19

Instrument :
 BNA_P
 ClientSampleId :
 CB991DL



Tgt Ion: 88 Resp: 83093
 Ion Ratio Lower Upper
 88 100
 43 31.5 24.4 36.6
 58 75.8 57.4 86.0

