




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040523\
Data File : BP014560.D
Acq On : 05 Apr 2023 16:31
Operator : CG/JU
Sample : 02122-12
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
CB9C3

Manual IntegrationsAPPROVED

Quant Time: Apr 06 00:57:57 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 06 00:55:13 2023
Response via : Initial Calibration

Reviewed By :Christian Giraldo 04/06/2023
Supervised By :Jagrut Upadhyay 04/06/2023



TIC: BP014560.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.851min (-0.012) 0.01 ng/ul

response 27

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	96.80	90.91
41.00	44.20	592.73#
42.00	31.50	334.55#




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040523\
 Data File : BP014560.D
 Acq On : 05 Apr 2023 16:31
 Operator : CG/JU
 Sample : 02122-12
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 CB9C3

Manual IntegrationsAPPROVED

Quant Time: Apr 06 00:57:57 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 06 00:55:13 2023
 Response via : Initial Calibration

Reviewed By :Christian Giraldo 04/06/2023
 Supervised By :Jagrut Upadhyay 04/06/2023



TIC: BP014560.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.934min (+ 0.071) 3.68 ng/ul m

response 14154

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	96.80	63.29#
41.00	44.20	56.66#
42.00	31.50	35.25




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040523\
Data File : BP014560.D
Acq On : 05 Apr 2023 16:31
Operator : CG/JU
Sample : 02122-12
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
CB9C3

Manual IntegrationsAPPROVED

Quant Time: Apr 06 00:57:57 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 06 00:55:13 2023
Response via : Initial Calibration

Reviewed By :Christian Giraldo 04/06/2023
Supervised By :Jagrut Upadhyay 04/06/2023



TIC: BP014560.D\data.ms

(65) 4,6-Dinitro-2-methylphenol-d2 (S)

15.769min (+ 0.006) 14.53 ng/ul

response 72602

Ion	Exp%	Act%
200.00	100.00	100.00
170.00	22.10	22.74
52.00	45.50	42.56
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040523\
Data File : BP014560.D
Acq On : 05 Apr 2023 16:31
Operator : CG/JU
Sample : 02122-12
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
CB9C3

Manual IntegrationsAPPROVED

Quant Time: Apr 06 00:57:57 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 06 00:55:13 2023
Response via : Initial Calibration

Reviewed By :Christian Giraldo 04/06/2023
Supervised By :Jagrut Upadhyay 04/06/2023



TIC: BP014560.D\data.ms

(65) 4,6-Dinitro-2-methylphenol-d2 (S)

15.769min (+ 0.006) 16.43 ng/ul m

response 82101

Ion	Exp%	Act%
200.00	100.00	100.00
170.00	22.10	22.74
52.00	45.50	42.56
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040523\
 Data File : BP014560.D
 Acq On : 05 Apr 2023 16:31
 Operator : CG/JU
 Sample : 02122-12
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 CB9C3

Manual IntegrationsAPPROVED

Reviewed By :Christian Giraldo 04/06/2023
 Supervised By :Jagrut Upadhyay 04/06/2023

Quant Time: Apr 06 00:57:57 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 06 00:55:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.987	152	113319	20.000	ng/ul	0.00
20) Naphthalene-d8	10.810	136	482914	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.640	164	313787	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.404	188	679120	20.000	ng/ul	0.00
79) Chrysene-d12	21.486	240	615316	20.000	ng/ul	0.00
88) Perylene-d12	23.992	264	686582	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.370	96	13270	4.541	ng/uL	0.00
4) Pyridine-d5	3.811	84	57228	7.642	ng/ul	0.01
7) Phenol-d5	7.169	99	52982	5.070	ng/ul	0.02
9) Bis-(2-Chloroethyl)eth...	7.311	67	196950	29.372	ng/ul	0.00
11) 2-Chlorophenol-d4	7.516	132	159945	21.175	ng/ul	0.00
15) 4-Methylphenol-d8	8.716	113	104819	12.434	ng/ul	0.00
21) Nitrobenzene-d5	9.163	128	107293	27.522	ng/ul	0.00
24) 2-Nitrophenol-d4	9.893	143	104114	23.323	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.440	165	180501	22.202	ng/ul	0.00
31) 4-Chloroaniline-d4	10.963	131	218757	20.428	ng/ul	0.00
46) Dimethylphthalate-d6	14.051	166	799553	31.426	ng/ul	0.00
49) Acenaphthylene-d8	14.334	160	862610	30.555	ng/ul	0.00
54) 4-Nitrophenol-d4	14.934	143	14154m	3.682	ng/ul	0.07
60) Fluorene-d10	15.634	176	669729	31.566	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.769	200	82101m	16.430	ng/ul	0.00
73) Anthracene-d10	17.504	188	1061576	32.300	ng/ul	0.00
81) Pyrene-d10	19.728	212	1287084	31.141	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.827	264	1226824	33.632	ng/ul	0.00
Target Compounds						Qvalue
59) Diethylphthalate	15.457	149	156947	6.209	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040523\
Data File : BP014560.D
Acq On : 05 Apr 2023 16:31
Operator : CG/JU
Sample : 02122-12
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
CB9C3

Manual IntegrationsAPPROVED

Reviewed By :Christian Giraldo 04/06/2023
Supervised By :Jagrut Upadhyay 04/06/2023

Quant Time: Apr 06 00:57:57 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 06 00:55:13 2023
Response via : Initial Calibration

