

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040621\
 Data File : BP005199.D
 Acq On : 06 Apr 2021 16:35
 Operator : CG/JU
 Sample : M1931-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 MW-6

Quant Time: Apr 06 17:32:36 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 06 12:33:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.693	152	20042	20.00	ng	#-0.01
21) Naphthalene-d8	10.487	136	77475	20.00	ng	#-0.01
39) Acenaphthene-d10	14.351	164	46820	20.00	ng	-0.01
64) Phenanthrene-d10	17.116	188	99570	20.00	ng	#-0.01
76) Chrysene-d12	21.210	240	109994	20.00	ng	-0.02
86) Perylene-d12	23.492	264	116436	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.293	112	88994	68.33	ng	-0.01
7) Phenol-d6	6.875	99	66249	35.51	ng	-0.01
23) Nitrobenzene-d5	8.858	82	180679	100.06	ng	-0.01
42) 2,4,6-Tribromophenol	15.851	330	88855	145.66	ng	-0.01
45) 2-Fluorobiphenyl	12.969	172	342970	99.09	ng	-0.01
79) Terphenyl-d14	19.686	244	488323	80.82	ng	-0.01


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040621\
Data File : BP005199.D
Acq On : 06 Apr 2021 16:35
Operator : CG/JU
Sample : M1931-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
MW-6

Quant Time: Apr 06 17:32:36 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 06 12:33:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.693 min Scan# 783
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35




Instrument :
BNA_P
ClientSampleId :
MW-6


Tgt Ion:152 Resp: 20042
Ion Ratio Lower Upper
152 100
150 152.4 123.8 185.6
115 66.8 43.8 65.6#



#5
2-Fluorophenol
Concen: 68.33 ng
RT: 5.293 min Scan# 375
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35

Tgt Ion:112 Resp: 88994
Ion Ratio Lower Upper
112 100
64 57.0 32.8 49.2#
63 29.2 17.0 25.4#









#7
Phenol-d6
Concen: 35.51 ng
RT: 6.875 min Scan# 644
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35




Instrument :
BNA_P
ClientSampleId :
MW-6


Tgt Ion: 99 Resp: 66249
Ion Ratio Lower Upper
99 100
42 13.2 8.6 13.0#
71 37.3 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.487 min Scan# 1258
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35

Tgt Ion: 136 Resp: 77475
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 6.4 3.6 5.4#
68 6.0 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 100.06 ng
RT: 8.858 min Scan# 981
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35




Instrument :
BNA_P
ClientSampleId :
MW-6


Tgt Ion: 82 Resp: 180679
Ion Ratio Lower Upper
82 100
128 37.2 45.6 68.4#
54 38.1 30.1 45.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.351 min Scan# 1915
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35

Tgt Ion: 164 Resp: 46820
Ion Ratio Lower Upper
164 100
162 106.3 79.4 119.2
160 44.1 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 145.66 ng
RT: 15.851 min Scan# 2170
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35




Instrument :
BNA_P
ClientSampleId :
MW-6


Tgt Ion: 330 Resp: 88855
Ion Ratio Lower Upper
330 100
332 97.3 77.1 115.7
141 35.5 23.4 35.2#



#45
2-Fluorobiphenyl
Concen: 99.09 ng
RT: 12.969 min Scan# 1680
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35

Tgt Ion: 172 Resp: 342970
Ion Ratio Lower Upper
172 100
171 35.7 28.5 42.7
170 23.0 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.116 min Scan# 2385
Delta R.T. -0.012 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35




Instrument :
BNA_P
ClientSampleId :
MW-6


Tgt Ion:188 Resp: 99570
Ion Ratio Lower Upper
188 100
94 8.7 6.2 9.2
80 10.0 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.210 min Scan# 3081
Delta R.T. -0.018 min
Lab File: BP005199.D
Acq: 06 Apr 2021 16:35

Tgt Ion:240 Resp: 109994
Ion Ratio Lower Upper
240 100
120 10.5 7.8 11.6
236 23.8 20.8 31.2





#79

Terphenyl-d14

Concen: 80.82 ng

RT: 19.686 min Scan# 2822

Delta R.T. -0.012 min

Lab File: BP005199.D

Acq: 06 Apr 2021 16:35

Instrument :

BNA_P

ClientSampleId :

MW-6





Tgt Ion:244 Resp: 488323

Ion Ratio Lower Upper

244 100

212 6.2 5.8 8.6

122 10.4 7.8 11.8



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.492 min Scan# 3469

Delta R.T. -0.018 min

Lab File: BP005199.D

Acq: 06 Apr 2021 16:35

Tgt Ion:264 Resp: 116436

Ion Ratio Lower Upper

264 100

260 24.7 18.8 28.2

265 22.3 17.4 26.2

