

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040621\
 Data File : BP005197.D
 Acq On : 06 Apr 2021 15:28
 Operator : CG/JU
 Sample : M1931-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 BES-12SR

Quant Time: Apr 06 16:03:03 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 06 12:33:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.693	152	23638	20.00	ng	-0.01
21) Naphthalene-d8	10.487	136	88721	20.00	ng	#-0.01
39) Acenaphthene-d10	14.351	164	60484	20.00	ng	-0.01
64) Phenanthrene-d10	17.116	188	117842	20.00	ng	#-0.01
76) Chrysene-d12	21.210	240	124141	20.00	ng	-0.02
86) Perylene-d12	23.492	264	127190	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.293	112	100306	65.30	ng	-0.01
7) Phenol-d6	6.881	99	87827	39.92	ng	0.00
23) Nitrobenzene-d5	8.858	82	194623	94.12	ng	-0.01
42) 2,4,6-Tribromophenol	15.857	330	100257	127.22	ng	0.00
45) 2-Fluorobiphenyl	12.969	172	373766	83.59	ng	-0.01
79) Terphenyl-d14	19.686	244	455106	66.74	ng	-0.01
Target Compounds						
50) Dimethylphthalate	13.810	163	9705	2.08	ng	Qvalue # 68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040621\
Data File : BP005197.D
Acq On : 06 Apr 2021 15:28
Operator : CG/JU
Sample : M1931-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
BES-12SR

Quant Time: Apr 06 16:03:03 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 06 12:33:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.693 min Scan# 783
Delta R.T. -0.012 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28




Instrument :
BNA_P
ClientSampleId :
BES-12SR


Tgt Ion:152 Resp: 23638
Ion Ratio Lower Upper
152 100
150 156.4 123.8 185.6
115 57.0 43.8 65.6



#5
2-Fluorophenol
Concen: 65.30 ng
RT: 5.293 min Scan# 375
Delta R.T. -0.012 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28

Tgt Ion:112 Resp: 100306
Ion Ratio Lower Upper
112 100
64 59.5 32.8 49.2#
63 31.3 17.0 25.4#









#7
Phenol-d6
Concen: 39.92 ng
RT: 6.881 min Scan# 645
Delta R.T. -0.006 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28




Instrument :
BNA_P
ClientSampleId :
BES-12SR


Tgt Ion: 99 Resp: 87827
Ion Ratio Lower Upper
99 100
42 13.3 8.6 13.0#
71 37.4 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.487 min Scan# 1258
Delta R.T. -0.012 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28

Tgt Ion: 136 Resp: 88721
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 7.0 3.6 5.4#
68 6.4 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 94.12 ng
RT: 8.858 min Scan# 981
Delta R.T. -0.012 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28




Instrument :
BNA_P
ClientSampleId :
BES-12SR


Tgt Ion: 82 Resp: 194623
Ion Ratio Lower Upper
82 100
128 39.1 45.6 68.4#
54 38.8 30.1 45.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.351 min Scan# 1915
Delta R.T. -0.012 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28

Tgt Ion: 164 Resp: 60484
Ion Ratio Lower Upper
164 100
162 93.9 79.4 119.2
160 37.8 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 127.22 ng
RT: 15.857 min Scan# 2171
Delta R.T. -0.006 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28




Instrument :
BNA_P
ClientSampleId :
BES-12SR


Tgt Ion:330 Resp: 100257
Ion Ratio Lower Upper
330 100
332 96.7 77.1 115.7
141 34.8 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 83.59 ng
RT: 12.969 min Scan# 1680
Delta R.T. -0.012 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28

Tgt Ion:172 Resp: 373766
Ion Ratio Lower Upper
172 100
171 35.5 28.5 42.7
170 23.0 19.2 28.8









#50
Dimethylphthalate
Concen: 2.08 ng
RT: 13.810 min Scan# 1823
Delta R.T. -0.018 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28




Instrument :
BNA_P
ClientSampleId :
BES-12SR


Tgt Ion:163 Resp: 9705
Ion Ratio Lower Upper
163 100
194 6.3 3.3 4.9#
164 26.0 8.2 12.2#



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.116 min Scan# 2385
Delta R.T. -0.012 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28

Tgt Ion:188 Resp: 117842
Ion Ratio Lower Upper
188 100
94 10.3 6.2 9.2#
80 11.3 6.2 9.2#









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.210 min Scan# 3081
Delta R.T. -0.018 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28




Instrument :
BNA_P
ClientSampleId :
BES-12SR


Tgt Ion:	240	Resp:	124141
Ion Ratio	Lower	Upper	
240	100		
120	10.2	7.8	11.6
236	24.0	20.8	31.2



#79
Terphenyl-d14
Concen: 66.74 ng
RT: 19.686 min Scan# 2822
Delta R.T. -0.012 min
Lab File: BP005197.D
Acq: 06 Apr 2021 15:28

Tgt Ion:	244	Resp:	455106
Ion Ratio	Lower	Upper	
244	100		
212	6.7	5.8	8.6
122	10.5	7.8	11.8





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.492 min Scan# 3469
 Delta R.T. -0.018 min
 Lab File: BP005197.D
 Acq: 06 Apr 2021 15:28

Instrument :
 BNA_P
 ClientSampleId :
 BES-12SR

Tgt Ion:264	Resp:	127190
Ion Ratio	Lower	Upper
264	100	
260	23.9	18.8 28.2
265	22.5	17.4 26.2

