

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP041023\  
 Data File : BP014633.D  
 Acq On : 10 Apr 2023 18:48  
 Operator : CG/JU  
 Sample : 02250-01  
 Misc :  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 BNA\_P  
 ClientSampleId :  
 BHDW1

Quant Time: Apr 11 01:23:56 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\SFAM-EPA-BP032823.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Tue Apr 11 01:21:43 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.975  | 152  | 117460   | 20.000 | ng/ul | 0.00     |
| 20) Naphthalene-d8            | 10.798 | 136  | 488730   | 20.000 | ng/ul | 0.00     |
| 38) Acenaphthene-d10          | 14.628 | 164  | 290216   | 20.000 | ng/ul | 0.00     |
| 64) Phenanthrene-d10          | 17.392 | 188  | 604226   | 20.000 | ng/ul | 0.00     |
| 79) Chrysene-d12              | 21.480 | 240  | 595038   | 20.000 | ng/ul | 0.00     |
| 88) Perylene-d12              | 23.980 | 264  | 706460   | 20.000 | ng/ul | 0.00     |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.364  | 96   | 14265    | 4.710  | ng/uL | 0.00     |
| 4) Pyridine-d5                | 3.811  | 84   | 38151    | 4.915  | ng/ul | 0.02     |
| 7) Phenol-d5                  | 7.152  | 99   | 63366    | 5.849  | ng/ul | 0.00     |
| 9) Bis-(2-Chloroethyl)eth...  | 7.305  | 67   | 192483   | 27.694 | ng/ul | 0.00     |
| 11) 2-Chlorophenol-d4         | 7.510  | 132  | 168406   | 21.509 | ng/ul | 0.00     |
| 15) 4-Methylphenol-d8         | 8.704  | 113  | 117033   | 13.394 | ng/ul | 0.00     |
| 21) Nitrobenzene-d5           | 9.157  | 128  | 102386   | 25.950 | ng/ul | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.881  | 143  | 110751   | 24.514 | ng/ul | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.428 | 165  | 175188   | 21.292 | ng/ul | 0.00     |
| 31) 4-Chloroaniline-d4        | 10.951 | 131  | 202652   | 18.699 | ng/ul | 0.00     |
| 46) Dimethylphthalate-d6      | 14.039 | 166  | 651013   | 27.666 | ng/ul | 0.00     |
| 49) Acenaphthylene-d8         | 14.322 | 160  | 714842   | 27.378 | ng/ul | 0.00     |
| 54) 4-Nitrophenol-d4          | 14.845 | 143  | 18       | 0.005  | ng/ul | -0.01    |
| 60) Fluorene-d10              | 15.628 | 176  | 542377   | 27.639 | ng/ul | 0.00     |
| 65) 4,6-Dinitro-2-methylph... | 15.757 | 200  | 87791    | 19.746 | ng/ul | 0.00     |
| 73) Anthracene-d10            | 17.492 | 188  | 877320   | 30.002 | ng/ul | 0.00     |
| 81) Pyrene-d10                | 19.722 | 212  | 1084165  | 27.125 | ng/ul | 0.00     |
| 92) Benzo(a)pyrene-d12        | 23.821 | 264  | 1170959  | 31.197 | ng/ul | 0.00     |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP041023\  
Data File : BP014633.D  
Acq On : 10 Apr 2023 18:48  
Operator : CG/JU  
Sample : 02250-01  
Misc :  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
BNA\_P  
ClientSampleId :  
BHDW1

Quant Time: Apr 11 01:23:56 2023  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\SFAM-EPA-BP032823.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Tue Apr 11 01:21:43 2023  
Response via : Initial Calibration

