




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP041023\
Data File : BP014654.D
Acq On : 11 Apr 2023 14:00
Operator : CG/JU
Sample : 02251-03
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
COMC1

Manual IntegrationsAPPROVED

Quant Time: Apr 11 23:01:12 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 11 01:21:43 2023
Response via : Initial Calibration

Reviewed By :Christian Giraldo 04/12/2023
Supervised By :Jagrut Upadhyay 04/12/2023



TIC: BP014654.D\data.ms

(31) 4-Chloroaniline-d4 (S)

11.004min (+ 0.059) 0.46 ng/u1

response 4660

Ion	Exp%	Act%
131.00	100.00	100.00
133.00	32.20	36.71
69.00	21.30	19.57
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP041023\
 Data File : BP014654.D
 Acq On : 11 Apr 2023 14:00
 Operator : CG/JU
 Sample : 02251-03
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0MC1

Manual IntegrationsAPPROVED

Quant Time: Apr 11 23:01:12 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 11 01:21:43 2023
 Response via : Initial Calibration

Reviewed By :Christian Giraldo 04/12/2023
 Supervised By :Jagrut Upadhyay 04/12/2023



TIC: BP014654.D\data.ms

(31) 4-Chloroaniline-d4 (S)

11.004min (+ 0.059) 1.19 ng/ul m

response 12126

Ion	Exp%	Act%
131.00	100.00	100.00
133.00	32.20	36.71
69.00	21.30	19.57
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP041023\
Data File : BP014654.D
Acq On : 11 Apr 2023 14:00
Operator : CG/JU
Sample : 02251-03
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
COMC1

Manual IntegrationsAPPROVED

Quant Time: Apr 11 23:01:12 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 11 01:21:43 2023
Response via : Initial Calibration

Reviewed By :Christian Giraldo 04/12/2023
Supervised By :Jagrut Upadhyay 04/12/2023



TIC: BP014654.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.851min (-0.006) 0.00 ng/u1

response 11

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	96.80	163.64#
41.00	44.20	1300.00#
42.00	31.50	409.09#




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP041023\
Data File : BP014654.D
Acq On : 11 Apr 2023 14:00
Operator : CG/JU
Sample : 02251-03
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
COMC1

Manual IntegrationsAPPROVED

Quant Time: Apr 11 23:01:12 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 11 01:21:43 2023
Response via : Initial Calibration

Reviewed By :Christian Giraldo 04/12/2023
Supervised By :Jagrut Upadhyay 04/12/2023



TIC: BP014654.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.934min (+ 0.077) 3.87 ng/ul m

response 14017

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	96.80	70.85#
41.00	44.20	51.01
42.00	31.50	26.01

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP041023\
 Data File : BP014654.D
 Acq On : 11 Apr 2023 14:00
 Operator : CG/JU
 Sample : 02251-03
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 COMC1

Manual IntegrationsAPPROVED

Reviewed By :Christian Giraldo 04/12/2023
 Supervised By :Jagrut Upadhyay 04/12/2023

Quant Time: Apr 11 23:01:12 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 11 01:21:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.975	152	109620	20.000	ng/ul	0.00
20) Naphthalene-d8	10.793	136	460228	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.628	164	295890	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.392	188	676311	20.000	ng/ul	0.00
79) Chrysene-d12	21.486	240	695697	20.000	ng/ul	0.00
88) Perylene-d12	23.986	264	761558	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.364	96	12933	4.575	ng/uL	0.00
4) Pyridine-d5	0.000	84	0d	0.000	ng/ul	
7) Phenol-d5	7.146	99	62879	6.220	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.305	67	226774	34.961	ng/ul	0.00
11) 2-Chlorophenol-d4	7.505	132	184772	25.287	ng/ul	0.00
15) 4-Methylphenol-d8	8.699	113	121381	14.885	ng/ul	0.00
21) Nitrobenzene-d5	9.152	128	118073	31.780	ng/ul	0.00
24) 2-Nitrophenol-d4	9.881	143	130648	30.709	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.428	165	195599	25.245	ng/ul	0.00
31) 4-Chloroaniline-d4	11.004	131	12126m	1.188	ng/ul	0.06
46) Dimethylphthalate-d6	14.040	166	809709	33.750	ng/ul	0.00
49) Acenaphthylene-d8	14.322	160	889011	33.395	ng/ul	0.00
54) 4-Nitrophenol-d4	14.934	143	14017m	3.867	ng/ul	0.08
60) Fluorene-d10	15.628	176	697042	34.840	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.757	200	127409	25.603	ng/ul	0.00
73) Anthracene-d10	17.492	188	1202095	36.727	ng/ul	0.00
81) Pyrene-d10	19.722	212	1531778	32.779	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.821	264	1569795	38.798	ng/ul	0.00

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP041023\
Data File : BP014654.D
Acq On : 11 Apr 2023 14:00
Operator : CG/JU
Sample : 02251-03
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
COMC1

Manual IntegrationsAPPROVED

Reviewed By :Christian Giraldo 04/12/2023
Supervised By :Jagrut Upadhyay 04/12/2023

Quant Time: Apr 11 23:01:12 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP032823.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 11 01:21:43 2023
Response via : Initial Calibration

