

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042921\
 Data File : BP005413.D
 Acq On : 29 Apr 2021 17:12
 Operator : CG/JU
 Sample : PB136031BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB136031BL

Quant Time: Apr 29 17:48:00 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP042921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 29 16:42:41 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.628	152	22852	20.00	ng	0.00
21) Naphthalene-d8	10.416	136	74919	20.00	ng	0.00
39) Acenaphthene-d10	14.292	164	51152	20.00	ng	0.00
64) Phenanthrene-d10	17.057	188	125745	20.00	ng	# 0.00
76) Chrysene-d12	21.163	240	156337	20.00	ng	# 0.00
86) Perylene-d12	23.415	264	181169	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.228	112	198613	152.06	ng	0.00
7) Phenol-d6	6.816	99	235884	129.03	ng	0.00
23) Nitrobenzene-d5	8.787	82	190461	90.10	ng	0.00
42) 2,4,6-Tribromophenol	15.798	330	145521	137.15	ng	0.00
45) 2-Fluorobiphenyl	12.904	172	394526	92.08	ng	0.00
79) Terphenyl-d14	19.639	244	866832	99.62	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042921\
Data File : BP005413.D
Acq On : 29 Apr 2021 17:12
Operator : CG/JU
Sample : PB136031BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB136031BL

Quant Time: Apr 29 17:48:00 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP042921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 29 16:42:41 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.628 min Scan# 772
Delta R.T. 0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12




Instrument :
BNA_P
ClientSampleId :
PB136031BL


Tgt Ion:152 Resp: 22852
Ion Ratio Lower Upper
152 100
150 147.7 119.8 179.8
115 63.4 49.0 73.4



#5
2-Fluorophenol
Concen: 152.06 ng
RT: 5.228 min Scan# 364
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12

Tgt Ion:112 Resp: 198613
Ion Ratio Lower Upper
112 100
64 61.0 33.6 50.4#
63 42.2 18.6 27.8#









#7
Phenol-d6
Concen: 129.03 ng
RT: 6.816 min Scan# 634
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12




Instrument :
BNA_P
ClientSampleId :
PB136031BL


Tgt Ion:	99	Resp:	235884
Ion	Ratio	Lower	Upper
99	100		
42	17.2	12.9	19.3
71	63.3	26.7	40.1#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.416 min Scan# 1246
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12

Tgt Ion:	136	Resp:	74919
Ion	Ratio	Lower	Upper
136	100		
137	10.5	8.9	13.3
54	5.9	5.0	7.4
68	4.9	3.7	5.5









#23
Nitrobenzene-d5
Concen: 90.10 ng
RT: 8.787 min Scan# 969
Delta R.T. -0.006 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12




Instrument :
BNA_P
ClientSampleId :
PB136031BL


Tgt Ion: 82 Resp: 190461
Ion Ratio Lower Upper
82 100
128 28.3 30.5 45.7#
54 36.8 33.9 50.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.292 min Scan# 1905
Delta R.T. -0.001 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12

Tgt Ion: 164 Resp: 51152
Ion Ratio Lower Upper
164 100
162 98.8 73.5 110.3
160 42.8 40.6 61.0









#42
2,4,6-Tribromophenol
Concen: 137.15 ng
RT: 15.798 min Scan# 2161
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12




Instrument :
BNA_P
ClientSampleId :
PB136031BL


Tgt Ion:330 Resp: 145521
Ion Ratio Lower Upper
330 100
332 96.7 76.3 114.5
141 36.2 22.8 34.2#



#45
2-Fluorobiphenyl
Concen: 92.08 ng
RT: 12.904 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12

Tgt Ion:172 Resp: 394526
Ion Ratio Lower Upper
172 100
171 34.1 28.1 42.1
170 23.4 19.6 29.4









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.057 min Scan# 2375
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12




Instrument :
BNA_P
ClientSampleId :
PB136031BL


Tgt Ion:188 Resp: 125745
Ion Ratio Lower Upper
188 100
94 4.9 5.0 7.6#
80 7.2 5.9 8.9



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.163 min Scan# 3073
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12

Tgt Ion:240 Resp: 156337
Ion Ratio Lower Upper
240 100
120 3.6 4.2 6.2#
236 24.6 20.2 30.2









#79
Terphenyl-d14
Concen: 99.62 ng
RT: 19.639 min Scan# 2814
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12

Instrument :
BNA_P
ClientSampleId :
PB136031BL

Tgt Ion:244 Resp: 866832
Ion Ratio Lower Upper
244 100
212 8.5 5.8 8.6
122 5.5 5.2 7.8



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.415 min Scan# 3456
Delta R.T. -0.000 min
Lab File: BP005413.D
Acq: 29 Apr 2021 17:12

Tgt Ion:264 Resp: 181169
Ion Ratio Lower Upper
264 100
260 23.4 20.6 30.8
265 21.6 19.0 28.6

