

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP050423\
 Data File : BP014955.D
 Acq On : 04 May 2023 16:40
 Operator : CG/JU
 Sample : 02447-06
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 EW911

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 05/05/2023
 Supervised By : Jagrut Upadhyay 05/05/2023

Quant Time: May 05 00:11:10 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP050323.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu May 04 11:40:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.169	152	223706	20.000	ng/u1	0.00
20) Naphthalene-d8	11.004	136	810570	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.810	164	449853	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.563	188	972681	20.000	ng/u1	0.00
79) Chrysene-d12	21.645	240	978092	20.000	ng/u1	0.00
88) Perylene-d12	24.245	264	1180417	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.463	96	16375	2.722	ng/uL	0.00
4) Pyridine-d5	3.934	84	9439m	0.574	ng/u1	0.03
7) Phenol-d5	7.310	99	246748	12.722	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.481	67	161034	13.433	ng/u1	0.00
11) 2-Chlorophenol-d4	7.687	132	208841	14.644	ng/u1	0.00
15) 4-Methylphenol-d8	8.875	113	130129	8.706	ng/u1	0.00
21) Nitrobenzene-d5	9.345	128	91103	15.803	ng/u1	0.00
24) 2-Nitrophenol-d4	10.069	143	96925	16.373	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.610	165	161519	13.896	ng/u1	0.00
31) 4-Chloroaniline-d4	11.134	131	113237	6.735	ng/u1	0.00
46) Dimethylphthalate-d6	14.210	166	473041	14.858	ng/u1	0.00
49) Acenaphthylene-d8	14.504	160	572809	15.001	ng/u1	0.00
54) 4-Nitrophenol-d4	14.992	143	24482	4.420	ng/u1	0.00
60) Fluorene-d10	15.798	176	420418	15.348	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.916	200	27159	4.960	ng/u1	0.00
73) Anthracene-d10	17.663	188	638372	14.607	ng/u1	0.00
81) Pyrene-d10	19.880	212	919453	13.938	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.074	264	989722	17.208	ng/u1	0.00
Target Compounds					Qvalue	
16) Acetophenone	8.998	105	43956	1.799	ng/u1	97
72) Phenanthrene	17.604	178	129911	2.418	ng/u1	99
80) Fluoranthene	19.557	202	370236	4.574	ng/u1	96
82) Pyrene	19.910	202	358132	4.176	ng/u1	95
85) Benzo(a)anthracene	21.627	228	202792	3.106	ng/u1	99
86) Bis(2-ethylhexyl)phtha...	21.527	149	933050	28.800	ng/u1	99
87) Chrysene	21.680	228	193268	2.940	ng/u1	98
89) Di-n-octyl phthalate	22.521	149	137319	1.992	ng/u1	100
90) Benzo(b)fluoranthene	23.439	252	275094	3.606	ng/u1#	95
91) Benzo(k)fluoranthene	23.486	252	96880m	1.248	ng/u1	
93) Benzo(a)pyrene	24.127	252	186882	2.793	ng/u1	95
94) Indeno(1,2,3-cd)pyrene	26.992	276	138450	1.696	ng/u1#	92
96) Benzo(g,h,i)perylene	27.839	276	129884	1.870	ng/u1	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP050423\
Data File : BP014955.D
Acq On : 04 May 2023 16:40
Operator : CG/JU
Sample : 02447-06
Misc :
ALS Vial : 15 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
EW911

Manual Integrations
APPROVED

Reviewed By : Christian Giraldo 05/05/2023
Supervised By : Jagrut Upadhyay 05/05/2023


Quant Time: May 05 00:11:10 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP050323.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu May 04 11:40:49 2023
Response via : Initial Calibration





#16
Acetophenone
Concen: 1.799 ng/ul
RT: 8.998 min Scan# 91
Delta R.T. -0.000 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40




Instrument :
BNA_P
ClientSampleId :
EW911



Tgt Ion:105 Resp: 43950
Ion Ratio Lower Upper
105 100
77 78.2 61.2 91.8
51 27.6 19.4 29.2




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 05/05/2023
Supervised By :Jagrut Upadhyay 05/05/2023



#72
Phenanthrene
Concen: 2.418 ng/ul
RT: 17.604 min Scan# 2417
Delta R.T. -0.006 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40


Tgt Ion:178 Resp: 129911
Ion Ratio Lower Upper
178 100
179 15.3 12.2 18.4
176 18.4 15.4 23.0





#80
Fluoranthene
Concen: 4.574 ng/u1
RT: 19.557 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40




Instrument :
BNA_P
ClientSampleId :
EW911




Tgt Ion:202 Resp: 370230
Ion Ratio Lower Upper
202 100
101 10.9 10.1 15.1
100 8.6 7.7 11.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 05/05/2023
Supervised By :Jagrut Upadhyay 05/05/2023




#82
Pyrene
Concen: 4.176 ng/u1
RT: 19.910 min Scan# 2809
Delta R.T. -0.000 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40




Tgt Ion:202 Resp: 358132
Ion Ratio Lower Upper
202 100
101 12.9 11.9 17.9
100 10.0 9.7 14.5





#85
Benzo(a)anthracene
Concen: 3.106 ng/ul
RT: 21.627 min Scan# 3101
Delta R.T. -0.000 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40




Instrument : BNA_P
ClientSampleId : EW911



Tgt Ion:228 Resp: 202792
Ion Ratio Lower Upper
228 100
229 20.5 15.9 23.9
226 27.5 22.1 33.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 05/05/2023
Supervised By :Jagrut Upadhyay 05/05/2023



#86
Bis(2-ethylhexyl)phthalate
Concen: 28.800 ng/ul
RT: 21.527 min Scan# 3084
Delta R.T. -0.000 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40

Tgt Ion:149 Resp: 933050
Ion Ratio Lower Upper
149 100
167 27.9 22.0 33.0
279 4.2 2.9 4.3









#87
Chrysene
Concen: 2.940 ng/ul
RT: 21.680 min Scan# 3111
Delta R.T. -0.006 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40

Instrument :
BNA_P
ClientSampleId :
EW911

Tgt Ion:228 Resp: 193268
Ion Ratio Lower Upper
228 100
226 30.2 24.3 36.5
229 22.4 15.8 23.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 05/05/2023
Supervised By :Jagrut Upadhyay 05/05/2023



#89
Di-n-octyl phthalate
Concen: 1.992 ng/ul
RT: 22.521 min Scan# 3253
Delta R.T. 0.006 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40


Tgt Ion:149 Resp: 137319





#90
Benzo(b)fluoranthene
Concen: 3.606 ng/ul
RT: 23.439 min Scan# 3409
Delta R.T. -0.000 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40




Instrument : BNA_P
ClientSampleId : EW911



Tgt Ion:252 Resp: 275094
Ion Ratio Lower Upper
252 100
253 24.0 17.4 26.2
125 13.2 8.4 12.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 05/05/2023
Supervised By :Jagrut Upadhyay 05/05/2023



#91
Benzo(k)fluoranthene
Concen: 1.248 ng/ul m
RT: 23.486 min Scan# 3417
Delta R.T. -0.006 min
Lab File: BP014955.D
Acq: 04 May 2023 16:40

Tgt Ion:252 Resp: 96880
Ion Ratio Lower Upper
252 100
253 24.4 17.8 26.6
125 18.8 8.9 13.3





#93

Benzo(a)pyrene

Concen: 2.793 ng/ul

RT: 24.127 min Scan# 30

Delta R.T. -0.000 min

Lab File: BP014955.D

Acq: 04 May 2023 16:40

Instrument :

BNA_P

ClientSampleId :





EW911

Tgt Ion:252 Resp: 18688
 Ion Ratio Lower Upper
 252 100
 253 24.3 17.5 26.3
 125 13.7 9.4 14.2

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 05/05/2023
 Supervised By :Jagrut Upadhyay 05/05/2023



#94

Indeno(1,2,3-cd)pyrene

Concen: 1.696 ng/ul




RT: 26.992 min Scan# 4013


Delta R.T. -0.006 min

Lab File: BP014955.D

Acq: 04 May 2023 16:40


Tgt Ion:276 Resp: 138450
 Ion Ratio Lower Upper
 276 100
 138 18.6 19.4 29.0#
 277 27.0 19.4 29.2





#96
 Benzo(g,h,i)perylene
 Concen: 1.870 ng/ul
 RT: 27.839 min Scan# 4157
 Delta R.T. -0.006 min
 Lab File: BP014955.D
 Acq: 04 May 2023 16:40

Instrument : BNA_P
 ClientSampleId : EW911



Tgt Ion: 276 Resp: 129884

Ion	Ratio	Lower	Upper
276	100		
138	23.0	18.0	27.0
277	22.8	19.8	29.8

Manual Integrations
APPROVED
 Reviewed By : Christian Giraldo 05/05/2023
 Supervised By : Jagrut Upadhyay 05/05/2023

