

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP051324\
 Data File : BP020362.D
 Acq On : 13 May 2024 20:47
 Operator : MA/JU
 Sample : P2369-11MEDL 5X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :

Quant Time: May 13 22:31:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP050124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon May 13 10:50:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.611	152	52114	20.000	ng/ul	0.00
20) Naphthalene-d8	10.387	136	207087	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.281	164	142987	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.116	188	339400	20.000	ng/ul	0.00
79) Chrysene-d12	21.622	240	414487	20.000	ng/ul	0.00
88) Perylene-d12	24.951	264	539869	20.000	ng/ul	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.217	96	1381	1.119	ng/uL	0.00
4) Pyridine-d5	3.646	84	7592	2.117	ng/ul	0.02
7) Phenol-d5	6.852	99	9134	2.041	ng/ul	0.05
9) Bis-(2-Chloroethyl)eth...	6.981	67	11753	4.323	ng/ul	0.01
11) 2-Chlorophenol-d4	7.169	132	14692	4.592	ng/ul	0.02
15) 4-Methylphenol-d8	8.316	113	54	0.015	ng/ul	0.00
21) Nitrobenzene-d5	8.799	128	5593	3.607	ng/ul	0.02
24) 2-Nitrophenol-d4	9.510	143	6780	3.818	ng/ul	0.02
28) 2,4-Dichlorophenol-d3	10.116	165	6681	2.062	ng/ul	0.10
31) 4-Chloroaniline-d4	10.528	131	38	0.008	ng/ul	-0.02
46) Dimethylphthalate-d6	13.710	166	52306	5.009	ng/ul	0.01
49) Acenaphthylene-d8	13.969	160	59561	5.164	ng/ul	0.00
54) 4-Nitrophenol-d4	14.557	143	8	0.005	ng/ul	0.00
60) Fluorene-d10	15.316	176	48643	5.585	ng/ul	0.01
65) 4,6-Dinitro-2-methylph...	15.457	200	12	0.006	ng/ul	0.00
73) Anthracene-d10	17.228	188	84401	5.748	ng/ul	0.01
81) Pyrene-d10	19.622	212	110535	4.562	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.727	264	135818	5.203	ng/ul	-0.01
Target Compounds						
71) Pentachlorophenol	16.769	266	82997	32.248	ng/ul	Qvalue 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP051324\
Data File : BP020362.D
Acq On : 13 May 2024 20:47
Operator : MA/JU
Sample : P2369-11MEDL 5X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :

Quant Time: May 13 22:31:05 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP050124.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon May 13 10:50:47 2024
Response via : Initial Calibration





#71

Pentachlorophenol

Concen: 32.248 ng/ul

RT: 16.769 min Scan# 21

Delta R.T. 0.012 min


Lab File: BP020362.D

Acq: 13 May 2024 20:47

Instrument :

BNA_P

ClientSampleId :



Tgt Ion:266 Resp: 82997

Ion Ratio Lower Upper

266 100

264 54.3 49.8 74.6

268 62.2 50.4 75.6

