

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP051525\
 Data File : BP024641.D
 Acq On : 15 May 2025 17:21
 Operator : RC/JU
 Sample : Q1984-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 OU4-PCS-TC-34-050725

Quant Time: May 15 17:46:48 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 13 16:21:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.663	152	147407	20.000	ng	0.00
21) Naphthalene-d8	10.428	136	562047	20.000	ng	0.00
39) Acenaphthene-d10	14.287	164	312484	20.000	ng	-0.02
64) Phenanthrene-d10	17.086	188	620892	20.000	ng	-0.01
76) Chrysene-d12	21.516	240	744641	20.000	ng	0.00
86) Perylene-d12	24.792	264	905508	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.287	112	647895	75.175	ng	0.00
7) Phenol-d6	6.852	99	782371	71.128	ng	0.00
23) Nitrobenzene-d5	8.804	82	478141	42.984	ng	0.00
42) 2,4,6-Tribromophenol	15.804	330	369037	69.662	ng	0.00
45) 2-Fluorobiphenyl	12.898	172	988523	41.445	ng	0.00
79) Terphenyl-d14	19.810	244	1819545	41.899	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP051525\
Data File : BP024641.D
Acq On : 15 May 2025 17:21
Operator : RC/JU
Sample : Q1984-03
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
OU4-PCS-TC-34-050725

Quant Time: May 15 17:46:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 13 16:21:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.663 min Scan# 778
Delta R.T. 0.000 min
Lab File: BP024641.D
Acq: 15 May 2025 17:21




Instrument :
BNA_P
ClientSampleId :
OU4-PCS-TC-34-050725

Tgt Ion:152 Resp: 147407
Ion Ratio Lower Upper
152 100
150 155.1 125.9 188.9
115 62.9 50.1 75.1



#5
2-Fluorophenol
Concen: 75.175 ng
RT: 5.287 min Scan# 374
Delta R.T. -0.000 min
Lab File: BP024641.D
Acq: 15 May 2025 17:21

Tgt Ion:112 Resp: 647895
Ion Ratio Lower Upper
112 100
64 53.7 44.1 66.1
63 29.4 23.5 35.3









#7
Phenol-d6
Concen: 71.128 ng
RT: 6.852 min Scan# 640
Delta R.T. -0.000 min
Lab File: BP024641.D
Acq: 15 May 2025 17:21




Instrument :
BNA_P
ClientSampleId :
OU4-PCS-TC-34-050725


Tgt Ion: 99 Resp: 782371
Ion Ratio Lower Upper
99 100
42 16.8 14.4 21.6
71 35.6 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.428 min Scan# 1248
Delta R.T. -0.006 min
Lab File: BP024641.D
Acq: 15 May 2025 17:21

Tgt Ion: 136 Resp: 562047
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 6.9 5.5 8.3
68 5.2 4.2 6.2









#23
Nitrobenzene-d5
Concen: 42.984 ng
RT: 8.804 min Scan# 91
Delta R.T. -0.006 min
Lab File: BP024641.D
Acq: 15 May 2025 17:21




Instrument :
BNA_P
ClientSampleId :
OU4-PCS-TC-34-050725


Tgt Ion: 82 Resp: 478141
Ion Ratio Lower Upper
82 100
128 44.8 37.0 55.4
54 48.1 38.7 58.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.287 min Scan# 1904
Delta R.T. -0.018 min
Lab File: BP024641.D
Acq: 15 May 2025 17:21

Tgt Ion:164 Resp: 312484
Ion Ratio Lower Upper
164 100
162 101.5 81.8 122.6
160 45.4 36.3 54.5









#42
2,4,6-Tribromophenol
Concen: 69.662 ng
RT: 15.804 min Scan# 2162
Delta R.T. -0.006 min
Lab File: BP024641.D
Acq: 15 May 2025 17:21




Instrument :
BNA_P
ClientSampleId :
OU4-PCS-TC-34-050725


Tgt Ion:330 Resp: 369037
Ion Ratio Lower Upper
330 100
332 96.7 78.2 117.4
141 30.5 24.3 36.5



#45
2-Fluorobiphenyl
Concen: 41.445 ng
RT: 12.898 min Scan# 1668
Delta R.T. -0.006 min
Lab File: BP024641.D
Acq: 15 May 2025 17:21

Tgt Ion:172 Resp: 988523
Ion Ratio Lower Upper
172 100
171 35.4 28.8 43.2
170 23.4 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.086 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP024641.D

Acq: 15 May 2025 17:21

Instrument :

BNA_P

ClientSampleId :

OU4-PCS-TC-34-050725





Tgt Ion:188 Resp: 620892

Ion Ratio Lower Upper

188 100

94 8.4 6.5 9.7

80 9.6 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.516 min Scan# 3133

Delta R.T. -0.006 min

Lab File: BP024641.D

Acq: 15 May 2025 17:21




Tgt Ion:240 Resp: 744641


Ion Ratio Lower Upper

240 100

120 9.4 7.8 11.6

236 25.6 20.6 31.0





#79

Terphenyl-d14

Concen: 41.899 ng

RT: 19.810 min Scan# 21

Delta R.T. -0.000 min

Lab File: BP024641.D

Acq: 15 May 2025 17:21

Instrument :

BNA_P

ClientSampleId :

OU4-PCS-TC-34-050725





Tgt Ion:244 Resp: 1819545

Ion Ratio Lower Upper

244 100

212 7.1 5.5 8.3

122 9.5 7.4 11.0



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.792 min Scan# 3690

Delta R.T. -0.012 min

Lab File: BP024641.D

Acq: 15 May 2025 17:21

Tgt Ion:264 Resp: 905508

Ion Ratio Lower Upper

264 100

260 23.5 18.7 28.1

265 21.6 17.0 25.6

