

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP051625\
 Data File : BP024678.D
 Acq On : 17 May 2025 05:58
 Operator : RC/JU
 Sample : Q2048-08
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 L2-WC-2

Quant Time: May 17 06:20:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 13 16:21:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.663	152	128383	20.000	ng	0.00
21) Naphthalene-d8	10.428	136	509353	20.000	ng	0.00
39) Acenaphthene-d10	14.292	164	310834	20.000	ng	-0.01
64) Phenanthrene-d10	17.092	188	639372	20.000	ng	0.00
76) Chrysene-d12	21.515	240	765892	20.000	ng	0.00
86) Perylene-d12	24.803	264	921204	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.299	112	1103299	146.986	ng	0.01
7) Phenol-d6	6.875	99	1274396	133.028	ng	0.02
23) Nitrobenzene-d5	8.810	82	827970	82.132	ng	0.00
42) 2,4,6-Tribromophenol	15.816	330	839791	159.367	ng	0.00
45) 2-Fluorobiphenyl	12.904	172	2129093	89.738	ng	0.00
79) Terphenyl-d14	19.821	244	4100251	91.797	ng	0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP051625\
Data File : BP024678.D
Acq On : 17 May 2025 05:58
Operator : RC/JU
Sample : Q2048-08
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
L2-WC-2

Quant Time: May 17 06:20:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 13 16:21:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.663 min Scan# 71
Delta R.T. 0.000 min
Lab File: BP024678.D
Acq: 17 May 2025 05:58




Instrument :
BNA_P
ClientSampleId :
L2-WC-2

Tgt Ion:152 Resp: 128383
Ion Ratio Lower Upper
152 100
150 155.7 125.9 188.9
115 61.3 50.1 75.1



#5
2-Fluorophenol
Concen: 146.986 ng
RT: 5.299 min Scan# 376
Delta R.T. 0.011 min
Lab File: BP024678.D
Acq: 17 May 2025 05:58

Tgt Ion:112 Resp: 1103299
Ion Ratio Lower Upper
112 100
64 52.0 44.1 66.1
63 28.8 23.5 35.3









#7
Phenol-d6
Concen: 133.028 ng
RT: 6.875 min Scan# 64
Delta R.T. 0.023 min
Lab File: BP024678.D
Acq: 17 May 2025 05:58




Instrument :
BNA_P
ClientSampleId :
L2-WC-2


Tgt Ion: 99 Resp: 1274396
Ion Ratio Lower Upper
99 100
42 17.6 14.4 21.6
71 36.6 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.428 min Scan# 1248
Delta R.T. -0.006 min
Lab File: BP024678.D
Acq: 17 May 2025 05:58

Tgt Ion:136 Resp: 509353
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 6.3 5.5 8.3
68 4.7 4.2 6.2









#23
Nitrobenzene-d5
Concen: 82.132 ng
RT: 8.810 min Scan# 91
Delta R.T. -0.000 min
Lab File: BP024678.D
Acq: 17 May 2025 05:58




Instrument :
BNA_P
ClientSampleId :
L2-WC-2


Tgt Ion: 82 Resp: 827970
Ion Ratio Lower Upper
82 100
128 48.6 37.0 55.4
54 48.8 38.7 58.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.292 min Scan# 1905
Delta R.T. -0.012 min
Lab File: BP024678.D
Acq: 17 May 2025 05:58

Tgt Ion:164 Resp: 310834
Ion Ratio Lower Upper
164 100
162 102.1 81.8 122.6
160 45.5 36.3 54.5





#42

2,4,6-Tribromophenol

Concen: 159.367 ng

RT: 15.816 min Scan# 2163

Delta R.T. 0.006 min

Lab File: BP024678.D

Acq: 17 May 2025 05:58

Instrument :

BNA_P

ClientSampleId :

L2-WC-2





Tgt Ion:330 Resp: 839791

Ion Ratio Lower Upper

330 100

332 97.7 78.2 117.4

141 29.0 24.3 36.5



#45

2-Fluorobiphenyl

Concen: 89.738 ng

RT: 12.904 min Scan# 1669

Delta R.T. -0.000 min

Lab File: BP024678.D

Acq: 17 May 2025 05:58




Tgt Ion:172 Resp: 2129093


Ion Ratio Lower Upper

172 100

171 35.8 28.8 43.2

170 23.6 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.092 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP024678.D

Acq: 17 May 2025 05:58

Instrument :

BNA_P

ClientSampleId :

L2-WC-2





Tgt Ion:188 Resp: 639372

Ion Ratio Lower Upper

188 100

94 7.6 6.5 9.7

80 8.2 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.515 min Scan# 3133

Delta R.T. -0.006 min

Lab File: BP024678.D

Acq: 17 May 2025 05:58




Tgt Ion:240 Resp: 765892


Ion Ratio Lower Upper

240 100

120 9.6 7.8 11.6

236 25.4 20.6 31.0





#79

Terphenyl-d14

Concen: 91.797 ng

RT: 19.821 min Scan# 21

Delta R.T. 0.012 min

Lab File: BP024678.D

Acq: 17 May 2025 05:58

Instrument :

BNA_P

ClientSampleId :

L2-WC-2





Tgt Ion:244 Resp: 4100251

Ion Ratio Lower Upper

244 100

212 7.0 5.5 8.3

122 8.9 7.4 11.0



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.803 min Scan# 3692

Delta R.T. -0.000 min

Lab File: BP024678.D

Acq: 17 May 2025 05:58

Tgt Ion:264 Resp: 921204

Ion Ratio Lower Upper

264 100

260 23.2 18.7 28.1

265 22.6 17.0 25.6

