

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP051922\
 Data File : BP010413.D
 Acq On : 19 May 2022 21:12
 Operator : CG/JU
 Sample : N2918-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBTE0

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 05/20/2022
 Supervised By :Yogesh Patel 05/24/2022

Quant Time: May 20 00:46:28 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP051322.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 13 15:04:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.893	152	123630	20.000	ng/u1	0.00
20) Naphthalene-d8	10.740	136	521261	20.000	ng/u1	0.04
38) Acenaphthene-d10	14.528	164	381092	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.281	188	806555	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.357	240	814950	20.000	ng/u1	# 0.00
88) Perylene-d12	23.786	264	712582	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.346	96	16503m	5.690	ng/uL	0.00
4) Pyridine-d5	3.764	84	99997	12.142	ng/u1	0.00
7) Phenol-d5	7.063	99	96715	9.321	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.222	67	345194	49.514	ng/u1	0.00
11) 2-Chlorophenol-d4	7.428	132	293232	36.931	ng/u1	0.00
15) 4-Methylphenol-d8	8.605	113	200911	22.783	ng/u1	0.00
21) Nitrobenzene-d5	9.057	128	219607	54.436	ng/u1	0.00
24) 2-Nitrophenol-d4	9.787	143	227615	53.239	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.334	165	364094	45.039	ng/u1	0.01
31) 4-Chloroaniline-d4	10.852	131	376721m	31.342	ng/u1	0.01
46) Dimethylphthalate-d6	13.940	166	1476662	52.592	ng/u1	0.00
49) Acenaphthylene-d8	14.222	160	1676422	51.763	ng/u1	0.00
54) 4-Nitrophenol-d4	14.728	143	41441	8.292	ng/u1	0.00
60) Fluorene-d10	15.522	176	1290230	52.820	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.645	200	256197	54.313	ng/u1	0.00
73) Anthracene-d10	17.381	188	2058743	56.370	ng/u1	0.00
81) Pyrene-d10	19.610	212	2447293	56.546	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.633	264	2162256	60.430	ng/u1	0.00
Target Compounds					Qvalue	
30) Naphthalene	10.757	128	59811625m	2196.833	ng/u1	
36) 2-Methylnaphthalene	12.381	142	15021817	779.362	ng/u1	91
37) 1-Methylnaphthalene	12.593	142	8380169	430.610	ng/u1#	95
43) 1,1'-Biphenyl	13.369	154	3882681	138.805	ng/u1	92
50) Acenaphthylene	14.251	152	876536	25.018	ng/u1	94
52) Acenaphthene	14.610	153	11934149	522.151	ng/u1	95
56) Dibenzofuran	14.934	168	8981484	268.142	ng/u1	99
58) 2,3,4,6-Tetrachlorophenol	15.157	232	71927	10.334	ng/u1#	84
61) Fluorene	15.587	166	6142857	224.259	ng/u1	92
71) Pentachlorophenol	16.934	266	327034	54.550	ng/u1#	84
72) Phenanthrene	17.328	178	8303968	192.917	ng/u1	98
74) Anthracene	17.416	178	621176	14.385	ng/u1	98
77) Carbazole	17.704	167	19193767	505.769	ng/u1#	87
80) Fluoranthene	19.286	202	749285	14.898	ng/u1	97
82) Pyrene	19.639	202	399133	7.605	ng/u1	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP051922\
 Data File : BP010413.D
 Acq On : 19 May 2022 21:12
 Operator : CG/JU
 Sample : N2918-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1


Instrument :
 BNA_P
 ClientSampleId :
 DBTE0

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 05/20/2022
 Supervised By :Yogesh Patel 05/24/2022


Quant Time: May 20 00:46:28 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP051322.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 13 15:04:31 2022
 Response via : Initial Calibration





#30
Naphthalene
Concen: 2196.833 ng/ul m
RT: 10.757 min Scan# 11
Delta R.T. 0.006 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12




Instrument :
BNA_P
ClientSampleId :
DBTE0



Tgt Ion:128 Resp:5981162
Ion Ratio Lower Upper
128 100
129 12.8 8.6 13.0
127 14.9 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/20/2022
Supervised By :Yogesh Patel 05/24/2022



#36
2-Methylnaphthalene
Concen: 779.362 ng/ul
RT: 12.381 min Scan# 1580
Delta R.T. 0.018 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12


Tgt Ion:142 Resp:15021817
Ion Ratio Lower Upper
142 100
141 88.2 64.3 96.5





#37
1-Methylnaphthalene
Concen: 430.610 ng/ul
RT: 12.593 min Scan# 1616
Delta R.T. 0.012 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12




Instrument :
BNA_P
ClientSampleId :
DBTE0



Tgt Ion:142 Resp: 8380169
Ion Ratio Lower Upper
142 100
141 92.0 69.8 104.8
116 4.1 5.6 8.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/20/2022
Supervised By :Yogesh Patel 05/24/2022



#43
1,1'-Biphenyl
Concen: 138.805 ng/ul
RT: 13.369 min Scan# 1748
Delta R.T. 0.000 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12


Tgt Ion:154 Resp: 3882681
Ion Ratio Lower Upper
154 100
153 40.7 28.6 43.0
76 12.4 8.5 12.7





#50
Acenaphthylene
Concen: 25.018 ng/ul
RT: 14.251 min Scan# 1898
Delta R.T. 0.000 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12




Instrument :
BNA_P
ClientSampleId :
DBTE0




Tgt Ion:152 Resp: 876530
Ion Ratio Lower Upper
152 100
151 19.5 18.3 27.5
153 15.5 11.0 16.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/20/2022
Supervised By :Yogesh Patel 05/24/2022




#52
Acenaphthene
Concen: 522.151 ng/ul
RT: 14.610 min Scan# 1959
Delta R.T. 0.012 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12




Tgt Ion:153 Resp:11934149
Ion Ratio Lower Upper
153 100
152 48.0 34.3 51.5
154 91.2 70.0 105.0





#56
Dibenzenofuran
Concen: 268.142 ng/ul
RT: 14.934 min Scan# 2014
Delta R.T. 0.000 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12




Instrument :
BNA_P
ClientSampleId :
DBTE0



Tgt Ion:168 Resp: 8981484
Ion Ratio Lower Upper
168 100
139 38.4 30.1 45.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/20/2022
Supervised By :Yogesh Patel 05/24/2022



#58
2,3,4,6-Tetrachlorophenol
Concen: 10.334 ng/ul
RT: 15.157 min Scan# 2052
Delta R.T. 0.000 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12


Tgt Ion:232 Resp: 71927
Ion Ratio Lower Upper
232 100
131 47.8 25.4 38.2#
130 3.7 4.2 6.2#
166 31.5 28.1 42.1





#61
Fluorene
Concen: 224.259 ng/ul
RT: 15.587 min Scan# 2125
Delta R.T. 0.006 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12




Instrument :
BNA_P
ClientSampleId :
DBTE0




Tgt Ion:166 Resp: 614285
Ion Ratio Lower Upper
166 100
165 96.1 70.3 105.5
167 13.5 9.5 14.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/20/2022
Supervised By :Yogesh Patel 05/24/2022




#71
Pentachlorophenol
Concen: 54.550 ng/ul
RT: 16.934 min Scan# 2354
Delta R.T. 0.000 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12




Tgt Ion:266 Resp: 327034
Ion Ratio Lower Upper
266 100
264 63.7 57.3 85.9
268 63.2 65.7 98.5#





#72
Phenanthrene
Concen: 192.917 ng/u1
RT: 17.328 min Scan# 2420
Delta R.T. 0.000 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12




Instrument :
BNA_P
ClientSampleId :
DBTE0



Tgt Ion:178 Resp: 830396
Ion Ratio Lower Upper
178 100
179 15.7 11.7 17.5
176 19.0 14.5 21.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/20/2022
Supervised By :Yogesh Patel 05/24/2022



#74
Anthracene
Concen: 14.385 ng/u1
RT: 17.416 min Scan# 2436
Delta R.T. 0.000 min
Lab File: BP010413.D
Acq: 19 May 2022 21:12


Tgt Ion:178 Resp: 621176
Ion Ratio Lower Upper
178 100
179 14.9 12.3 18.5
176 18.2 13.4 20.2





#77
 Carbazole
 Concen: 505.769 ng/ul
 RT: 17.704 min Scan# 2481
 Delta R.T. 0.018 min
 Lab File: BP010413.D
 Acq: 19 May 2022 21:12




Instrument :
 BNA_P
 ClientSampleId :
 DBTE0



Tgt Ion:167 Resp:1919376
 Ion Ratio Lower Upper
 167 100
 166 25.4 15.8 23.8
 139 15.4 8.3 12.5




Manual Integrations
 APPROVED


Reviewed By :Jagrut Upadhyay 05/20/2022
 Supervised By :Yogesh Patel 05/24/2022



#80
 Fluoranthene
 Concen: 14.898 ng/ul
 RT: 19.286 min Scan# 2754
 Delta R.T. 0.000 min
 Lab File: BP010413.D
 Acq: 19 May 2022 21:12

Tgt Ion:202 Resp: 749285
 Ion Ratio Lower Upper
 202 100
 101 10.4 9.6 14.4
 100 7.7 6.3 9.5





#82

Pyrene

Concen: 7.605 ng/ul

RT: 19.639 min Scan# 21

Delta R.T. 0.000 min

Lab File: BP010413.D


Acq: 19 May 2022 21:12

Instrument :

BNA_P

ClientSampleId :

DBTE0



Tgt Ion:	202	Resp:	39913
Ion Ratio	Lower	Upper	
202	100		
101	10.9	10.6	15.8
100	10.2	9.8	14.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 05/20/2022
Supervised By :Yogesh Patel 05/24/2022

