

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052225\
 Data File : BP024753.D
 Acq On : 22 May 2025 10:56
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :

Quant Time: May 22 11:19:57 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 13 16:21:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.652	152	103714	20.000	ng	-0.01
21) Naphthalene-d8	10.422	136	424752	20.000	ng	-0.01
39) Acenaphthene-d10	14.281	164	258861	20.000	ng	-0.02
64) Phenanthrene-d10	17.075	188	515151	20.000	ng	-0.02
76) Chrysene-d12	21.516	240	613668	20.000	ng	0.00
86) Perylene-d12	24.792	264	759397	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.287	112	470842	77.648	ng	0.00
7) Phenol-d6	6.858	99	583849	75.441	ng	0.00
23) Nitrobenzene-d5	8.799	82	625504	74.407	ng	-0.01
42) 2,4,6-Tribromophenol	15.798	330	377255	85.966	ng	-0.01
45) 2-Fluorobiphenyl	12.893	172	1555207	78.711	ng	-0.01
79) Terphenyl-d14	19.804	244	2724263	76.121	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.222	88	95313	33.474	ng	97
3) Pyridine	3.617	79	229360	36.327	ng	94
4) n-Nitrosodimethylamine	3.528	42	103907	37.278	ng	92
6) Aniline	6.993	93	370604	37.090	ng	98
8) 2-Chlorophenol	7.234	128	274338	39.853	ng	97
9) Benzaldehyde	6.811	77	179612	35.852	ng	99
10) Phenol	6.881	94	305208	38.210	ng	98
11) bis(2-Chloroethyl)ether	7.087	93	229537	34.972	ng	100
12) 1,3-Dichlorobenzene	7.546	146	301458	38.064	ng	98
13) 1,4-Dichlorobenzene	7.687	146	309636	38.872	ng	100
14) 1,2-Dichlorobenzene	7.999	146	293460	37.809	ng	99
15) Benzyl Alcohol	7.899	79	226557	38.523	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.175	45	272181	34.627	ng	100
17) 2-Methylphenol	8.110	107	214801	37.493	ng	98
18) Hexachloroethane	8.716	117	111981	36.686	ng	96
19) n-Nitroso-di-n-propyla...	8.452	70	185810	34.709	ng	98
20) 3+4-Methylphenols	8.440	107	290065	37.221	ng	97
22) Acetophenone	8.469	105	398506	37.559	ng	# 99
24) Nitrobenzene	8.840	77	269749	36.463	ng	96
25) Isophorone	9.363	82	515648	35.361	ng	98
26) 2-Nitrophenol	9.546	139	151180	41.704	ng	99
27) 2,4-Dimethylphenol	9.616	122	245937	38.480	ng	98
28) bis(2-Chloroethoxy)met...	9.840	93	304970	35.006	ng	99
29) 2,4-Dichlorophenol	10.093	162	244803	39.525	ng	96
30) 1,2,4-Trichlorobenzene	10.287	180	275005	39.402	ng	98
31) Naphthalene	10.469	128	839383	38.135	ng	100
32) Benzoic acid	9.781	122	147458	35.453	ng	98
33) 4-Chloroaniline	10.593	127	348911	39.283	ng	98
34) Hexachlorobutadiene	10.751	225	180166	39.848	ng	97
35) Caprolactam	11.387	113	85017	37.940	ng	98
36) 4-Chloro-3-methylphenol	11.740	107	285718	37.828	ng	99
37) 2-Methylnaphthalene	12.081	142	523458	36.728	ng	99
38) 1-Methylnaphthalene	12.304	142	542501	35.575	ng	100
40) 1,2,4,5-Tetrachloroben...	12.457	216	300547	39.982	ng	99
41) Hexachlorocyclopentadiene	12.434	237	185751	40.752	ng	98
43) 2,4,6-Trichlorophenol	12.710	196	199436	40.962	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052225\
 Data File : BP024753.D
 Acq On : 22 May 2025 10:56
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1


Instrument :
 BNA_P
 ClientSampleId :


Quant Time: May 22 11:19:57 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 13 16:21:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.804	196	213455	39.385	ng	97
46) 1,1'-Biphenyl	13.104	154	744062	38.890	ng	99
47) 2-Chloronaphthalene	13.151	162	566469	38.831	ng	99
48) 2-Nitroaniline	13.363	65	161474	37.387	ng	94
49) Acenaphthylene	13.998	152	941385	38.561	ng	99
50) Dimethylphthalate	13.745	163	736236	37.315	ng	100
51) 2,6-Dinitrotoluene	13.863	165	159704	38.326	ng	98
52) Acenaphthene	14.345	154	545940	38.899	ng	100
53) 3-Nitroaniline	14.204	138	169506	39.839	ng	95
54) 2,4-Dinitrophenol	14.428	184	91959	38.598	ng	96
55) Dibenzofuran	14.687	168	861722	38.494	ng	99
56) 4-Nitrophenol	14.569	139	154275	43.899	ng	99
57) 2,4-Dinitrotoluene	14.663	165	237293	40.393	ng	97
58) Fluorene	15.345	166	706842	38.724	ng	99
59) 2,3,4,6-Tetrachlorophenol	14.928	232	197601	39.304	ng	96
60) Diethylphthalate	15.122	149	748861	37.552	ng	99
61) 4-Chlorophenyl-phenyle...	15.339	204	352770	38.753	ng	98
62) 4-Nitroaniline	15.392	138	158847	38.665	ng	98
63) Azobenzene	15.639	77	610526	35.788	ng	96
65) 4,6-Dinitro-2-methylph...	15.445	198	135394	40.689	ng	98
66) n-Nitrosodiphenylamine	15.563	169	612621	38.716	ng	98
67) 4-Bromophenyl-phenylether	16.251	248	244008	40.197	ng	98
68) Hexachlorobenzene	16.375	284	310572	40.264	ng	94
69) Atrazine	16.539	200	232866	40.157	ng	99
70) Pentachlorophenol	16.739	266	188824	43.610	ng	99
71) Phenanthrene	17.122	178	1088145	37.997	ng	100
72) Anthracene	17.216	178	1126427	39.094	ng	99
73) Carbazole	17.504	167	1033405	39.626	ng	99
74) Di-n-butylphthalate	18.086	149	1313152	39.153	ng	100
75) Fluoranthene	19.204	202	1308696	39.094	ng	99
77) Benzidine	19.422	184	639743	38.276	ng	99
78) Pyrene	19.586	202	1367365	37.187	ng	99
80) Butylbenzylphthalate	20.539	149	639516	39.107	ng	95
81) Benzo(a)anthracene	21.486	228	1468260	38.104	ng	99
82) 3,3'-Dichlorobenzidine	21.422	252	616258	43.059	ng	100
83) Chrysene	21.563	228	1389328	38.035	ng	100
84) Bis(2-ethylhexyl)phtha...	21.427	149	943050	39.235	ng	99
85) Di-n-octyl phthalate	22.674	149	1624884	41.340	ng	99
87) Indeno(1,2,3-cd)pyrene	28.515	276	2228069	40.189	ng	# 88
88) Benzo(b)fluoranthene	23.763	252	1655614	38.089	ng	99
89) Benzo(k)fluoranthene	23.833	252	1637849	36.568	ng	100
90) Benzo(a)pyrene	24.639	252	1607644	38.510	ng	99
91) Dibenzo(a,h)anthracene	28.586	278	1818555	40.320	ng	99
92) Benzo(g,h,i)perylene	29.686	276	1784700	39.791	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quant Time: May 22 11:19:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 13 16:21:39 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.652 min Scan# 71
Delta R.T. -0.011 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56


Instrument :
BNA_P
ClientSampleId :





Tgt Ion:152 Resp: 103714
Ion Ratio Lower Upper
152 100
150 154.1 125.9 188.9
115 62.4 50.1 75.1




#2
1,4-Dioxane
Concen: 33.474 ng
RT: 3.222 min Scan# 23
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Tgt Ion: 88 Resp: 95313
Ion Ratio Lower Upper
88 100
58 69.7 54.0 81.0
43 28.1 21.4 32.0








#3
 Pyridine
 Concen: 36.327 ng
 RT: 3.617 min Scan# 90
 Delta R.T. -0.006 min
 Lab File: BP024753.D
 Acq: 22 May 2025 10:56

Instrument :
 BNA_P
 ClientSampleId :



Tgt Ion: 79 Resp: 229360




Ion	Ratio	Lower	Upper
79	100		
52	67.7	50.2	75.2
51	36.4	26.8	40.2




#4
 n-Nitrosodimethylamine
 Concen: 37.278 ng
 RT: 3.528 min Scan# 75
 Delta R.T. -0.006 min
 Lab File: BP024753.D
 Acq: 22 May 2025 10:56

Tgt Ion: 42 Resp: 103907

Ion	Ratio	Lower	Upper
42	100		
74	122.9	106.2	159.2
44	6.6	5.4	8.2









#5
2-Fluorophenol
Concen: 77.648 ng
RT: 5.287 min Scan# 31
Delta R.T. 0.000 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :

Tgt Ion:112 Resp: 470842
Ion Ratio Lower Upper
112 100
64 52.2 44.1 66.1
63 27.9 23.5 35.3



#6
Aniline
Concen: 37.090 ng
RT: 6.993 min Scan# 664
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion: 93 Resp: 370604
Ion Ratio Lower Upper
93 100
66 39.8 31.0 46.6
65 20.1 15.5 23.3









#7
Phenol-d6
Concen: 75.441 ng
RT: 6.858 min Scan# 641
Delta R.T. 0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion: 99 Resp: 583849
Ion Ratio Lower Upper
99 100
42 17.5 14.4 21.6
71 36.6 29.2 43.8



#8
2-Chlorophenol
Concen: 39.853 ng
RT: 7.234 min Scan# 705
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:128 Resp: 274338
Ion Ratio Lower Upper
128 100
130 33.0 13.0 53.0
64 39.2 22.3 62.3









#9
Benzaldehyde
Concen: 35.852 ng
RT: 6.811 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :

Tgt Ion: 77 Resp: 179612
Ion Ratio Lower Upper
77 100
105 104.8 83.3 123.3
106 99.4 78.0 118.0



#10
Phenol
Concen: 38.210 ng
RT: 6.881 min Scan# 645
Delta R.T. 0.000 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion: 94 Resp: 305208
Ion Ratio Lower Upper
94 100
65 28.6 8.7 48.7
66 41.7 19.4 59.4









#11
bis(2-Chloroethyl)ether
Concen: 34.972 ng
RT: 7.087 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion: 93 Resp: 229537
Ion Ratio Lower Upper
93 100
63 70.8 50.6 90.6
95 33.3 12.9 52.9



#12
1,3-Dichlorobenzene
Concen: 38.064 ng
RT: 7.546 min Scan# 758
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion: 146 Resp: 301458
Ion Ratio Lower Upper
146 100
148 65.3 51.4 77.2
75 29.0 25.2 37.8





#13

1,4-Dichlorobenzene

Concen: 38.872 ng

RT: 7.687 min Scan# 71

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:146 Resp: 309636

Ion Ratio Lower Upper

146 100

148 63.8 51.0 76.6

111 41.8 33.0 49.6



#14

1,2-Dichlorobenzene

Concen: 37.809 ng

RT: 7.999 min Scan# 835

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:146 Resp: 293460

Ion Ratio Lower Upper

146 100

148 64.5 51.0 76.4


111 43.7 35.2 52.8








#15
Benzyl Alcohol
Concen: 38.523 ng
RT: 7.899 min Scan# 819
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Instrument :
BNA_P
ClientSampleId :







Tgt Ion: 79 Resp: 226557
Ion Ratio Lower Upper
79 100
108 75.6 60.8 91.2
77 63.6 51.9 77.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 34.627 ng
RT: 8.175 min Scan# 865
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56


Tgt Ion: 45 Resp: 272181
Ion Ratio Lower Upper
45 100
77 17.3 0.0 37.7
79 14.0 0.0 34.0








#17
2-Methylphenol
Concen: 37.493 ng
RT: 8.110 min Scan# 81
Delta R.T. 0.000 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56


Instrument :
BNA_P
ClientSampleId :





Tgt Ion:	107	Resp:	214801
Ion	Ratio	Lower	Upper
107	100		
108	111.9	88.9	133.3
77	46.7	39.0	58.6
79	46.5	38.4	57.6



#18
Hexachloroethane
Concen: 36.686 ng
RT: 8.716 min Scan# 957
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56



Tgt Ion:	117	Resp:	111981
Ion	Ratio	Lower	Upper
117	100		
119	98.0	79.4	119.0
201	109.6	82.7	124.1








#19
n-Nitroso-di-n-propylamine
Concen: 34.709 ng
RT: 8.452 min Scan# 910
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion: 70 Resp: 185810
Ion Ratio Lower Upper
70 100
42 55.6 43.0 64.6
101 11.2 8.7 13.1
130 25.8 19.4 29.0



#20
3+4-Methylphenols
Concen: 37.221 ng
RT: 8.440 min Scan# 910
Delta R.T. 0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion: 107 Resp: 290065
Ion Ratio Lower Upper
107 100
108 88.3 66.7 106.7
77 36.6 13.1 53.1
79 31.1 8.9 48.9









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.422 min Scan# 11
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:	136	Resp:	424752
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.8	13.2
54	6.5	5.5	8.3
68	4.6	4.2	6.2



#22
Acetophenone
Concen: 37.559 ng
RT: 8.469 min Scan# 915
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:	105	Resp:	398506
Ion	Ratio	Lower	Upper
105	100		
71	1.2	2.0	3.0#
51	25.3	20.4	30.6
120	23.0	18.1	27.1









#23
Nitrobenzene-d5
Concen: 74.407 ng
RT: 8.799 min Scan# 91
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion: 82 Resp: 625504
Ion Ratio Lower Upper
82 100
128 47.5 37.0 55.4
54 48.8 38.7 58.1



#24
Nitrobenzene
Concen: 36.463 ng
RT: 8.840 min Scan# 978
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion: 77 Resp: 269749
Ion Ratio Lower Upper
77 100
123 50.1 37.4 56.0
65 13.7 11.3 16.9









#25
Isophorone
Concen: 35.361 ng
RT: 9.363 min Scan# 1067
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion: 82 Resp: 515648
Ion Ratio Lower Upper
82 100
95 8.4 6.3 9.5
138 20.3 15.3 22.9



#26
2-Nitrophenol
Concen: 41.704 ng
RT: 9.546 min Scan# 1098
Delta R.T. -0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:139 Resp: 151180
Ion Ratio Lower Upper
139 100
109 33.0 25.9 38.9
65 47.1 37.9 56.9





#27

2,4-Dimethylphenol

Concen: 38.480 ng

RT: 9.616 min Scan# 1110

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:122 Resp: 245937

Ion Ratio Lower Upper

122 100

107 122.3 96.2 144.2

121 61.4 47.6 71.4



#28

bis(2-Chloroethoxy)methane

Concen: 35.006 ng

RT: 9.840 min Scan# 1148

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion: 93 Resp: 304970


Ion Ratio Lower Upper

93 100

95 32.2 25.5 38.3

123 12.6 9.7 14.5









#29
 2,4-Dichlorophenol
 Concen: 39.525 ng
 RT: 10.093 min Scan# 1191
 Delta R.T. 0.000 min
 Lab File: BP024753.D
 Acq: 22 May 2025 10:56




Instrument :
 BNA_P
 ClientSampleId :


Tgt Ion:	162	Resp:	244803
Ion Ratio	Lower	Upper	
162	100		
164	65.3	42.3	82.3
98	35.5	18.4	58.4



#30
 1,2,4-Trichlorobenzene
 Concen: 39.402 ng
 RT: 10.287 min Scan# 1224
 Delta R.T. -0.012 min
 Lab File: BP024753.D
 Acq: 22 May 2025 10:56

Tgt Ion:	180	Resp:	275005
Ion Ratio	Lower	Upper	
180	100		
182	96.2	79.0	118.4
145	32.5	26.6	39.8





#31

Naphthalene

Concen: 38.135 ng

RT: 10.469 min Scan# 1125

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:128 Resp: 839383

Ion Ratio Lower Upper

128 100

129 10.7 8.8 13.2

127 13.3 10.7 16.1



#32

Benzoic acid

Concen: 35.453 ng

RT: 9.781 min Scan# 1138

Delta R.T. 0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:122 Resp: 147458


Ion Ratio Lower Upper

122 100

105 129.1 106.9 146.9

77 93.0 75.1 115.1









#33
4-Chloroaniline
Concen: 39.283 ng
RT: 10.593 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:	127	Resp:	348911
Ion	Ratio	Lower	Upper
127	100		
129	33.0	25.8	38.6
65	28.1	23.9	35.9
92	19.6	16.1	24.1



#34
Hexachlorobutadiene
Concen: 39.848 ng
RT: 10.751 min Scan# 1303
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:	225	Resp:	180166
Ion	Ratio	Lower	Upper
225	100		
223	62.0	51.0	76.6
227	63.9	53.1	79.7









#35
Caprolactam
Concen: 37.940 ng
RT: 11.387 min Scan# 1411
Delta R.T. 0.000 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion	Ratio	Lower	Upper
113	100		
55	136.2	119.0	159.0
56	111.6	90.3	130.3



#36
4-Chloro-3-methylphenol
Concen: 37.828 ng
RT: 11.740 min Scan# 1471
Delta R.T. 0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56


Tgt Ion	Ratio	Lower	Upper
107	100		
144	25.3	20.1	30.1
142	78.9	62.1	93.1








#37
2-Methylnaphthalene
Concen: 36.728 ng
RT: 12.081 min Scan# 1529
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Instrument :
BNA_P
ClientSampleId :







Tgt Ion:142 Resp: 523458
Ion Ratio Lower Upper
142 100
141 89.7 71.2 106.8
115 37.4 30.6 46.0



#38
1-Methylnaphthalene
Concen: 35.575 ng
RT: 12.304 min Scan# 1567
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:142 Resp: 542501
Ion Ratio Lower Upper
142 100
141 93.8 74.7 112.1
116 4.2 3.4 5.2









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.281 min Scan# 1903
Delta R.T. -0.024 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:164 Resp: 258861
Ion Ratio Lower Upper
164 100
162 102.0 81.8 122.6
160 44.8 36.3 54.5



#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.982 ng
RT: 12.457 min Scan# 1593
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:216 Resp: 300547
Ion Ratio Lower Upper
216 100
214 77.7 62.3 93.5
179 22.2 17.7 26.5
108 18.5 16.0 24.0





#41

Hexachlorocyclopentadiene

Concen: 40.752 ng

RT: 12.434 min Scan# 1

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56





Instrument :

BNA_P

ClientSampleId :

Tgt Ion:237 Resp: 185751

Ion	Ratio	Lower	Upper
237	100		
235	61.7	39.9	79.9
272	14.1	0.0	33.2



#42

2,4,6-Tribromophenol

Concen: 85.966 ng

RT: 15.798 min Scan# 2161




Delta R.T. -0.012 min


Lab File: BP024753.D

Acq: 22 May 2025 10:56

Tgt Ion:330 Resp: 377255

Ion	Ratio	Lower	Upper
330	100		
332	97.8	78.2	117.4
141	26.2	24.3	36.5





#43

2,4,6-Trichlorophenol

Concen: 40.962 ng

RT: 12.710 min Scan# 1

Delta R.T. -0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:196 Resp: 199436

Ion Ratio Lower Upper

196 100

198 95.4 76.9 115.3

200 30.9 25.2 37.8



#44

2,4,5-Trichlorophenol

Concen: 39.385 ng

RT: 12.804 min Scan# 1652

Delta R.T. 0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Tgt Ion:196 Resp: 213455




Ion Ratio Lower Upper


196 100

198 98.4 79.2 118.8

97 46.8 42.3 63.5

132 27.9 23.3 34.9









#45
2-Fluorobiphenyl
Concen: 78.711 ng
RT: 12.893 min Scan# 1667
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:172 Resp: 1555207
Ion Ratio Lower Upper
172 100
171 35.5 28.8 43.2
170 23.4 18.8 28.2



#46
1,1'-Biphenyl
Concen: 38.890 ng
RT: 13.104 min Scan# 1703
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:154 Resp: 744062
Ion Ratio Lower Upper
154 100
153 41.2 21.0 61.0
76 11.1 0.0 31.5









#47
2-Chloronaphthalene
Concen: 38.831 ng
RT: 13.151 min Scan# 1712
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:162 Resp: 566469
Ion Ratio Lower Upper
162 100
127 41.7 33.8 50.6
164 32.9 26.0 39.0



#48
2-Nitroaniline
Concen: 37.387 ng
RT: 13.363 min Scan# 1747
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion: 65 Resp: 161474
Ion Ratio Lower Upper
65 100
92 73.9 58.7 88.1
138 123.3 90.2 135.2





#49

Acenaphthylene

Concen: 38.561 ng

RT: 13.998 min Scan# 1855

Delta R.T. -0.018 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:152 Resp: 941385

Ion Ratio Lower Upper

152 100

151 20.4 16.2 24.4

153 13.2 10.2 15.4



#50

Dimethylphthalate

Concen: 37.315 ng

RT: 13.745 min Scan# 1812

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:163 Resp: 736236


Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.0

164 10.0 8.1 12.1









#51
2,6-Dinitrotoluene
Concen: 38.326 ng
RT: 13.863 min Scan# 11
Delta R.T. -0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:165 Resp: 159704
Ion Ratio Lower Upper
165 100
63 55.0 42.4 63.6
89 56.7 44.8 67.2



#52
Acenaphthene
Concen: 38.899 ng
RT: 14.345 min Scan# 1914
Delta R.T. -0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:154 Resp: 545940
Ion Ratio Lower Upper
154 100
153 114.3 91.0 136.4
152 53.6 42.9 64.3









#53
3-Nitroaniline
Concen: 39.839 ng
RT: 14.204 min Scan# 1890
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:138 Resp: 169506
Ion Ratio Lower Upper
138 100
108 10.8 9.0 13.4
92 107.3 90.1 135.1



#54
2,4-Dinitrophenol
Concen: 38.598 ng
RT: 14.428 min Scan# 1928
Delta R.T. -0.000 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:184 Resp: 91959
Ion Ratio Lower Upper
184 100
63 59.1 51.3 76.9
154 66.2 53.5 80.3









#55
Dibenzenofuran
Concen: 38.494 ng
RT: 14.687 min Scan# 1972
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:168 Resp: 861722
Ion Ratio Lower Upper
168 100
139 42.3 34.2 51.4
169 13.1 10.8 16.2



#56
4-Nitrophenol
Concen: 43.899 ng
RT: 14.569 min Scan# 1952
Delta R.T. 0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:139 Resp: 154275
Ion Ratio Lower Upper
139 100
109 81.4 61.4 101.4
65 90.5 72.2 112.2









#57
2,4-Dinitrotoluene
Concen: 40.393 ng
RT: 14.663 min Scan# 1971
Delta R.T. -0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:165 Resp: 237293
Ion Ratio Lower Upper
165 100
63 42.0 33.8 50.6
89 65.8 55.6 83.4
182 3.1 2.4 3.6



#58
Fluorene
Concen: 38.724 ng
RT: 15.345 min Scan# 2084
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:166 Resp: 706842
Ion Ratio Lower Upper
166 100
165 99.6 78.5 117.7
167 13.6 10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 39.304 ng
RT: 14.928 min Scan# 2013
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:232	Resp:	197601
Ion Ratio	Lower	Upper
232	100	
131	45.9	39.5 59.3
130	2.6	2.2 3.4
166	31.1	25.7 38.5



#60
Diethylphthalate
Concen: 37.552 ng
RT: 15.122 min Scan# 2046
Delta R.T. -0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:149	Resp:	748861
Ion Ratio	Lower	Upper
149	100	
177	21.7	16.7 25.1
150	12.6	10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 38.753 ng
RT: 15.339 min Scan# 2083
Delta R.T. -0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:204 Resp: 352770
Ion Ratio Lower Upper
204 100
206 32.9 26.0 39.0
141 67.6 52.9 79.3



#62
4-Nitroaniline
Concen: 38.665 ng
RT: 15.392 min Scan# 2092
Delta R.T. 0.000 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56


Tgt Ion:138 Resp: 158847
Ion Ratio Lower Upper
138 100
92 48.1 29.2 69.2
108 87.0 69.0 109.0








#63
Azobenzene
Concen: 35.788 ng
RT: 15.639 min Scan# 2136
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Instrument :
BNA_P
ClientSampleId :







Tgt Ion: 77 Resp: 610526
Ion Ratio Lower Upper
77 100
182 29.4 5.7 45.7
105 22.8 1.3 41.3
51 31.6 10.6 50.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.075 min Scan# 2378
Delta R.T. -0.024 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:188 Resp: 515151
Ion Ratio Lower Upper
188 100
94 7.7 6.5 9.7
80 8.5 7.3 10.9









#65
 4,6-Dinitro-2-methylphenol
 Concen: 40.689 ng
 RT: 15.445 min Scan# 2101
 Delta R.T. -0.012 min
 Lab File: BP024753.D
 Acq: 22 May 2025 10:56




Instrument :
 BNA_P
 ClientSampleId :


Tgt Ion:	198	Resp:	135394
Ion	Ratio	Lower	Upper
198	100		
51	41.3	21.1	61.1
105	41.6	23.6	63.6



#66
 n-Nitrosodiphenylamine
 Concen: 38.716 ng
 RT: 15.563 min Scan# 2121
 Delta R.T. -0.018 min
 Lab File: BP024753.D
 Acq: 22 May 2025 10:56

Tgt Ion:	169	Resp:	612621
Ion	Ratio	Lower	Upper
169	100		
168	68.7	53.2	79.8
167	36.5	28.6	43.0









#67
4-Bromophenyl-phenylether
Concen: 40.197 ng
RT: 16.251 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:248 Resp: 244008
Ion Ratio Lower Upper
248 100
250 99.0 78.2 117.4
141 76.7 63.0 94.6



#68
Hexachlorobenzene
Concen: 40.264 ng
RT: 16.375 min Scan# 2259
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:284 Resp: 310572
Ion Ratio Lower Upper
284 100
142 27.3 25.9 38.9
249 28.3 24.1 36.1









#69
Atrazine
Concen: 40.157 ng
RT: 16.539 min Scan# 21
Delta R.T. -0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:200 Resp: 232866
Ion Ratio Lower Upper
200 100
173 25.8 5.9 45.9
215 47.9 28.3 68.3



#70
Pentachlorophenol
Concen: 43.610 ng
RT: 16.739 min Scan# 2321
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:266 Resp: 188824
Ion Ratio Lower Upper
266 100
268 64.4 52.2 78.4
264 62.7 51.1 76.7





#71

Phenanthrene

Concen: 37.997 ng

RT: 17.122 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:178 Resp: 1088145

Ion Ratio Lower Upper

178 100

176 19.0 15.4 23.2

179 15.3 12.2 18.4



#72

Anthracene

Concen: 39.094 ng

RT: 17.216 min Scan# 2402

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:178 Resp: 1126427


Ion Ratio Lower Upper

178 100

176 18.7 15.0 22.4

179 15.7 12.2 18.2





#73

Carbazole

Concen: 39.626 ng

RT: 17.504 min Scan# 24

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:167 Resp: 1033405

Ion Ratio Lower Upper

167 100

166 21.7 17.7 26.5

139 13.7 11.3 16.9



#74

Di-n-butylphthalate

Concen: 39.153 ng

RT: 18.086 min Scan# 2550

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:149 Resp: 1313152


Ion Ratio Lower Upper

149 100

150 9.0 7.2 10.8

104 5.2 4.3 6.5





#75

Fluoranthene

Concen: 39.094 ng

RT: 19.204 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:202 Resp: 1308696

Ion Ratio Lower Upper

202 100

101 9.4 0.0 30.3

203 17.5 0.0 37.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.516 min Scan# 3133

Delta R.T. -0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:240 Resp: 613668


Ion Ratio Lower Upper

240 100

120 8.5 7.8 11.6

236 25.5 20.6 31.0





#77

Benzidine

Concen: 38.276 ng

RT: 19.422 min Scan# 2777

Delta R.T. 0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:184 Resp: 639743

Ion Ratio Lower Upper

184 100

185 13.6 11.2 16.8

183 11.8 9.8 14.8



#78

Pyrene

Concen: 37.187 ng

RT: 19.586 min Scan# 2805

Delta R.T. -0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:202 Resp: 1367365


Ion Ratio Lower Upper

202 100

200 20.7 16.9 25.3

203 17.2 13.9 20.9





#79

Terphenyl-d14

Concen: 76.121 ng

RT: 19.804 min Scan# 2843

Delta R.T. -0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:244 Resp: 2724263

Ion Ratio Lower Upper

244 100

212 6.7 5.5 8.3

122 8.8 7.4 11.0



#80

Butylbenzylphthalate

Concen: 39.107 ng

RT: 20.539 min Scan# 2967

Delta R.T. 0.000 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:149 Resp: 639516


Ion Ratio Lower Upper

149 100

91 64.4 55.4 83.0

206 21.4 16.2 24.2









#81
Benzo(a)anthracene
Concen: 38.104 ng
RT: 21.486 min Scan# 3131
Delta R.T. -0.018 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:228 Resp: 1468260
Ion Ratio Lower Upper
228 100
226 26.9 21.4 32.0
229 20.0 15.5 23.3



#82
3,3'-Dichlorobenzidine
Concen: 43.059 ng
RT: 21.422 min Scan# 3117
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:252 Resp: 616258
Ion Ratio Lower Upper
252 100
254 64.8 51.8 77.6
126 9.2 7.7 11.5





#83

Chrysene

Concen: 38.035 ng

RT: 21.563 min Scan# 3118

Delta R.T. -0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:228 Resp: 1389328

Ion Ratio Lower Upper

228 100

226 29.7 23.9 35.9

229 19.6 15.5 23.3



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.235 ng

RT: 21.427 min Scan# 3118

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:149 Resp: 943050


Ion Ratio Lower Upper

149 100

167 28.2 22.1 33.1

279 5.9 4.6 6.8





#85

Di-n-octyl phthalate

Concen: 41.340 ng

RT: 22.674 min Scan# 31

Delta R.T. -0.018 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:149 Resp: 1624884

Ion Ratio Lower Upper

149 100

167 1.6 1.2 1.8

43 7.6 6.3 9.5



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.792 min Scan# 3690

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:264 Resp: 759397


Ion Ratio Lower Upper

264 100

260 23.0 18.7 28.1

265 21.9 17.0 25.6





#87

Indeno(1,2,3-cd)pyrene

Concen: 40.189 ng

RT: 28.515 min Scan# 4323

Delta R.T. 0.000 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:276 Resp: 2228069

Ion Ratio Lower Upper

276 100

138 18.8 11.2 16.8#

277 25.5 15.7 23.5#



#88

Benzo(b)fluoranthene

Concen: 38.089 ng

RT: 23.763 min Scan# 3515

Delta R.T. 0.006 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56




Tgt Ion:252 Resp: 1655614


Ion Ratio Lower Upper

252 100

253 22.0 17.7 26.5

125 8.0 7.5 11.3









#89
Benzo(k)fluoranthene
Concen: 36.568 ng
RT: 23.833 min Scan# 31
Delta R.T. 0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:252 Resp: 1637849
Ion Ratio Lower Upper
252 100
253 22.0 17.6 26.4
125 8.4 7.0 10.4



#90
Benzo(a)pyrene
Concen: 38.510 ng
RT: 24.639 min Scan# 3664
Delta R.T. -0.006 min
Lab File: BP024753.D
Acq: 22 May 2025 10:56

Tgt Ion:252 Resp: 1607644
Ion Ratio Lower Upper
252 100
253 22.0 17.7 26.5
125 9.1 8.1 12.1





#91

Dibenzo(a,h)anthracene

Concen: 40.320 ng

RT: 28.586 min Scan# 41

Delta R.T. -0.012 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:278 Resp: 1818555

Ion Ratio Lower Upper

278 100

139 12.2 10.2 15.4

279 23.8 19.0 28.4



#92

Benzo(g,h,i)perylene

Concen: 39.791 ng

RT: 29.686 min Scan# 4522

Delta R.T. 0.024 min

Lab File: BP024753.D

Acq: 22 May 2025 10:56

Tgt Ion:276 Resp: 1784700

Ion Ratio Lower Upper

276 100

277 22.8 19.0 28.4

138 15.7 14.4 21.6

