

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052322\
 Data File : BP010520.D
 Acq On : 24 May 2022 17:25
 Operator : CG/JU
 Sample : N2950-10
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBTD0

Quant Time: May 24 23:17:32 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP051322.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 05:50:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.887	152	145241	20.000	ng/ul	0.00
20) Naphthalene-d8	10.687	136	664620	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.516	164	458850	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.269	188	1005192	20.000	ng/ul	# 0.00
79) Chrysene-d12	21.351	240	863019	20.000	ng/ul	0.00
88) Perylene-d12	23.768	264	663136	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.258	96	147	0.043	ng/uL	-0.08
4) Pyridine-d5	3.764	84	115819	11.971	ng/ul	0.00
7) Phenol-d5	7.052	99	78796	6.464	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.216	67	275999	33.698	ng/ul	0.00
11) 2-Chlorophenol-d4	7.416	132	239997	25.729	ng/ul	0.00
15) 4-Methylphenol-d8	8.593	113	168309	16.246	ng/ul	0.00
21) Nitrobenzene-d5	9.046	128	179525	34.902	ng/ul	0.00
24) 2-Nitrophenol-d4	9.769	143	183108	33.591	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.304	165	299150	29.023	ng/ul	0.00
31) 4-Chloroaniline-d4	10.822	131	352025	22.970	ng/ul	0.00
46) Dimethylphthalate-d6	13.928	166	1209442	35.775	ng/ul	0.00
49) Acenaphthylene-d8	14.210	160	1347006	34.543	ng/ul	0.00
54) 4-Nitrophenol-d4	14.734	143	33662	5.594	ng/ul	0.01
60) Fluorene-d10	15.510	176	1043594	35.483	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.633	200	192543	32.752	ng/ul	0.00
73) Anthracene-d10	17.369	188	1709010	37.547	ng/ul	0.00
81) Pyrene-d10	19.604	212	2031878	44.333	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.615	264	1285715	38.612	ng/ul	0.00
Target Compounds						Qvalue
18) 4-Methylphenol	8.669	108	20334	1.874	ng/ul	82
36) 2-Methylnaphthalene	12.345	142	587882	23.922	ng/ul	90
37) 1-Methylnaphthalene	12.563	142	1492049	60.131	ng/ul#	94
43) 1,1'-Biphenyl	13.351	154	942787	27.993	ng/ul#	92
50) Acenaphthylene	14.239	152	104995	2.489	ng/ul#	92
52) Acenaphthene	14.586	153	3528580	128.222	ng/ul	95
56) Dibenzofuran	14.916	168	1617367	40.104	ng/ul	97
58) 2,3,4,6-Tetrachlorophenol	15.145	232	32353	3.861	ng/ul#	84
61) Fluorene	15.569	166	1179170	35.753	ng/ul	91
63) 4-Nitroaniline	15.569	138	14401	2.273	ng/ul#	7
66) 4,6-Dinitro-2-methylph...	15.657	198	21436	3.656	ng/ul#	83
72) Phenanthrene	17.310	178	336697	6.276	ng/ul	99
77) Carbazole	17.675	167	2818846	59.600	ng/ul#	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052322\
Data File : BP010520.D
Acq On : 24 May 2022 17:25
Operator : CG/JU
Sample : N2950-10
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DBTD0

Quant Time: May 24 23:17:32 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP051322.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 24 05:50:40 2022
Response via : Initial Calibration









#18
4-Methylphenol
Concen: 1.874 ng/ul
RT: 8.669 min Scan# 948
Delta R.T. 0.006 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25




Instrument :
BNA_P
ClientSampleId :
DBTD0


Tgt Ion:108 Resp: 20334
Ion Ratio Lower Upper
108 100
107 86.3 83.6 125.4



#36
2-Methylnaphthalene
Concen: 23.922 ng/ul
RT: 12.345 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25

Tgt Ion:142 Resp: 587882
Ion Ratio Lower Upper
142 100
141 89.0 64.3 96.5









#37
1-Methylnaphthalene
Concen: 60.131 ng/ul
RT: 12.563 min Scan# 1612
Delta R.T. -0.000 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25




Instrument :
BNA_P
ClientSampleId :
DBTD0


Tgt Ion:142 Resp: 1492049
Ion Ratio Lower Upper
142 100
141 92.3 69.8 104.8
116 4.4 5.6 8.4#



#43
1,1'-Biphenyl
Concen: 27.993 ng/ul
RT: 13.351 min Scan# 1745
Delta R.T. -0.000 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25

Tgt Ion:154 Resp: 942787
Ion Ratio Lower Upper
154 100
153 40.3 28.6 43.0
76 13.3 8.5 12.7#









#50
Acenaphthylene
Concen: 2.489 ng/ul
RT: 14.239 min Scan# 1896
Delta R.T. -0.000 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25




Instrument :
BNA_P
ClientSampleId :
DBTD0


Tgt Ion:152 Resp: 104995
Ion Ratio Lower Upper
152 100
151 19.9 18.3 27.5
153 18.2 11.0 16.6#



#52
Acenaphthene
Concen: 128.222 ng/ul
RT: 14.586 min Scan# 1955
Delta R.T. 0.006 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25

Tgt Ion:153 Resp: 3528580
Ion Ratio Lower Upper
153 100
152 46.7 34.3 51.5
154 91.0 70.0 105.0









#56
Dibenzenofuran
Concen: 40.104 ng/ul
RT: 14.916 min Scan# 2011
Delta R.T. -0.000 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25




Instrument :
BNA_P
ClientSampleId :
DBTD0


Tgt Ion:168 Resp: 1617367
Ion Ratio Lower Upper
168 100
139 39.7 30.1 45.1



#58
2,3,4,6-Tetrachlorophenol
Concen: 3.861 ng/ul
RT: 15.145 min Scan# 2050
Delta R.T. -0.000 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25

Tgt Ion:232 Resp: 32353
Ion Ratio Lower Upper
232 100
131 49.5 25.4 38.2#
130 2.4 4.2 6.2#
166 33.5 28.1 42.1









#61
Fluorene
Concen: 35.753 ng/ul
RT: 15.569 min Scan# 2122
Delta R.T. -0.000 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25




Instrument :
BNA_P
ClientSampleId :
DBTD0


Tgt Ion:166 Resp: 1179170
Ion Ratio Lower Upper
166 100
165 96.7 70.3 105.5
167 13.8 9.5 14.3



#63
4-Nitroaniline
Concen: 2.273 ng/ul
RT: 15.569 min Scan# 2122
Delta R.T. -0.018 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25

Tgt Ion:138 Resp: 14401
Ion Ratio Lower Upper
138 100
92 4.2 41.6 62.4#
108 5.4 97.6 146.4#









#66
4,6-Dinitro-2-methylphenol
Concen: 3.656 ng/ul
RT: 15.657 min Scan# 2136
Delta R.T. 0.006 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25




Instrument :
BNA_P
ClientSampleId :
DBTD0


Tgt Ion:198 Resp: 21436
Ion Ratio Lower Upper
198 100
182 1.9 6.0 9.0#
77 14.1 17.7 26.5#



#72
Phenanthrene
Concen: 6.276 ng/ul
RT: 17.310 min Scan# 2418
Delta R.T. -0.006 min
Lab File: BP010520.D
Acq: 24 May 2022 17:25

Tgt Ion:178 Resp: 336697
Ion Ratio Lower Upper
178 100
179 15.8 11.7 17.5
176 17.9 14.5 21.7





#77

Carbazole

Concen: 59.600 ng/ul

RT: 17.675 min Scan# 24

Delta R.T. -0.000 min

Lab File: BP010520.D


Acq: 24 May 2022 17:25

Instrument :

BNA_P

ClientSampleId :

DBTD0



Tgt Ion:167 Resp: 2818846

Ion Ratio Lower Upper

167 100

166 20.9 15.8 23.8

139 13.0 8.3 12.5#

