

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052325\
 Data File : BP024800.D
 Acq On : 23 May 2025 19:51
 Operator : RC/JU
 Sample : Q2073-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 GDW1

Quant Time: May 24 00:04:01 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 13 16:21:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.652	152	100868	20.000	ng	-0.01
21) Naphthalene-d8	10.416	136	399490	20.000	ng	-0.02
39) Acenaphthene-d10	14.281	164	287857	20.000	ng	-0.02
64) Phenanthrene-d10	17.081	188	617303	20.000	ng	-0.02
76) Chrysene-d12	21.504	240	728488	20.000	ng	-0.02
86) Perylene-d12	24.798	264	816767	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.281	112	280732	47.602	ng	0.00
7) Phenol-d6	6.858	99	193590	25.720	ng	0.00
23) Nitrobenzene-d5	8.799	82	500593	63.314	ng	-0.01
42) 2,4,6-Tribromophenol	15.804	330	731756	149.950	ng	0.00
45) 2-Fluorobiphenyl	12.893	172	1399903	63.714	ng	-0.01
79) Terphenyl-d14	19.798	244	3582745	84.330	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052325\
Data File : BP024800.D
Acq On : 23 May 2025 19:51
Operator : RC/JU
Sample : Q2073-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
GDW1

Quant Time: May 24 00:04:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 13 16:21:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.652 min Scan# 71
Delta R.T. -0.011 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51




Instrument :
BNA_P
ClientSampleId :
GDW1

Tgt Ion:152 Resp: 100868
Ion Ratio Lower Upper
152 100
150 160.2 125.9 188.9
115 62.9 50.1 75.1



#5
2-Fluorophenol
Concen: 47.602 ng
RT: 5.281 min Scan# 373
Delta R.T. -0.006 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51

Tgt Ion:112 Resp: 280732
Ion Ratio Lower Upper
112 100
64 52.8 44.1 66.1
63 29.5 23.5 35.3









#7
Phenol-d6
Concen: 25.720 ng
RT: 6.858 min Scan# 64
Delta R.T. 0.006 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51




Instrument :
BNA_P
ClientSampleId :
GDW1


Tgt Ion: 99 Resp: 193590
Ion Ratio Lower Upper
99 100
42 19.2 14.4 21.6
71 37.6 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.416 min Scan# 1246
Delta R.T. -0.018 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51

Tgt Ion: 136 Resp: 399490
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 6.8 5.5 8.3
68 4.9 4.2 6.2









#23
Nitrobenzene-d5
Concen: 63.314 ng
RT: 8.799 min Scan# 91
Delta R.T. -0.012 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51




Instrument :
BNA_P
ClientSampleId :
GDW1


Tgt Ion: 82 Resp: 500593
Ion Ratio Lower Upper
82 100
128 49.1 37.0 55.4
54 51.0 38.7 58.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.281 min Scan# 1903
Delta R.T. -0.024 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51

Tgt Ion:164 Resp: 287857
Ion Ratio Lower Upper
164 100
162 102.5 81.8 122.6
160 45.7 36.3 54.5









#42
2,4,6-Tribromophenol
Concen: 149.950 ng
RT: 15.804 min Scan# 2162
Delta R.T. -0.006 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51




Instrument :
BNA_P
ClientSampleId :
GDW1


Tgt Ion: 330 Resp: 731756
Ion Ratio Lower Upper
330 100
332 97.3 78.2 117.4
141 26.3 24.3 36.5



#45
2-Fluorobiphenyl
Concen: 63.714 ng
RT: 12.893 min Scan# 1667
Delta R.T. -0.012 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51

Tgt Ion: 172 Resp: 1399903
Ion Ratio Lower Upper
172 100
171 36.3 28.8 43.2
170 23.5 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.081 min Scan# 21

Delta R.T. -0.018 min

Lab File: BP024800.D

Acq: 23 May 2025 19:51

Instrument :

BNA_P

ClientSampleId :

GDW1





Tgt Ion:188 Resp: 617303

Ion Ratio Lower Upper

188 100

94 7.1 6.5 9.7

80 8.3 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.504 min Scan# 3131

Delta R.T. -0.018 min

Lab File: BP024800.D

Acq: 23 May 2025 19:51




Tgt Ion:240 Resp: 728488


Ion Ratio Lower Upper

240 100

120 8.4 7.8 11.6

236 26.0 20.6 31.0









#79
Terphenyl-d14
Concen: 84.330 ng
RT: 19.798 min Scan# 2841
Delta R.T. -0.012 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51

Instrument :
BNA_P
ClientSampleId :
GDW1

Tgt Ion:244 Resp: 3582745
Ion Ratio Lower Upper
244 100
212 7.2 5.5 8.3
122 9.4 7.4 11.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.798 min Scan# 3691
Delta R.T. -0.006 min
Lab File: BP024800.D
Acq: 23 May 2025 19:51

Tgt Ion:264 Resp: 816767
Ion Ratio Lower Upper
264 100
260 23.6 18.7 28.1
265 21.6 17.0 25.6

