

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052325\
 Data File : BP024802.D
 Acq On : 23 May 2025 21:13
 Operator : RC/JU
 Sample : Q2101-04
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP-1-MHE

Quant Time: May 24 00:04:37 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 13 16:21:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.652	152	93447	20.000	ng	-0.01
21) Naphthalene-d8	10.422	136	357952	20.000	ng	-0.01
39) Acenaphthene-d10	14.292	164	239297	20.000	ng	-0.01
64) Phenanthrene-d10	17.086	188	521770	20.000	ng	-0.01
76) Chrysene-d12	21.516	240	580360	20.000	ng	0.00
86) Perylene-d12	24.804	264	673697	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.281	112	633892	116.022	ng	0.00
7) Phenol-d6	6.852	99	684424	98.154	ng	0.00
23) Nitrobenzene-d5	8.799	82	520158	73.423	ng	-0.01
42) 2,4,6-Tribromophenol	15.816	330	654433	161.319	ng	0.00
45) 2-Fluorobiphenyl	12.893	172	1344922	73.633	ng	-0.01
79) Terphenyl-d14	19.792	244	3061890	90.465	ng	-0.02


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052325\
Data File : BP024802.D
Acq On : 23 May 2025 21:13
Operator : RC/JU
Sample : Q2101-04
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP-1-MHE

Quant Time: May 24 00:04:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 13 16:21:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.652 min Scan# 71
Delta R.T. -0.011 min
Lab File: BP024802.D
Acq: 23 May 2025 21:13




Instrument :
BNA_P
ClientSampleId :
TP-1-MHE


Tgt Ion:152 Resp: 93447
Ion Ratio Lower Upper
152 100
150 156.8 125.9 188.9
115 60.9 50.1 75.1



#5
2-Fluorophenol
Concen: 116.022 ng
RT: 5.281 min Scan# 373
Delta R.T. -0.006 min
Lab File: BP024802.D
Acq: 23 May 2025 21:13

Tgt Ion:112 Resp: 633892
Ion Ratio Lower Upper
112 100
64 52.3 44.1 66.1
63 29.7 23.5 35.3









#7
Phenol-d6
Concen: 98.154 ng
RT: 6.852 min Scan# 640
Delta R.T. 0.000 min
Lab File: BP024802.D
Acq: 23 May 2025 21:13




Instrument :
BNA_P
ClientSampleId :
TP-1-MHE


Tgt Ion: 99 Resp: 684424
Ion Ratio Lower Upper
99 100
42 18.6 14.4 21.6
71 38.2 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.422 min Scan# 1247
Delta R.T. -0.012 min
Lab File: BP024802.D
Acq: 23 May 2025 21:13

Tgt Ion: 136 Resp: 357952
Ion Ratio Lower Upper
136 100
137 10.6 8.8 13.2
54 6.8 5.5 8.3
68 4.3 4.2 6.2









#23
Nitrobenzene-d5
Concen: 73.423 ng
RT: 8.799 min Scan# 91
Delta R.T. -0.012 min
Lab File: BP024802.D
Acq: 23 May 2025 21:13




Instrument :
BNA_P
ClientSampleId :
TP-1-MHE


Tgt Ion: 82 Resp: 520158
Ion Ratio Lower Upper
82 100
128 48.7 37.0 55.4
54 51.3 38.7 58.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.292 min Scan# 1905
Delta R.T. -0.012 min
Lab File: BP024802.D
Acq: 23 May 2025 21:13

Tgt Ion:164 Resp: 239297
Ion Ratio Lower Upper
164 100
162 103.3 81.8 122.6
160 45.4 36.3 54.5









#42
2,4,6-Tribromophenol
Concen: 161.319 ng
RT: 15.816 min Scan# 2163
Delta R.T. 0.006 min
Lab File: BP024802.D
Acq: 23 May 2025 21:13




Instrument :
BNA_P
ClientSampleId :
TP-1-MHE


Tgt Ion: 330 Resp: 654433
Ion Ratio Lower Upper
330 100
332 97.5 78.2 117.4
141 26.2 24.3 36.5



#45
2-Fluorobiphenyl
Concen: 73.633 ng
RT: 12.893 min Scan# 1667
Delta R.T. -0.012 min
Lab File: BP024802.D
Acq: 23 May 2025 21:13

Tgt Ion: 172 Resp: 1344922
Ion Ratio Lower Upper
172 100
171 35.8 28.8 43.2
170 23.4 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.086 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP024802.D

Acq: 23 May 2025 21:13

Instrument :

BNA_P

ClientSampleId :

TP-1-MHE





Tgt Ion:188 Resp: 521770

Ion Ratio Lower Upper

188 100

94 7.5 6.5 9.7

80 8.3 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.516 min Scan# 3133

Delta R.T. -0.006 min

Lab File: BP024802.D

Acq: 23 May 2025 21:13




Tgt Ion:240 Resp: 580360


Ion Ratio Lower Upper

240 100

120 8.2 7.8 11.6

236 25.3 20.6 31.0





#79

Terphenyl-d14

Concen: 90.465 ng

RT: 19.792 min Scan# 2840

Delta R.T. -0.018 min

Lab File: BP024802.D

Acq: 23 May 2025 21:13

Instrument :

BNA_P

ClientSampleId :

TP-1-MHE





Tgt Ion:244 Resp: 3061890

Ion Ratio Lower Upper

244 100

212 6.7 5.5 8.3

122 8.4 7.4 11.0



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.804 min Scan# 3692

Delta R.T. 0.000 min

Lab File: BP024802.D

Acq: 23 May 2025 21:13

Tgt Ion:264 Resp: 673697

Ion Ratio Lower Upper

264 100

260 24.0 18.7 28.1

265 22.5 17.0 25.6

