

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052325\
 Data File : BP024803.D
 Acq On : 23 May 2025 21:54
 Operator : RC/JU
 Sample : Q2095-08
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 WCS-TP2

Quant Time: May 24 00:04:54 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 13 16:21:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.652	152	109823	20.000	ng	-0.01
21) Naphthalene-d8	10.416	136	419807	20.000	ng	#-0.02
39) Acenaphthene-d10	14.281	164	221232	20.000	ng	-0.02
64) Phenanthrene-d10	17.081	188	510682	20.000	ng	-0.02
76) Chrysene-d12	21.510	240	427701	20.000	ng	-0.01
86) Perylene-d12	24.810	264	98457	20.000	ng	# 0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.287	112	843120	131.306	ng	0.00
7) Phenol-d6	6.852	99	844214	103.016	ng	0.00
23) Nitrobenzene-d5	8.793	82	659009	79.316	ng	-0.02
42) 2,4,6-Tribromophenol	15.798	330	704147	187.746	ng	-0.01
45) 2-Fluorobiphenyl	12.887	172	1710976	101.323	ng	-0.02
79) Terphenyl-d14	19.798	244	2969148	119.036	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052325\
Data File : BP024803.D
Acq On : 23 May 2025 21:54
Operator : RC/JU
Sample : Q2095-08
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
WCS-TP2

Quant Time: May 24 00:04:54 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 13 16:21:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.652 min Scan# 776
Delta R.T. -0.011 min
Lab File: BP024803.D
Acq: 23 May 2025 21:54




Instrument :
BNA_P
ClientSampleId :
WCS-TP2

Tgt Ion:152 Resp: 109823
Ion Ratio Lower Upper
152 100
150 151.2 125.9 188.9
115 61.3 50.1 75.1



#5
2-Fluorophenol
Concen: 131.306 ng
RT: 5.287 min Scan# 374
Delta R.T. 0.000 min
Lab File: BP024803.D
Acq: 23 May 2025 21:54

Tgt Ion:112 Resp: 843120
Ion Ratio Lower Upper
112 100
64 51.3 44.1 66.1
63 28.3 23.5 35.3









#7
Phenol-d6
Concen: 103.016 ng
RT: 6.852 min Scan# 64
Delta R.T. 0.000 min
Lab File: BP024803.D
Acq: 23 May 2025 21:54




Instrument :
BNA_P
ClientSampleId :
WCS-TP2


Tgt Ion: 99 Resp: 844214
Ion Ratio Lower Upper
99 100
42 19.3 14.4 21.6
71 37.8 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.416 min Scan# 1246
Delta R.T. -0.018 min
Lab File: BP024803.D
Acq: 23 May 2025 21:54

Tgt Ion:136 Resp: 419807
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 6.6 5.5 8.3
68 4.1 4.2 6.2#









#23
Nitrobenzene-d5
Concen: 79.316 ng
RT: 8.793 min Scan# 91
Delta R.T. -0.018 min
Lab File: BP024803.D
Acq: 23 May 2025 21:54




Instrument :
BNA_P
ClientSampleId :
WCS-TP2


Tgt Ion: 82 Resp: 659009
Ion Ratio Lower Upper
82 100
128 47.0 37.0 55.4
54 52.0 38.7 58.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.281 min Scan# 1903
Delta R.T. -0.023 min
Lab File: BP024803.D
Acq: 23 May 2025 21:54

Tgt Ion:164 Resp: 221232
Ion Ratio Lower Upper
164 100
162 105.6 81.8 122.6
160 48.5 36.3 54.5





#42

2,4,6-Tribromophenol

Concen: 187.746 ng

RT: 15.798 min Scan# 2161

Delta R.T. -0.012 min

Lab File: BP024803.D

Acq: 23 May 2025 21:54

Instrument :

BNA_P

ClientSampleId :

WCS-TP2





Tgt Ion:330 Resp: 704147

Ion Ratio Lower Upper

330 100

332 97.8 78.2 117.4

141 26.1 24.3 36.5



#45

2-Fluorobiphenyl

Concen: 101.323 ng

RT: 12.887 min Scan# 1666

Delta R.T. -0.018 min

Lab File: BP024803.D

Acq: 23 May 2025 21:54




Tgt Ion:172 Resp: 1710976


Ion Ratio Lower Upper

172 100

171 35.9 28.8 43.2

170 23.5 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.081 min Scan# 21

Delta R.T. -0.018 min

Lab File: BP024803.D

Acq: 23 May 2025 21:54

Instrument :

BNA_P

ClientSampleId :

WCS-TP2





Tgt Ion:188 Resp: 510682

Ion Ratio Lower Upper

188 100

94 7.1 6.5 9.7

80 8.4 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.510 min Scan# 3132

Delta R.T. -0.012 min

Lab File: BP024803.D

Acq: 23 May 2025 21:54




Tgt Ion:240 Resp: 427701


Ion Ratio Lower Upper

240 100

120 8.3 7.8 11.6

236 26.8 20.6 31.0





#79

Terphenyl-d14

Concen: 119.036 ng

RT: 19.798 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP024803.D

Acq: 23 May 2025 21:54

Instrument :

BNA_P

ClientSampleId :

WCS-TP2





Tgt Ion:244 Resp: 2969148

Ion Ratio Lower Upper

244 100

212 6.9 5.5 8.3

122 8.3 7.4 11.0



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.810 min Scan# 3693

Delta R.T. 0.006 min

Lab File: BP024803.D

Acq: 23 May 2025 21:54

Tgt Ion:264 Resp: 98457

Ion Ratio Lower Upper

264 100

260 39.8 18.7 28.1#

265 25.9 17.0 25.6#

