

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP052920\
 Data File : BP002327.D
 Acq On : 29 May 2020 22:01
 Operator : CG/JU
 Sample : L2744-11 2X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 NM79-COMP-2020-0-6

Quant Time: May 30 02:30:06 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP052720.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 29 15:09:03 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	380794	20.00	ng	0.00
21) Naphthalene-d8	10.38	136	1579266	20.00	ng	0.00
39) Acenaphthene-d10	14.25	164	929964	20.00	ng	0.00
64) Phenanthrene-d10	17.01	188	1916463	20.00	ng	0.00
76) Chrysene-d12	21.11	240	1707031	20.00	ng	0.00
86) Perylene-d12	23.32	264	1770368	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	1117463	55.11	ng	0.00
7) Phenol-d6	6.79	99	1533961	55.62	ng	0.00
23) Nitrobenzene-d5	8.75	82	984133	37.47	ng	0.00
42) 2,4,6-Tribromophenol	15.75	330	498104	56.51	ng	0.00
45) 2-Fluorobiphenyl	12.87	172	2147206	40.74	ng	0.00
79) Terphenyl-d14	19.59	244	2890731	41.01	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.71	163	328737	5.222	ng	99
75) Fluoranthene	19.03	202	433318	4.144	ng	99
78) Pyrene	19.39	202	419074	3.943	ng	99
81) Benzo(a)anthracene	21.10	228	233708	2.392	ng	97
83) Chrysene	21.14	228	222238	2.370	ng	97
88) Benzo(b)fluoranthene	22.66	252	308014	3.191	ng	# 96
90) Benzo(a)pyrene	23.22	252	223840	2.500	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP052920\
Data File : BP002327.D
Acq On : 29 May 2020 22:01
Operator : CG/JU
Sample : L2744-11 2X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
NM79-COMP-2020-0-6

Quant Time: May 30 02:30:06 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP052720.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 29 15:09:03 2020
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 7.60 min Scan# 802

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01

Instrument :

BNA_P

ClientSampleId :

NM79-COMP-2020-0-6


Tot Ion:152 Resp: 380794

Ion Ratio Lower Upper

152 100

150 155.0 124.7 187.1




115 59.9 49.4 74.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 55.115 ng

RT: 5.22 min Scan# 397

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01


Tgt Ion:112 Resp: 1117463

Ion Ratio Lower Upper

112 100

64 58.7 47.0 70.4



63 30.2 24.0 36.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BP0

Ion 63.00 (62.70 to 63.70): BP0





#7

Phenol-d6

Concen: 55.617 ng

RT: 6.79 min Scan# 664

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01

Instrument :

BNA_P

ClientSampleId :

NM79-COMP-2020-0-6


Tot Ion: 99 Resp: 1533961

Ion Ratio Lower Upper

99 100

42 17.8 13.9 20.9




71 32.3 25.8 38.8



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.38 min Scan# 1274

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01

Tgt Ion: 136 Resp: 1579266


Ion Ratio Lower Upper

136 100

137 11.2 8.8 13.2

54 8.7 6.9 10.3

68 7.1 5.6 8.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
Nitrobenzene-d5
Concen: 37.466 ng
RT: 8.75 min Scan# 996
Delta R.T. -0.01 min
Lab File: BP002327.D
Acq: 29 May 2020 22:01




Instrument :
BNA_P
ClientSampleId :
NM79-COMP-2020-0-6


Tot Ion	Ratio	Lower	Upper
82	100		
128	41.1	33.4	50.0
54	48.4	38.3	57.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.25 min Scan# 1932
Delta R.T. -0.00 min
Lab File: BP002327.D
Acq: 29 May 2020 22:01

Tgt Ion	Ratio	Lower	Upper
164	100		
162	100.2	81.3	121.9
160	44.5	37.2	55.8









#42
2,4,6-Tribromophenol
Concen: 56.514 ng
RT: 15.75 min Scan# 2186
Delta R.T. -0.01 min
Lab File: BP002327.D
Acq: 29 May 2020 22:01




Instrument :
BNA_P
ClientSampleId :
NM79-COMP-2020-0-6


Tot Ion:330 Resp: 498104
Ion Ratio Lower Upper
330 100
332 96.2 76.9 115.3
141 37.7 31.4 47.2



#45
2-Fluorobiphenyl
Concen: 40.742 ng
RT: 12.87 min Scan# 1697
Delta R.T. -0.00 min
Lab File: BP002327.D
Acq: 29 May 2020 22:01

Tgt Ion:172 Resp: 2147206
Ion Ratio Lower Upper
172 100
171 34.6 27.6 41.4
170 23.7 18.9 28.3





#50

Dimethylphthalate

Concen: 5.222 ng

RT: 13.71 min Scan# 1840

Delta R.T. -0.01 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01

Instrument :

BNA_P

ClientSampleId :

NM79-COMP-2020-0-6


Tot Ion:163 Resp: 328737

Ion Ratio Lower Upper

163 100

194 4.1 3.2 4.8




164 9.9 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.01 min Scan# 2401

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01


Tgt Ion:188 Resp: 1916463

Ion Ratio Lower Upper

188 100

94 10.5 8.7 13.1



80 11.0 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0





#75

Fluoranthene

Concen: 4.144 ng

RT: 19.03 min Scan# 2745

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01

Instrument :

BNA_P

ClientSampleId :

NM79-COMP-2020-0-6


Tot Ion:202 Resp: 433318

Ion Ratio Lower Upper

202 100

101 12.2 0.0 32.1




203 16.9 0.0 37.6



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.11 min Scan# 3098

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01


Tgt Ion:240 Resp: 1707031

Ion Ratio Lower Upper

240 100

120 12.3 8.7 13.1



236 26.6 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Pvrene

Concen: 3.943 ng

RT: 19.39 min Scan# 2805

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01

Instrument :

BNA_P

ClientSampleId :

NM79-COMP-2020-0-6


Tot Ion:202 Resp: 419074

Ion Ratio Lower Upper

202 100

200 21.8 17.3 25.9




203 18.4 13.8 20.6



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#79

Terphenyl-d14

Concen: 41.010 ng

RT: 19.59 min Scan# 2840

Delta R.T. -0.01 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01


Tgt Ion:244 Resp: 2890731

Ion Ratio Lower Upper

244 100

212 7.4 6.4 9.6



122 11.9 9.4 14.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#81

Benzo(a)anthracene

Concen: 2.392 ng

RT: 21.10 min Scan# 3096

Delta R.T. -0.00 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01





Instrument :

BNA_P

ClientSampleId :

NM79-COMP-2020-0-6

Tot	Ion:228	Resp:	233708
Ion	Ratio	Lower	Upper
228	100		
226	31.4	22.7	34.1
229	20.4	16.3	24.5



#83

Chrysene

Concen: 2.370 ng




RT: 21.14 min Scan# 3104


Delta R.T. -0.01 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01

Tgt Ion	228	Resp: Lower	222238 Upper
	Ratio		
228	100		
226	29.8	25.0	37.6
229	22.3	16.2	24.4









#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.32 min Scan# 3473
Delta R.T. -0.00 min
Lab File: BP002327.D
Acq: 29 May 2020 22:01

Instrument :
BNA_P
ClientSampleId :
NM79-COMP-2020-0-6

Tot Ion:264 Resp: 1770368




Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.4	29.2
265	21.6	17.8	26.6




#88
Benzo(b)fluoranthene
Concen: 3.191 ng
RT: 22.66 min Scan# 3361
Delta R.T. -0.00 min
Lab File: BP002327.D
Acq: 29 May 2020 22:01

Tgt Ion:252 Resp: 308014

Ion	Ratio	Lower	Upper
252	100		
253	22.5	18.2	27.2
125	14.2	7.2	10.8





#90

Benzo(a)pyrene

Concen: 2.500 ng

RT: 23.22 min Scan# 3456

Delta R.T. -0.01 min

Lab File: BP002327.D

Acq: 29 May 2020 22:01

Instrument :

BNA_P

ClientSampleId :

NM79-COMP-2020-0-6

Tot Ion: 252 Resp: 223840

Ion Ratio Lower Upper

252 100

253 23.9 18.0 27.0

125 14.9 8.4 12.6#

