

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060121\
 Data File : BP005653.D
 Acq On : 01 Jun 2021 11:52
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040

Quant Time: Jun 01 13:00:02 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 27 16:11:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.987	152	168622	20.00	ng	0.00
21) Naphthalene-d8	10.793	136	642748	20.00	ng	# 0.00
39) Acenaphthene-d10	14.610	164	400155	20.00	ng	0.00
64) Phenanthrene-d10	17.351	188	834507	20.00	ng	# 0.00
76) Chrysene-d12	21.422	240	949888	20.00	ng	# 0.00
86) Perylene-d12	23.857	264	1044896	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.546	112	845226	77.93	ng	0.00
7) Phenol-d6	7.146	99	1134745	76.75	ng	0.00
23) Nitrobenzene-d5	9.152	82	989764	85.64	ng	0.00
42) 2,4,6-Tribromophenol	16.093	330	476720	92.91	ng	0.00
45) 2-Fluorobiphenyl	13.240	172	2245908	74.28	ng	0.00
79) Terphenyl-d14	19.892	244	3816248	75.39	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.417	88	183268	36.92	ng	# 88
3) Pyridine	3.828	79	499540	40.65	ng	# 89
4) n-Nitrosodimethylamine	3.728	42	209570	38.29	ng	# 26
6) Aniline	7.311	93	650629	37.64	ng	95
8) 2-Chlorophenol	7.546	128	469658	38.67	ng	93
9) Benzaldehyde	7.122	77	235214	36.74	ng	90
10) Phenol	7.169	94	573116	37.97	ng	100
11) bis(2-Chloroethyl)ether	7.405	93	439397	37.70	ng	98
12) 1,3-Dichlorobenzene	7.875	146	512785	37.20	ng	98
13) 1,4-Dichlorobenzene	8.022	146	521700	37.34	ng	97
14) 1,2-Dichlorobenzene	8.340	146	502630	37.62	ng	99
15) Benzyl Alcohol	8.222	79	407242	38.40	ng	# 81
16) 2,2'-oxybis(1-Chloropr...	8.516	45	483451	36.23	ng	84
17) 2-Methylphenol	8.428	107	371393	37.79	ng	96
18) Hexachloroethane	9.075	117	184739	37.26	ng	90
19) n-Nitroso-di-n-propyla...	8.799	70	350358	37.25	ng	97
20) 3+4-Methylphenols	8.758	107	501650	38.32	ng	94
22) Acetophenone	8.811	105	644434	37.59	ng	# 98
24) Nitrobenzene	9.193	77	525152	40.91	ng	92
25) Isophorone	9.722	82	964317	37.58	ng	# 97
26) 2-Nitrophenol	9.905	139	224173	45.87	ng	# 79
27) 2,4-Dimethylphenol	9.963	122	377119	38.29	ng	98
28) bis(2-Chloroethoxy)met...	10.205	93	514451	37.25	ng	99
29) 2,4-Dichlorophenol	10.434	162	426060	40.22	ng	97
30) 1,2,4-Trichlorobenzene	10.658	180	468497	37.34	ng	98
31) Naphthalene	10.846	128	1415694	36.99	ng	98
32) Benzoic acid	10.093	122	264062	48.58	ng	96
33) 4-Chloroaniline	10.952	127	585042	36.71	ng	# 91
34) Hexachlorobutadiene	11.134	225	298531	38.10	ng	96
35) Caprolactam	11.734	113	132649	45.73	ng	# 62
36) 4-Chloro-3-methylphenol	12.069	107	436967	39.19	ng	93
37) 2-Methylnaphthalene	12.446	142	1001233	36.92	ng	# 87
38) 1-Methylnaphthalene	12.663	142	942367	36.62	ng	# 96
40) 1,2,4,5-Tetrachloroben...	12.810	216	506250	37.93	ng	97
41) Hexachlorocyclopentadiene	12.793	237	285923	38.47	ng	95
43) 2,4,6-Trichlorophenol	13.046	196	343357	42.41	ng	94

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060121\
 Data File : BP005653.D
 Acq On : 01 Jun 2021 11:52
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040

Quant Time: Jun 01 13:00:02 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 27 16:11:11 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.116	196	378485	43.23	ng	# 93
46) 1,1'-Biphenyl	13.451	154	1189013	36.59	ng	98
47) 2-Chloronaphthalene	13.493	162	973384	36.86	ng	99
48) 2-Nitroaniline	13.687	65	265010	42.80	ng	# 80
49) Acenaphthylene	14.334	152	1521490	36.96	ng	99
50) Dimethylphthalate	14.069	163	1199448	37.68	ng	99
51) 2,6-Dinitrotoluene	14.181	165	268752	39.26	ng	# 67
52) Acenaphthene	14.675	154	952308	35.59	ng	97
53) 3-Nitroaniline	14.510	138	280154	40.88	ng	# 83
54) 2,4-Dinitrophenol	14.710	184	132589	48.32	ng	95
55) Dibenzofuran	15.004	168	1510799	36.83	ng	98
56) 4-Nitrophenol	14.804	139	238442	42.03	ng	# 59
57) 2,4-Dinitrotoluene	14.963	165	357807	41.75	ng	# 68
58) Fluorene	15.651	166	1201534	36.64	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.146	232	331785	43.80	ng	94
60) Diethylphthalate	15.428	149	1207790	37.82	ng	97
61) 4-Chlorophenyl-phenyle...	15.645	204	605587	36.93	ng	98
62) 4-Nitroaniline	15.669	138	289668	40.37	ng	# 47
63) Azobenzene	15.940	77	1229009	36.75	ng	95
65) 4,6-Dinitro-2-methylph...	15.728	198	201896	47.85	ng	87
66) n-Nitrosodiphenylamine	15.857	169	1051023	36.96	ng	93
67) 4-Bromophenyl-phenylether	16.540	248	392197	39.01	ng	97
68) Hexachlorobenzene	16.657	284	454525	37.97	ng	# 93
69) Atrazine	16.810	200	345378	42.50	ng	97
70) Pentachlorophenol	16.998	266	279824	46.61	ng	96
71) Phenanthrene	17.392	178	1922252	36.97	ng	100
72) Anthracene	17.487	178	1913303	37.27	ng	99
73) Carbazole	17.751	167	1883064	37.27	ng	99
74) Di-n-butylphthalate	18.298	149	2121131	39.21	ng	# 92
75) Fluoranthene	19.345	202	2359253	37.80	ng	96
77) Benzidine	19.522	184	880558	48.81	ng	99
78) Pyrene	19.698	202	2454492	36.62	ng	99
80) Butylbenzylphthalate	20.569	149	987989	37.44	ng	# 93
81) Benzo(a)anthracene	21.404	228	2574518	36.93	ng	99
82) 3,3'-Dichlorobenzidine	21.333	252	883064	39.22	ng	# 96
83) Chrysene	21.457	228	2488242	36.86	ng	99
84) Bis(2-ethylhexyl)phtha...	21.328	149	1493413	39.44	ng	# 95
85) Di-n-octyl phthalate	22.263	149	2562538	40.27	ng	# 95
87) Indeno(1,2,3-cd)pyrene	26.433	276	3296310	37.08	ng	# 91
88) Benzo(b)fluoranthene	23.116	252	2803043	36.97	ng	# 97
89) Benzo(k)fluoranthene	23.163	252	2646007	36.83	ng	# 97
90) Benzo(a)pyrene	23.751	252	2569903	37.26	ng	# 96
91) Dibenzo(a,h)anthracene	26.445	278	2856258	37.02	ng	# 95
92) Benzo(g,h,i)perylene	27.215	276	2748739	36.94	ng	# 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060121\
 Data File : BP005653.D
 Acq On : 01 Jun 2021 11:52
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 Client Sample Id :
 SSTDCCC040

Quant Time: Jun 01 13:00:02 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 27 16:11:11 2021
 Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.987 min Scan# 833
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 168622
Ion Ratio Lower Upper
152 100
150 152.4 119.8 179.8
115 57.3 49.0 73.4



#2
1,4-Dioxane
Concen: 36.92 ng
RT: 3.417 min Scan# 56
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 88 Resp: 183268
Ion Ratio Lower Upper
88 100
58 64.0 42.5 63.7#
43 26.6 19.8 29.8









#3
Pyridine
Concen: 40.65 ng
RT: 3.828 min Scan# 126
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 499540
Ion Ratio Lower Upper
79 100
52 57.6 40.3 60.5
51 30.9 20.0 30.0#



#4
n-Nitrosodimethylamine
Concen: 38.29 ng
RT: 3.728 min Scan# 109
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 42 Resp: 209570
Ion Ratio Lower Upper
42 100
74 132.7 122.6 183.8
44 8.3 146.9 220.3#









#5
2-Fluorophenol
Concen: 77.93 ng
RT: 5.546 min Scan# 418
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 845226
Ion Ratio Lower Upper
112 100
64 52.0 33.6 50.4#
63 28.8 18.6 27.8#



#6
Aniline
Concen: 37.64 ng
RT: 7.311 min Scan# 718
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 93 Resp: 650629
Ion Ratio Lower Upper
93 100
66 36.9 27.0 40.4
65 19.5 14.4 21.6









#7
Phenol-d6
Concen: 76.75 ng
RT: 7.146 min Scan# 690
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 1134745




Ion	Ratio	Lower	Upper
99	100		
42	17.0	12.9	19.3
71	35.2	26.7	40.1




#8
2-Chlorophenol
Concen: 38.67 ng
RT: 7.546 min Scan# 758
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 128 Resp: 469658

Ion	Ratio	Lower	Upper
128	100		
130	32.2	14.1	54.1
64	43.6	17.2	57.2









#9
Benzaldehyde
Concen: 36.74 ng
RT: 7.122 min Scan# 686
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 235214
Ion Ratio Lower Upper
77 100
105 95.8 89.4 129.4
106 93.8 79.9 119.9



#10
Phenol
Concen: 37.97 ng
RT: 7.169 min Scan# 694
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52


Tgt Ion: 94 Resp: 573116
Ion Ratio Lower Upper
94 100
65 28.2 8.0 48.0
66 37.6 17.3 57.3








#11
bis(2-Chloroethyl)ether
Concen: 37.70 ng
RT: 7.405 min Scan# 734
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040



Tgt Ion: 93 Resp: 439397




Ion	Ratio	Lower	Upper
93	100		
63	71.0	49.6	89.6
95	32.7	14.4	54.4




#12
1,3-Dichlorobenzene
Concen: 37.20 ng
RT: 7.875 min Scan# 814
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 146 Resp: 512785

Ion	Ratio	Lower	Upper
146	100		
148	64.9	51.4	77.0
75	32.8	23.9	35.9









#13
1,4-Dichlorobenzene
Concen: 37.34 ng
RT: 8.022 min Scan# 839
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:146 Resp: 521700
Ion Ratio Lower Upper
146 100
148 63.7 52.2 78.4
111 39.6 34.2 51.4



#14
1,2-Dichlorobenzene
Concen: 37.62 ng
RT: 8.340 min Scan# 893
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:146 Resp: 502630
Ion Ratio Lower Upper
146 100
148 62.9 51.5 77.3
111 42.2 34.0 51.0









#15
Benzyl Alcohol
Concen: 38.40 ng
RT: 8.222 min Scan# 873
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 407242
Ion Ratio Lower Upper
79 100
108 73.9 64.0 96.0
77 63.2 72.7 109.1#



#16
2,2'-oxybis(1-Chloropropane)
Concen: 36.23 ng
RT: 8.516 min Scan# 923
Delta R.T. -0.012 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 45 Resp: 483451
Ion Ratio Lower Upper
45 100
77 17.9 7.0 47.0
79 14.0 1.0 41.0





#17

2-Methylphenol

Concen: 37.79 ng

RT: 8.428 min Scan# 908

Delta R.T. -0.000 min

Lab File: BP005653.D

Acq: 01 Jun 2021 11:52

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040

Tgt Ion:107 Resp: 371393





Ion Ratio Lower Upper

107 100

108 113.0 85.8 128.8

77 48.5 41.4 62.0

79 47.1 38.6 57.8



#18

Hexachloroethane

Concen: 37.26 ng

RT: 9.075 min Scan# 1018

Delta R.T. -0.006 min

Lab File: BP005653.D

Acq: 01 Jun 2021 11:52




Tgt Ion:117 Resp: 184739


Ion Ratio Lower Upper

117 100

119 94.9 80.1 120.1

201 107.2 98.8 148.2









#19

n-Nitroso-di-n-propylamine
Concen: 37.25 ng
RT: 8.799 min Scan# 971
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040




Tgt Ion:	70	Resp:	350358
Ion	Ratio	Lower	Upper
70	100		
42	52.9	39.7	59.5
101	9.6	7.4	11.0
130	21.9	17.2	25.8




#20

3+4-Methylphenols
Concen: 38.32 ng
RT: 8.758 min Scan# 964
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:	107	Resp:	501650
Ion	Ratio	Lower	Upper
107	100		
108	91.4	69.5	109.5
77	34.6	21.5	61.5
79	31.1	16.8	56.8









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.793 min Scan# 1310
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	136	Resp:	642748
Ion Ratio	Lower	Upper	
136	100		
137	11.1	8.9	13.3
54	6.4	5.0	7.4
68	5.7	3.7	5.5



#22
Acetophenone
Concen: 37.59 ng
RT: 8.811 min Scan# 973
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:	105	Resp:	644434
Ion Ratio	Lower	Upper	
105	100		
71	3.9	0.9	1.3
51	22.5	18.2	27.2
120	22.9	17.0	25.6









#23
Nitrobenzene-d5
Concen: 85.64 ng
RT: 9.152 min Scan# 1031
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 989764
Ion Ratio Lower Upper
82 100
128 43.7 30.5 45.7
54 42.2 33.9 50.9



#24
Nitrobenzene
Concen: 40.91 ng
RT: 9.193 min Scan# 1038
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 77 Resp: 525152
Ion Ratio Lower Upper
77 100
123 45.7 31.7 47.5
65 12.8 11.5 17.3









#25
Isophorone
Concen: 37.58 ng
RT: 9.722 min Scan# 1128
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 964317
Ion Ratio Lower Upper
82 100
95 6.9 7.5 11.3#
138 17.5 14.6 22.0



#26
2-Nitrophenol
Concen: 45.87 ng
RT: 9.905 min Scan# 1159
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 139 Resp: 224173
Ion Ratio Lower Upper
139 100
109 31.4 40.7 61.1#
65 48.3 47.8 71.6









#27
2,4-Dimethylphenol
Concen: 38.29 ng
RT: 9.963 min Scan# 1169
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:122 Resp: 377119
Ion Ratio Lower Upper
122 100
107 117.6 93.8 140.8
121 60.2 45.6 68.4



#28
bis(2-Chloroethoxy)methane
Concen: 37.25 ng
RT: 10.205 min Scan# 1210
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 93 Resp: 514451
Ion Ratio Lower Upper
93 100
95 32.1 24.9 37.3
123 11.7 9.5 14.3









#29
2,4-Dichlorophenol
Concen: 40.22 ng
RT: 10.434 min Scan# 1249
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 426060
Ion Ratio Lower Upper
162 100
164 64.7 44.1 84.1
98 36.0 12.6 52.6



#30
1,2,4-Trichlorobenzene
Concen: 37.34 ng
RT: 10.658 min Scan# 1287
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:180 Resp: 468497
Ion Ratio Lower Upper
180 100
182 97.3 77.2 115.8
145 30.0 21.7 32.5









#31
Naphthalene
Concen: 36.99 ng
RT: 10.846 min Scan# 1319
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 1415694
Ion Ratio Lower Upper
128 100
129 10.7 8.0 12.0
127 13.1 11.1 16.7



#32
Benzoic acid
Concen: 48.58 ng
RT: 10.093 min Scan# 1191
Delta R.T. 0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:122 Resp: 264062
Ion Ratio Lower Upper
122 100
105 124.1 105.1 145.1
77 98.5 69.6 109.6









#33
4-Chloroaniline
Concen: 36.71 ng
RT: 10.952 min Scan# 1337
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	127	Resp:	585042
Ion	Ratio	Lower	Upper
127	100		
129	32.5	25.5	38.3
65	30.1	30.0	45.0
92	18.2	20.2	30.2#



#34
Hexachlorobutadiene
Concen: 38.10 ng
RT: 11.134 min Scan# 1368
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:	225	Resp:	298531
Ion	Ratio	Lower	Upper
225	100		
223	60.1	51.1	76.7
227	64.5	50.2	75.2









#35
Caprolactam
Concen: 45.73 ng
RT: 11.734 min Scan# 1470
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:113 Resp: 132649
Ion Ratio Lower Upper
113 100
55 140.2 72.0 112.0#
56 107.4 65.1 105.1#



#36
4-Chloro-3-methylphenol
Concen: 39.19 ng
RT: 12.069 min Scan# 1527
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:107 Resp: 436967
Ion Ratio Lower Upper
107 100
144 27.4 20.1 30.1
142 85.0 62.2 93.4









#37
2-Methylnaphthalene
Concen: 36.92 ng
RT: 12.446 min Scan# 1591
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 1001233
Ion Ratio Lower Upper
142 100
141 88.7 74.7 112.1
115 35.6 43.8 65.8#



#38
1-Methylnaphthalene
Concen: 36.62 ng
RT: 12.663 min Scan# 1628
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:142 Resp: 942367
Ion Ratio Lower Upper
142 100
141 93.0 77.0 115.6
116 4.2 5.0 7.6#









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.610 min Scan# 1959
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:164 Resp: 400155
Ion Ratio Lower Upper
164 100
162 100.6 73.5 110.3
160 45.7 40.6 61.0



#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.93 ng
RT: 12.810 min Scan# 1653
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:216 Resp: 506250
Ion Ratio Lower Upper
216 100
214 78.5 60.6 91.0
179 20.2 15.3 22.9
108 18.7 13.8 20.6









#41
Hexachlorocyclopentadiene
Concen: 38.47 ng
RT: 12.793 min Scan# 1650
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 285923
Ion Ratio Lower Upper
237 100
235 65.1 40.9 80.9
272 13.2 0.0 34.6



#42
2,4,6-Tribromophenol
Concen: 92.91 ng
RT: 16.093 min Scan# 2211
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:330 Resp: 476720
Ion Ratio Lower Upper
330 100
332 96.7 76.3 114.5
141 31.4 22.8 34.2









#43
2,4,6-Trichlorophenol
Concen: 42.41 ng
RT: 13.046 min Scan# 1693
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:196 Resp: 343357
Ion Ratio Lower Upper
196 100
198 95.8 81.4 122.2
200 31.1 28.2 42.2



#44
2,4,5-Trichlorophenol
Concen: 43.23 ng
RT: 13.116 min Scan# 1705
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:196 Resp: 378485
Ion Ratio Lower Upper
196 100
198 97.2 71.0 106.4
97 49.0 38.5 57.7
132 25.9 15.6 23.4#









#45
2-Fluorobiphenyl
Concen: 74.28 ng
RT: 13.240 min Scan# 1726
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:172 Resp: 2245908
Ion Ratio Lower Upper
172 100
171 35.4 28.1 42.1
170 23.6 19.6 29.4



#46
1,1'-Biphenyl
Concen: 36.59 ng
RT: 13.451 min Scan# 1762
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:154 Resp: 1189013
Ion Ratio Lower Upper
154 100
153 40.0 18.9 58.9
76 12.6 0.0 32.1









#47
2-Chloronaphthalene
Concen: 36.86 ng
RT: 13.493 min Scan# 1769
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 973384
Ion Ratio Lower Upper
162 100
127 38.3 31.4 47.0
164 32.9 26.6 39.8



#48
2-Nitroaniline
Concen: 42.80 ng
RT: 13.687 min Scan# 1802
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion: 65 Resp: 265010
Ion Ratio Lower Upper
65 100
92 73.0 48.8 73.2
138 108.1 69.5 104.3#









#49
Acenaphthylene
Concen: 36.96 ng
RT: 14.334 min Scan# 1912
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 1521490
Ion Ratio Lower Upper
152 100
151 20.2 15.8 23.6
153 12.9 10.5 15.7



#50
Dimethylphthalate
Concen: 37.68 ng
RT: 14.069 min Scan# 1867
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:163 Resp: 1199448
Ion Ratio Lower Upper
163 100
194 4.1 3.9 5.9
164 9.9 8.1 12.1









#51
2,6-Dinitrotoluene
Concen: 39.26 ng
RT: 14.181 min Scan# 1886
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 268752
Ion Ratio Lower Upper
165 100
63 56.2 67.4 101.0#
89 59.7 73.8 110.6#



#52
Acenaphthene
Concen: 35.59 ng
RT: 14.675 min Scan# 1970
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:154 Resp: 952308
Ion Ratio Lower Upper
154 100
153 113.1 90.9 136.3
152 54.1 48.5 72.7









#53
3-Nitroaniline
Concen: 40.88 ng
RT: 14.510 min Scan# 1942
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 280154
Ion Ratio Lower Upper
138 100
108 10.0 10.2 15.4#
92 113.8 108.1 162.1



#54
2,4-Dinitrophenol
Concen: 48.32 ng
RT: 14.710 min Scan# 1976
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:184 Resp: 132589
Ion Ratio Lower Upper
184 100
63 67.2 51.2 76.8
154 65.6 55.8 83.8









#55
Dibenzofuran
Concen: 36.83 ng
RT: 15.004 min Scan# 2026
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 1510799
Ion Ratio Lower Upper
168 100
139 38.0 31.4 47.0
169 13.5 11.4 17.0



#56
4-Nitrophenol
Concen: 42.03 ng
RT: 14.804 min Scan# 1992
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:139 Resp: 238442
Ion Ratio Lower Upper
139 100
109 79.2 122.8 162.8#
65 96.5 110.0 150.0#









#57
2,4-Dinitrotoluene
Concen: 41.75 ng
RT: 14.963 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 357807
Ion Ratio Lower Upper
165 100
63 43.8 56.7 85.1#
89 73.5 85.8 128.6#
182 2.7 3.0 4.6#



#58
Fluorene
Concen: 36.64 ng
RT: 15.651 min Scan# 2136
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:166 Resp: 1201534
Ion Ratio Lower Upper
166 100
165 99.6 78.8 118.2
167 13.2 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 43.80 ng
RT: 15.146 min Scan# 2050
Delta R.T. -0.082 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 331785
Ion Ratio Lower Upper
232 100
131 38.9 26.5 39.7
130 2.4 2.1 3.1
166 24.0 19.4 29.0



#60
Diethylphthalate
Concen: 37.82 ng
RT: 15.428 min Scan# 2098
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:149 Resp: 1207790
Ion Ratio Lower Upper
149 100
177 22.0 19.2 28.8
150 12.5 9.9 14.9









#61
4-Chlorophenyl-phenylether
Concen: 36.93 ng
RT: 15.645 min Scan# 2135
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 605587
Ion Ratio Lower Upper
204 100
206 33.0 26.0 39.0
141 56.9 44.2 66.2



#62
4-Nitroaniline
Concen: 40.37 ng
RT: 15.669 min Scan# 2139
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52


Tgt Ion:138 Resp: 289668
Ion Ratio Lower Upper
138 100
92 51.0 50.9 90.9
108 83.7 154.7 194.7#








#63
Azobenzene
Concen: 36.75 ng
RT: 15.940 min Scan# 2185
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040







Tgt Ion	Ratio	Lower	Upper
77	100		
182	25.6	5.5	45.5
105	19.6	0.0	36.5
51	26.3	10.3	50.3



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.351 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.4	5.0	7.6#
80	9.4	5.9	8.9#









#65
4,6-Dinitro-2-methylphenol
Concen: 47.85 ng
RT: 15.728 min Scan# 2149
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 201896
Ion Ratio Lower Upper
198 100
51 36.7 10.3 50.3
105 41.5 13.6 53.6



#66
n-Nitrosodiphenylamine
Concen: 36.96 ng
RT: 15.857 min Scan# 2171
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:169 Resp: 1051023
Ion Ratio Lower Upper
169 100
168 66.6 55.2 82.8
167 36.7 36.6 54.8









#67
4-Bromophenyl-phenylether
Concen: 39.01 ng
RT: 16.540 min Scan# 2287
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 392197
Ion Ratio Lower Upper
248 100
250 97.5 77.5 116.3
141 66.9 50.1 75.1



#68
Hexachlorobenzene
Concen: 37.97 ng
RT: 16.657 min Scan# 2307
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:284 Resp: 454525
Ion Ratio Lower Upper
284 100
142 33.1 20.8 31.2#
249 30.3 23.7 35.5









#69
Atrazine
Concen: 42.50 ng
RT: 16.810 min Scan# 2333
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:200 Resp: 345378
Ion Ratio Lower Upper
200 100
173 24.9 0.7 40.7
215 48.3 29.0 69.0



#70
Pentachlorophenol
Concen: 46.61 ng
RT: 16.998 min Scan# 2365
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:266 Resp: 279824
Ion Ratio Lower Upper
266 100
268 64.3 49.4 74.0
264 63.7 53.7 80.5









#71
Phenanthrene
Concen: 36.97 ng
RT: 17.392 min Scan# 2432
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 1922252
Ion Ratio Lower Upper
178 100
176 19.1 15.4 23.2
179 15.4 12.3 18.5



#72
Anthracene
Concen: 37.27 ng
RT: 17.487 min Scan# 2448
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:178 Resp: 1913303
Ion Ratio Lower Upper
178 100
176 18.9 15.2 22.8
179 15.3 12.6 19.0









#73
 Carbazole
 Concen: 37.27 ng
 RT: 17.751 min Scan# 2493
 Delta R.T. -0.000 min
 Lab File: BP005653.D
 Acq: 01 Jun 2021 11:52




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:167 Resp: 1883064
 Ion Ratio Lower Upper
 167 100
 166 21.5 17.4 26.0
 139 12.7 10.4 15.6



#74
 Di-n-butylphthalate
 Concen: 39.21 ng
 RT: 18.298 min Scan# 2586
 Delta R.T. -0.006 min
 Lab File: BP005653.D
 Acq: 01 Jun 2021 11:52

Tgt Ion:149 Resp: 2121131
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.6 11.4
 104 5.4 8.9 13.3#









#75
Fluoranthene
Concen: 37.80 ng
RT: 19.345 min Scan# 2764
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 2359253
Ion Ratio Lower Upper
202 100
101 10.6 0.0 26.1
203 17.7 0.0 37.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.422 min Scan# 3117
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:240 Resp: 949888
Ion Ratio Lower Upper
240 100
120 9.2 4.2 6.2#
236 25.6 20.2 30.2





#77

Benzidine

Concen: 48.81 ng

RT: 19.522 min Scan# 2794

Delta R.T. -0.006 min

Lab File: BP005653.D

Acq: 01 Jun 2021 11:52

Tgt Ion:184 Resp: 880558

Ion Ratio Lower Upper

184 100

185 14.5 11.1 16.7





183 11.9 9.8 14.8

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040



#78

Pyrene

Concen: 36.62 ng

RT: 19.698 min Scan# 2824

Delta R.T. -0.000 min

Lab File: BP005653.D

Acq: 01 Jun 2021 11:52




Tgt Ion:202 Resp: 2454492


Ion Ratio Lower Upper

202 100

200 21.3 16.9 25.3

203 18.1 13.8 20.6





#79

Terphenyl-d14

Concen: 75.39 ng

RT: 19.892 min Scan# 2857

Delta R.T. -0.006 min

Lab File: BP005653.D

Acq: 01 Jun 2021 11:52





Tgt Ion:244 Resp: 3816248

Ion Ratio Lower Upper

244 100

212 7.3 5.8 8.6

122 10.3 5.2 7.8#



#80

Butylbenzylphthalate

Concen: 37.44 ng

RT: 20.569 min Scan# 2972

Delta R.T. -0.000 min

Lab File: BP005653.D

Acq: 01 Jun 2021 11:52




Tgt Ion:149 Resp: 987989


Ion Ratio Lower Upper

149 100

91 71.0 60.2 90.4

206 22.7 23.9 35.9#









#81
Benzo(a)anthracene
Concen: 36.93 ng
RT: 21.404 min Scan# 3114
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 2574518
Ion Ratio Lower Upper
228 100
226 27.4 21.2 31.8
229 20.0 15.6 23.4



#82
3,3'-Dichlorobenzidine
Concen: 39.22 ng
RT: 21.333 min Scan# 3102
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:252 Resp: 883064
Ion Ratio Lower Upper
252 100
254 64.7 49.9 74.9
126 10.0 5.5 8.3#





#83

Chrysene

Concen: 36.86 ng

RT: 21.457 min Scan# 3123





Delta R.T. 0.000 min

Lab File: BP005653.D

Acq: 01 Jun 2021 11:52

Tgt Ion:228 Resp: 2488242

Ion	Ratio	Lower	Upper
228	100		
226	30.4	24.8	37.2
229	19.8	15.4	23.0



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.44 ng

RT: 21.328 min Scan# 3101




Delta R.T. -0.000 min


Lab File: BP005653.D

Acq: 01 Jun 2021 11:52

Tgt Ion:149 Resp: 1493413

Ion	Ratio	Lower	Upper
149	100		
167	27.5	23.8	35.8
279	5.0	5.7	8.5#









#85
Di-n-octyl phthalate
Concen: 40.27 ng
RT: 22.263 min Scan# 3260
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:149 Resp: 2562538
Ion Ratio Lower Upper
149 100
167 1.6 1.5 2.3
43 8.4 5.1 7.7#



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.857 min Scan# 3531
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:264 Resp: 1044896
Ion Ratio Lower Upper
264 100
260 23.4 20.6 30.8
265 22.3 19.0 28.6









#87
Indeno(1,2,3-cd)pyrene
Concen: 37.08 ng
RT: 26.433 min Scan# 3969
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:276 Resp: 3296310
Ion Ratio Lower Upper
276 100
138 22.2 8.4 12.6#
277 25.5 20.6 31.0



#88
Benzo(b)fluoranthene
Concen: 36.97 ng
RT: 23.116 min Scan# 3405
Delta R.T. -0.000 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:252 Resp: 2803043
Ion Ratio Lower Upper
252 100
253 22.3 18.2 27.2
125 8.7 3.4 5.0#









#89
Benzo(k)fluoranthene
Concen: 36.83 ng
RT: 23.163 min Scan# 3413
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:252 Resp: 2646007
Ion Ratio Lower Upper
252 100
253 21.9 17.2 25.8
125 9.3 3.8 5.6#



#90
Benzo(a)pyrene
Concen: 37.26 ng
RT: 23.751 min Scan# 3513
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:252 Resp: 2569903
Ion Ratio Lower Upper
252 100
253 21.9 17.1 25.7
125 9.9 3.8 5.6#









#91
Dibenzo(a,h)anthracene
Concen: 37.02 ng
RT: 26.445 min Scan# 3971
Delta R.T. -0.006 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 2856258
Ion Ratio Lower Upper
278 100
139 13.5 5.0 7.6#
279 23.7 18.6 28.0



#92
Benzo(g,h,i)perylene
Concen: 36.94 ng
RT: 27.215 min Scan# 4102
Delta R.T. -0.012 min
Lab File: BP005653.D
Acq: 01 Jun 2021 11:52

Tgt Ion:276 Resp: 2748739
Ion Ratio Lower Upper
276 100
277 24.0 19.8 29.8
138 18.9 7.7 11.5#

