

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060122\
 Data File : BP010651.D
 Acq On : 01 Jun 2022 14:59
 Operator : CG/JU
 Sample : N2984-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 P014-SS002-2430-01

Quant Time: Jun 02 05:04:34 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat May 28 02:18:04 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.857	152	65457	20.000	ng	-0.01
21) Naphthalene-d8	10.663	136	286028	20.000	ng	0.00
39) Acenaphthene-d10	14.498	164	207674	20.000	ng	0.00
64) Phenanthrene-d10	17.251	188	491729	20.000	ng	0.00
76) Chrysene-d12	21.339	240	569334	20.000	ng	0.00
86) Perylene-d12	23.751	264	662262	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	576360	160.633	ng	0.00
7) Phenol-d6	7.034	99	807328	158.493	ng	0.00
23) Nitrobenzene-d5	9.022	82	515382	85.189	ng	0.00
42) 2,4,6-Tribromophenol	15.992	330	415201	176.623	ng	0.00
45) 2-Fluorobiphenyl	13.122	172	1189109	81.264	ng	0.00
79) Terphenyl-d14	19.810	244	2377795	78.447	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060122\
Data File : BP010651.D
Acq On : 01 Jun 2022 14:59
Operator : CG/JU
Sample : N2984-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
P014-SS002-2430-01

Quant Time: Jun 02 05:04:34 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat May 28 02:18:04 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.857 min Scan# 813
Delta R.T. -0.012 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59




Instrument :
BNA_P
ClientSampleId :
P014-SS002-2430-01


Tgt Ion:152 Resp: 65457
Ion Ratio Lower Upper
152 100
150 151.6 123.4 185.2
115 63.0 51.3 76.9



#5
2-Fluorophenol
Concen: 160.633 ng
RT: 5.446 min Scan# 401
Delta R.T. -0.000 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59

Tgt Ion:112 Resp: 576360
Ion Ratio Lower Upper
112 100
64 68.0 56.9 85.3
63 36.6 31.2 46.8









#7
Phenol-d6
Concen: 158.493 ng
RT: 7.034 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59




Instrument :
BNA_P
ClientSampleId :
P014-SS002-2430-01


Tgt Ion: 99 Resp: 807328
Ion Ratio Lower Upper
99 100
42 23.3 20.3 30.5
71 39.3 33.9 50.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.663 min Scan# 1288
Delta R.T. -0.006 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59

Tgt Ion:136 Resp: 286028
Ion Ratio Lower Upper
136 100
137 11.4 9.0 13.4
54 10.2 8.7 13.1
68 6.1 4.8 7.2









#23
Nitrobenzene-d5
Concen: 85.189 ng
RT: 9.022 min Scan# 1010
Delta R.T. -0.006 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59




Instrument :
BNA_P
ClientSampleId :
P014-SS002-2430-01


Tgt Ion: 82 Resp: 515382
Ion Ratio Lower Upper
82 100
128 38.8 31.3 46.9
54 57.8 49.8 74.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.498 min Scan# 1940
Delta R.T. -0.006 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59

Tgt Ion: 164 Resp: 207674
Ion Ratio Lower Upper
164 100
162 99.6 81.9 122.9
160 45.0 34.6 51.8









#42
2,4,6-Tribromophenol
Concen: 176.623 ng
RT: 15.992 min Scan# 2194
Delta R.T. -0.001 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59




Instrument :
BNA_P
ClientSampleId :
P014-SS002-2430-01


Tgt Ion:330 Resp: 415201
Ion Ratio Lower Upper
330 100
332 98.0 78.1 117.1
141 37.3 31.4 47.2



#45
2-Fluorobiphenyl
Concen: 81.264 ng
RT: 13.122 min Scan# 1706
Delta R.T. -0.006 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59

Tgt Ion:172 Resp: 1189109
Ion Ratio Lower Upper
172 100
171 35.6 27.9 41.9
170 22.7 18.2 27.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.251 min Scan# 2408
Delta R.T. -0.006 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59




Instrument :
BNA_P
ClientSampleId :
P014-SS002-2430-01


Tgt Ion:188 Resp: 491729
Ion Ratio Lower Upper
188 100
94 8.6 6.6 10.0
80 9.6 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.339 min Scan# 3103
Delta R.T. 0.000 min
Lab File: BP010651.D
Acq: 01 Jun 2022 14:59

Tgt Ion:240 Resp: 569334
Ion Ratio Lower Upper
240 100
120 8.8 8.6 12.8
236 25.6 19.8 29.6









#79
 Terphenyl-d14
 Concen: 78.447 ng
 RT: 19.810 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP010651.D
 Acq: 01 Jun 2022 14:59

Instrument :
 BNA_P
 ClientSampleId :
 P014-SS002-2430-01

Tgt Ion:244 Resp: 2377795

Ion	Ratio	Lower	Upper
244	100		
212	7.1	5.8	8.8
122	9.2	7.6	11.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.751 min Scan# 3513
 Delta R.T. -0.000 min
 Lab File: BP010651.D
 Acq: 01 Jun 2022 14:59

Tgt Ion:264 Resp: 662262

Ion	Ratio	Lower	Upper
264	100		
260	22.5	19.3	28.9
265	21.6	18.0	27.0

