

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060222\
 Data File : BP010667.D
 Acq On : 02 Jun 2022 12:50
 Operator : CG/JU
 Sample : N2953-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 P043-SS001-2430-01

Quant Time: Jun 03 15:43:37 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat May 28 02:18:04 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.857	152	128104	20.000	ng	-0.01
21) Naphthalene-d8	10.657	136	513765	20.000	ng	-0.01
39) Acenaphthene-d10	14.492	164	314820	20.000	ng	-0.01
64) Phenanthrene-d10	17.251	188	622439	20.000	ng	0.00
76) Chrysene-d12	21.333	240	591483	20.000	ng	0.00
86) Perylene-d12	23.745	264	624007	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	774177	110.249	ng	0.00
7) Phenol-d6	7.034	99	1026498	102.970	ng	0.00
23) Nitrobenzene-d5	9.022	82	698836	64.309	ng	0.00
42) 2,4,6-Tribromophenol	15.986	330	409001	114.771	ng	0.00
45) 2-Fluorobiphenyl	13.116	172	1247889	56.256	ng	-0.01
79) Terphenyl-d14	19.809	244	1781968	56.588	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060222\
Data File : BP010667.D
Acq On : 02 Jun 2022 12:50
Operator : CG/JU
Sample : N2953-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
P043-SS001-2430-01

Quant Time: Jun 03 15:43:37 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat May 28 02:18:04 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.857 min Scan# 813
Delta R.T. -0.012 min
Lab File: BP010667.D
Acq: 02 Jun 2022 12:50




Instrument :
BNA_P
ClientSampleId :
P043-SS001-2430-01


Tgt Ion:152 Resp: 128104
Ion Ratio Lower Upper
152 100
150 159.0 123.4 185.2
115 66.7 51.3 76.9



#5
2-Fluorophenol
Concen: 110.249 ng
RT: 5.446 min Scan# 401
Delta R.T. -0.000 min
Lab File: BP010667.D
Acq: 02 Jun 2022 12:50

Tgt Ion:112 Resp: 774177
Ion Ratio Lower Upper
112 100
64 66.5 56.9 85.3
63 36.5 31.2 46.8









#7
Phenol-d6
Concen: 102.970 ng
RT: 7.034 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP010667.D
Acq: 02 Jun 2022 12:50




Instrument :
BNA_P
ClientSampleId :
P043-SS001-2430-01


Tgt Ion: 99 Resp: 1026498
Ion Ratio Lower Upper
99 100
42 22.1 20.3 30.5
71 40.5 33.9 50.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.657 min Scan# 1287
Delta R.T. -0.012 min
Lab File: BP010667.D
Acq: 02 Jun 2022 12:50

Tgt Ion: 136 Resp: 513765
Ion Ratio Lower Upper
136 100
137 11.8 9.0 13.4
54 9.9 8.7 13.1
68 5.9 4.8 7.2





#23

Nitrobenzene-d5

Concen: 64.309 ng

RT: 9.022 min Scan# 1010

Delta R.T. -0.006 min

Lab File: BP010667.D

Acq: 02 Jun 2022 12:50

Instrument :

BNA_P

ClientSampleId :

P043-SS001-2430-01





Tgt Ion: 82 Resp: 698836

Ion Ratio Lower Upper

82 100

128 40.2 31.3 46.9

54 56.1 49.8 74.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.492 min Scan# 1939

Delta R.T. -0.012 min

Lab File: BP010667.D

Acq: 02 Jun 2022 12:50




Tgt Ion: 164 Resp: 314820


Ion Ratio Lower Upper

164 100

162 97.6 81.9 122.9

160 41.6 34.6 51.8









#42
2,4,6-Tribromophenol
Concen: 114.771 ng
RT: 15.986 min Scan# 2194
Delta R.T. -0.007 min
Lab File: BP010667.D
Acq: 02 Jun 2022 12:50




Instrument :
BNA_P
ClientSampleId :
P043-SS001-2430-01


Tgt Ion:330 Resp: 409001
Ion Ratio Lower Upper
330 100
332 97.1 78.1 117.1
141 34.4 31.4 47.2



#45
2-Fluorobiphenyl
Concen: 56.256 ng
RT: 13.116 min Scan# 1705
Delta R.T. -0.012 min
Lab File: BP010667.D
Acq: 02 Jun 2022 12:50

Tgt Ion:172 Resp: 1247889
Ion Ratio Lower Upper
172 100
171 35.3 27.9 41.9
170 22.6 18.2 27.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.251 min Scan# 2408
Delta R.T. -0.006 min
Lab File: BP010667.D
Acq: 02 Jun 2022 12:50




Instrument :
BNA_P
ClientSampleId :
P043-SS001-2430-01


Tgt Ion:188 Resp: 622439
Ion Ratio Lower Upper
188 100
94 8.4 6.6 10.0
80 9.3 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.333 min Scan# 3102
Delta R.T. -0.006 min
Lab File: BP010667.D
Acq: 02 Jun 2022 12:50

Tgt Ion:240 Resp: 591483
Ion Ratio Lower Upper
240 100
120 9.7 8.6 12.8
236 25.1 19.8 29.6









#79
 Terphenyl-d14
 Concen: 56.588 ng
 RT: 19.809 min Scan# 21
 Delta R.T. -0.007 min
 Lab File: BP010667.D
 Acq: 02 Jun 2022 12:50

Instrument :
 BNA_P
 ClientSampleId :
 P043-SS001-2430-01

Tgt Ion:244 Resp: 1781968

Ion	Ratio	Lower	Upper
244	100		
212	7.0	5.8	8.8
122	8.9	7.6	11.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.745 min Scan# 3512
 Delta R.T. -0.006 min
 Lab File: BP010667.D
 Acq: 02 Jun 2022 12:50

Tgt Ion:264 Resp: 624007

Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.3	28.9
265	22.2	18.0	27.0

