

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060222\
 Data File : BP010679.D
 Acq On : 02 Jun 2022 19:39
 Operator : CG/JU
 Sample : N2984-19
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 P021-SS002-0006-01

Quant Time: Jun 03 00:53:52 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat May 28 02:18:04 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.863	152	146438	20.000	ng	0.00
21) Naphthalene-d8	10.663	136	566450	20.000	ng	0.00
39) Acenaphthene-d10	14.498	164	324684	20.000	ng	0.00
64) Phenanthrene-d10	17.251	188	644080	20.000	ng	0.00
76) Chrysene-d12	21.339	240	596556	20.000	ng	0.00
86) Perylene-d12	23.757	264	618099	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.452	112	808420	100.712	ng	0.00
7) Phenol-d6	7.046	99	1059422	92.967	ng	0.00
23) Nitrobenzene-d5	9.022	82	710353	59.289	ng	0.00
42) 2,4,6-Tribromophenol	15.992	330	390594	106.276	ng	0.00
45) 2-Fluorobiphenyl	13.122	172	1425500	62.311	ng	0.00
79) Terphenyl-d14	19.810	244	2029975	63.915	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060222\
Data File : BP010679.D
Acq On : 02 Jun 2022 19:39
Operator : CG/JU
Sample : N2984-19
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
P021-SS002-0006-01

Quant Time: Jun 03 00:53:52 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat May 28 02:18:04 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.863 min Scan# 813
Delta R.T. -0.006 min
Lab File: BP010679.D
Acq: 02 Jun 2022 19:39




Instrument :
BNA_P
ClientSampleId :
P021-SS002-0006-01


Tgt Ion:152 Resp: 146438
Ion Ratio Lower Upper
152 100
150 153.7 123.4 185.2
115 62.9 51.3 76.9



#5
2-Fluorophenol
Concen: 100.712 ng
RT: 5.452 min Scan# 402
Delta R.T. 0.006 min
Lab File: BP010679.D
Acq: 02 Jun 2022 19:39

Tgt Ion:112 Resp: 808420
Ion Ratio Lower Upper
112 100
64 67.8 56.9 85.3
63 36.5 31.2 46.8









#7
Phenol-d6
Concen: 92.967 ng
RT: 7.046 min Scan# 61
Delta R.T. 0.006 min
Lab File: BP010679.D
Acq: 02 Jun 2022 19:39




Instrument :
BNA_P
ClientSampleId :
P021-SS002-0006-01


Tgt Ion: 99 Resp: 1059422
Ion Ratio Lower Upper
99 100
42 21.8 20.3 30.5
71 39.5 33.9 50.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.663 min Scan# 1288
Delta R.T. -0.006 min
Lab File: BP010679.D
Acq: 02 Jun 2022 19:39

Tgt Ion: 136 Resp: 566450
Ion Ratio Lower Upper
136 100
137 10.6 9.0 13.4
54 10.1 8.7 13.1
68 6.3 4.8 7.2









#23
Nitrobenzene-d5
Concen: 59.289 ng
RT: 9.022 min Scan# 1010
Delta R.T. -0.006 min
Lab File: BP010679.D
Acq: 02 Jun 2022 19:39




Instrument :
BNA_P
ClientSampleId :
P021-SS002-0006-01


Tgt Ion: 82 Resp: 710353
Ion Ratio Lower Upper
82 100
128 39.0 31.3 46.9
54 57.1 49.8 74.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.498 min Scan# 1940
Delta R.T. -0.006 min
Lab File: BP010679.D
Acq: 02 Jun 2022 19:39

Tgt Ion: 164 Resp: 324684
Ion Ratio Lower Upper
164 100
162 96.3 81.9 122.9
160 42.0 34.6 51.8





#42

2,4,6-Tribromophenol

Concen: 106.276 ng

RT: 15.992 min Scan# 21

Delta R.T. -0.001 min

Lab File: BP010679.D

Acq: 02 Jun 2022 19:39

Instrument :

BNA_P

ClientSampleId :

P021-SS002-0006-01





Tgt Ion:330 Resp: 390594

Ion Ratio Lower Upper

330 100

332 97.7 78.1 117.1

141 34.4 31.4 47.2



#45

2-Fluorobiphenyl

Concen: 62.311 ng

RT: 13.122 min Scan# 1706

Delta R.T. -0.006 min

Lab File: BP010679.D

Acq: 02 Jun 2022 19:39




Tgt Ion:172 Resp: 1425500


Ion Ratio Lower Upper

172 100

171 35.0 27.9 41.9

170 23.2 18.2 27.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.251 min Scan# 2408
Delta R.T. -0.006 min
Lab File: BP010679.D
Acq: 02 Jun 2022 19:39




Instrument :
BNA_P
ClientSampleId :
P021-SS002-0006-01


Tgt Ion:188 Resp: 644080
Ion Ratio Lower Upper
188 100
94 8.8 6.6 10.0
80 10.3 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.339 min Scan# 3103
Delta R.T. 0.000 min
Lab File: BP010679.D
Acq: 02 Jun 2022 19:39

Tgt Ion:240 Resp: 596556
Ion Ratio Lower Upper
240 100
120 9.2 8.6 12.8
236 25.0 19.8 29.6





#79

Terphenyl-d14

Concen: 63.915 ng

RT: 19.810 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP010679.D

Acq: 02 Jun 2022 19:39

Instrument :

BNA_P

ClientSampleId :

P021-SS002-0006-01





Tgt Ion:244 Resp: 2029975

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8

122 9.6 7.6 11.4



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.757 min Scan# 3514

Delta R.T. 0.006 min

Lab File: BP010679.D

Acq: 02 Jun 2022 19:39

Tgt Ion:264 Resp: 618099

Ion Ratio Lower Upper

264 100

260 24.6 19.3 28.9

265 22.9 18.0 27.0

