

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060424\
 Data File : BP020495.D
 Acq On : 04 Jun 2024 13:12
 Operator : MA/JU
 Sample : PB161260BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB161260BL

Quant Time: Jun 04 13:45:17 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 30 03:41:03 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.769	152	289747	20.000	ng	0.00
21) Naphthalene-d8	10.540	136	1057623	20.000	ng	0.00
39) Acenaphthene-d10	14.393	164	564647	20.000	ng	0.00
64) Phenanthrene-d10	17.198	188	1058161	20.000	ng	0.00
76) Chrysene-d12	21.651	240	1133532	20.000	ng	-0.02
86) Perylene-d12	24.998	264	1400734	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.375	112	2227167	137.625	ng	0.00
7) Phenol-d6	6.934	99	2731257	119.677	ng	0.00
23) Nitrobenzene-d5	8.905	82	1726713	89.371	ng	-0.02
42) 2,4,6-Tribromophenol	15.910	330	730487	124.658	ng	0.00
45) 2-Fluorobiphenyl	13.010	172	3607809	95.250	ng	0.00
79) Terphenyl-d14	19.939	244	4996745	73.383	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060424\
Data File : BP020495.D
Acq On : 04 Jun 2024 13:12
Operator : MA/JU
Sample : PB161260BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB161260BL


Quant Time: Jun 04 13:45:17 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 30 03:41:03 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.769 min Scan# 813
Delta R.T. 0.000 min
Lab File: BP020495.D
Acq: 04 Jun 2024 13:12

Instrument :
BNA_P
ClientSampleId :
PB161260BL







Tgt Ion:152 Resp: 289747
Ion Ratio Lower Upper
152 100
150 154.5 124.2 186.2
115 58.4 49.5 74.3



#5
2-Fluorophenol
Concen: 137.625 ng
RT: 5.375 min Scan# 406
Delta R.T. 0.000 min
Lab File: BP020495.D
Acq: 04 Jun 2024 13:12

Tgt Ion:112 Resp: 2227167
Ion Ratio Lower Upper
112 100
64 59.8 50.1 75.1
63 30.7 25.7 38.5









#7
Phenol-d6
Concen: 119.677 ng
RT: 6.934 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP020495.D
Acq: 04 Jun 2024 13:12




Instrument :
BNA_P
ClientSampleId :
PB161260BL


Tgt Ion: 99 Resp: 2731257
Ion Ratio Lower Upper
99 100
42 17.5 15.0 22.4
71 33.7 27.3 40.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.540 min Scan# 1284
Delta R.T. 0.006 min
Lab File: BP020495.D
Acq: 04 Jun 2024 13:12

Tgt Ion:136 Resp: 1057623
Ion Ratio Lower Upper
136 100
137 10.5 9.0 13.4
54 8.5 7.4 11.0
68 6.3 5.2 7.8









#23
Nitrobenzene-d5
Concen: 89.371 ng
RT: 8.905 min Scan# 1006
Delta R.T. -0.018 min
Lab File: BP020495.D
Acq: 04 Jun 2024 13:12




Instrument :
BNA_P
ClientSampleId :
PB161260BL


Tgt Ion: 82 Resp: 1726713
Ion Ratio Lower Upper
82 100
128 42.4 34.2 51.4
54 51.2 42.7 64.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.393 min Scan# 1939
Delta R.T. 0.001 min
Lab File: BP020495.D
Acq: 04 Jun 2024 13:12

Tgt Ion:164 Resp: 564647
Ion Ratio Lower Upper
164 100
162 100.5 80.3 120.5
160 44.5 35.4 53.2





#42

2,4,6-Tribromophenol

Concen: 124.658 ng

RT: 15.910 min Scan# 2197

Delta R.T. 0.000 min

Lab File: BP020495.D

Acq: 04 Jun 2024 13:12

Instrument :

BNA_P

ClientSampleId :

PB161260BL





Tgt Ion:330 Resp: 730487

Ion Ratio Lower Upper

330 100

332 96.4 76.6 114.8

141 33.5 27.1 40.7



#45

2-Fluorobiphenyl

Concen: 95.250 ng

RT: 13.010 min Scan# 1704

Delta R.T. 0.006 min

Lab File: BP020495.D

Acq: 04 Jun 2024 13:12




Tgt Ion:172 Resp: 3607809


Ion Ratio Lower Upper

172 100

171 35.5 28.4 42.6

170 23.1 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.198 min Scan# 2416
Delta R.T. -0.006 min
Lab File: BP020495.D
Acq: 04 Jun 2024 13:12




Instrument :
BNA_P
ClientSampleId :
PB161260BL


Tgt Ion:188 Resp: 1058161
Ion Ratio Lower Upper
188 100
94 9.6 7.2 10.8
80 11.0 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.651 min Scan# 3173
Delta R.T. -0.017 min
Lab File: BP020495.D
Acq: 04 Jun 2024 13:12

Tgt Ion:240 Resp: 1133532
Ion Ratio Lower Upper
240 100
120 10.8 8.5 12.7
236 25.9 20.5 30.7





#79

Terphenyl-d14

Concen: 73.383 ng

RT: 19.939 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP020495.D

Acq: 04 Jun 2024 13:12

Instrument :

BNA_P

ClientSampleId :

PB161260BL





Tgt Ion:244 Resp: 4996745

Ion Ratio Lower Upper

244 100

212 6.8 5.8 8.8

122 9.6 8.2 12.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.998 min Scan# 3742

Delta R.T. -0.023 min

Lab File: BP020495.D

Acq: 04 Jun 2024 13:12

Tgt Ion:264 Resp: 1400734

Ion Ratio Lower Upper

264 100

260 23.3 18.9 28.3

265 21.7 17.4 26.0

