

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061021\
 Data File : BP005838.D
 Acq On : 10 Jun 2021 15:19
 Operator : CG/JU
 Sample : M2626-02
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 18-B12(222-226)

Quant Time: Jun 10 16:40:00 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 09 11:54:55 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.952	152	67277	20.000	ng	0.00
21) Naphthalene-d8	10.757	136	244616	20.000	ng	0.00
39) Acenaphthene-d10	14.575	164	155819	20.000	ng	0.00
64) Phenanthrene-d10	17.322	188	335235	20.000	ng	0.00
76) Chrysene-d12	21.392	240	415940	20.000	ng	0.00
86) Perylene-d12	23.816	264	486768	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.511	112	384340	91.669	ng	0.00
7) Phenol-d6	7.116	99	463580	85.306	ng	0.00
23) Nitrobenzene-d5	9.111	82	286358	57.393	ng	-0.01
42) 2,4,6-Tribromophenol	16.063	330	242376	90.643	ng	0.00
45) 2-Fluorobiphenyl	13.204	172	641901	54.095	ng	-0.01
79) Terphenyl-d14	19.869	244	1163072	52.359	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061021\
Data File : BP005838.D
Acq On : 10 Jun 2021 15:19
Operator : CG/JU
Sample : M2626-02
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
18-B12(222-226)

Quant Time: Jun 10 16:40:00 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 09 11:54:55 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.952 min Scan# 827
Delta R.T. -0.006 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19




Instrument :
BNA_P
ClientSampleId :
18-B12(222-226)


Tgt Ion:152 Resp: 67277
Ion Ratio Lower Upper
152 100
150 156.4 125.6 188.4
115 59.4 48.5 72.7



#5
2-Fluorophenol
Concen: 91.669 ng
RT: 5.511 min Scan# 412
Delta R.T. -0.006 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19

Tgt Ion:112 Resp: 384340
Ion Ratio Lower Upper
112 100
64 52.0 41.4 62.2
63 29.6 23.8 35.8









#7
Phenol-d6
Concen: 85.306 ng
RT: 7.116 min Scan# 685
Delta R.T. -0.006 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19




Instrument :
BNA_P
ClientSampleId :
18-B12(222-226)


Tgt Ion: 99 Resp: 463580
Ion Ratio Lower Upper
99 100
42 16.3 13.4 20.0
71 39.3 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.757 min Scan# 1304
Delta R.T. -0.006 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19

Tgt Ion: 136 Resp: 244616
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 5.4 4.6 6.8
68 4.1 3.6 5.4









#23
Nitrobenzene-d5
Concen: 57.393 ng
RT: 9.111 min Scan# 1024
Delta R.T. -0.011 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19




Instrument :
BNA_P
ClientSampleId :
18-B12(222-226)


Tgt Ion: 82 Resp: 286358
Ion Ratio Lower Upper
82 100
128 43.4 35.7 53.5
54 41.9 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.575 min Scan# 1953
Delta R.T. -0.006 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19

Tgt Ion: 164 Resp: 155819
Ion Ratio Lower Upper
164 100
162 99.7 80.2 120.2
160 44.4 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 90.643 ng
RT: 16.063 min Scan# 2206
Delta R.T. -0.006 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19




Instrument :
BNA_P
ClientSampleId :
18-B12(222-226)


Tgt Ion:330 Resp: 242376
Ion Ratio Lower Upper
330 100
332 96.4 77.8 116.8
141 32.5 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 54.095 ng
RT: 13.204 min Scan# 1720
Delta R.T. -0.012 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19

Tgt Ion:172 Resp: 641901
Ion Ratio Lower Upper
172 100
171 34.8 27.9 41.9
170 22.4 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.322 min Scan# 2420
Delta R.T. -0.006 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19




Instrument :
BNA_P
ClientSampleId :
18-B12(222-226)


Tgt Ion:188 Resp: 335235
Ion Ratio Lower Upper
188 100
94 6.8 5.6 8.4
80 7.5 6.3 9.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.392 min Scan# 3112
Delta R.T. 0.000 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19

Tgt Ion:240 Resp: 415940
Ion Ratio Lower Upper
240 100
120 7.4 6.5 9.7
236 24.8 20.6 31.0









#79
Terphenyl-d14
Concen: 52.359 ng
RT: 19.869 min Scan# 2853
Delta R.T. -0.000 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19

Instrument :
BNA_P
ClientSampleId :
18-B12(222-226)

Tgt Ion:244 Resp: 1163072
Ion Ratio Lower Upper
244 100
212 7.7 6.0 9.0
122 8.0 7.1 10.7



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.816 min Scan# 3524
Delta R.T. 0.000 min
Lab File: BP005838.D
Acq: 10 Jun 2021 15:19

Tgt Ion:264 Resp: 486768
Ion Ratio Lower Upper
264 100
260 24.4 18.6 28.0
265 21.8 17.6 26.4

