

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061021\
 Data File : BP005844.D
 Acq On : 10 Jun 2021 18:44
 Operator : CG/JU
 Sample : M2637-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 18-B12(234-238)

Quant Time: Jun 11 07:00:52 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 09 11:54:55 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.952	152	69773	20.000	ng	0.00
21) Naphthalene-d8	10.752	136	258773	20.000	ng	-0.01
39) Acenaphthene-d10	14.575	164	163562	20.000	ng	0.00
64) Phenanthrene-d10	17.322	188	346741	20.000	ng	0.00
76) Chrysene-d12	21.392	240	434710	20.000	ng	0.00
86) Perylene-d12	23.810	264	484595	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.511	112	615745	141.608	ng	0.00
7) Phenol-d6	7.116	99	742010	131.657	ng	0.00
23) Nitrobenzene-d5	9.116	82	461998	87.530	ng	0.00
42) 2,4,6-Tribromophenol	16.063	330	387051	137.895	ng	0.00
45) 2-Fluorobiphenyl	13.204	172	959514	77.033	ng	-0.01
79) Terphenyl-d14	19.869	244	1615056	69.568	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.034	163	174138	12.949	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061021\
Data File : BP005844.D
Acq On : 10 Jun 2021 18:44
Operator : CG/JU
Sample : M2637-02
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
18-B12(234-238)

Quant Time: Jun 11 07:00:52 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 09 11:54:55 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.952 min Scan# 827
Delta R.T. -0.006 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44




Instrument :
BNA_P
ClientSampleId :
18-B12(234-238)


Tgt Ion:152 Resp: 69773
Ion Ratio Lower Upper
152 100
150 152.4 125.6 188.4
115 58.0 48.5 72.7



#5
2-Fluorophenol
Concen: 141.608 ng
RT: 5.511 min Scan# 412
Delta R.T. -0.006 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44

Tgt Ion:112 Resp: 615745
Ion Ratio Lower Upper
112 100
64 52.6 41.4 62.2
63 29.7 23.8 35.8









#7
Phenol-d6
Concen: 131.657 ng
RT: 7.116 min Scan# 685
Delta R.T. -0.006 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44




Instrument :
BNA_P
ClientSampleId :
18-B12(234-238)


Tgt Ion: 99 Resp: 742010
Ion Ratio Lower Upper
99 100
42 16.5 13.4 20.0
71 40.3 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.752 min Scan# 1303
Delta R.T. -0.011 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44

Tgt Ion:136 Resp: 258773
Ion Ratio Lower Upper
136 100
137 11.3 8.6 12.8
54 5.4 4.6 6.8
68 4.3 3.6 5.4









#23
Nitrobenzene-d5
Concen: 87.530 ng
RT: 9.116 min Scan# 1025
Delta R.T. -0.006 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44




Instrument :
BNA_P
ClientSampleId :
18-B12(234-238)


Tgt Ion: 82 Resp: 461998
Ion Ratio Lower Upper
82 100
128 44.6 35.7 53.5
54 41.5 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.575 min Scan# 1953
Delta R.T. -0.006 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44

Tgt Ion: 164 Resp: 163562
Ion Ratio Lower Upper
164 100
162 102.2 80.2 120.2
160 45.9 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 137.895 ng
RT: 16.063 min Scan# 2206
Delta R.T. -0.006 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44




Instrument :
BNA_P
ClientSampleId :
18-B12(234-238)


Tgt Ion: 330 Resp: 387051
Ion Ratio Lower Upper
330 100
332 97.1 77.8 116.8
141 32.0 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 77.033 ng
RT: 13.204 min Scan# 1720
Delta R.T. -0.012 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44

Tgt Ion: 172 Resp: 959514
Ion Ratio Lower Upper
172 100
171 35.3 27.9 41.9
170 23.0 18.6 27.8









#50
Dimethylphthalate
Concen: 12.949 ng
RT: 14.034 min Scan# 1861
Delta R.T. -0.012 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44




Instrument :
BNA_P
ClientSampleId :
18-B12(234-238)


Tgt Ion:163 Resp: 174138
Ion Ratio Lower Upper
163 100
194 4.3 3.4 5.2
164 10.0 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.322 min Scan# 2420
Delta R.T. -0.006 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44

Tgt Ion:188 Resp: 346741
Ion Ratio Lower Upper
188 100
94 6.8 5.6 8.4
80 7.3 6.3 9.5









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.392 min Scan# 3112
Delta R.T. 0.000 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44




Instrument :
BNA_P
ClientSampleId :
18-B12(234-238)


Tgt Ion:240 Resp: 434710
Ion Ratio Lower Upper
240 100
120 8.2 6.5 9.7
236 25.1 20.6 31.0



#79
Terphenyl-d14
Concen: 69.568 ng
RT: 19.869 min Scan# 2853
Delta R.T. -0.000 min
Lab File: BP005844.D
Acq: 10 Jun 2021 18:44


Tgt Ion:244 Resp: 1615056
Ion Ratio Lower Upper
244 100
212 7.5 6.0 9.0
122 8.0 7.1 10.7





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.810 min Scan# 3523
 Delta R.T. -0.006 min
 Lab File: BP005844.D
 Acq: 10 Jun 2021 18:44

Instrument :
 BNA_P
 ClientSampleId :
 18-B12(234-238)



Tgt Ion:264 Resp: 484595
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.6 28.0
 265 22.1 17.6 26.4

