

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061521\
 Data File : BP005923.D
 Acq On : 15 Jun 2021 10:46
 Operator : CG/JU
 Sample : PB137074TB
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB137074TB

Quant Time: Jun 15 11:33:08 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 14 13:15:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.934	152	67220	20.000	ng	0.00
21) Naphthalene-d8	10.740	136	242202	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	143480	20.000	ng	0.00
64) Phenanthrene-d10	17.310	188	304736	20.000	ng	0.00
76) Chrysene-d12	21.380	240	383018	20.000	ng	0.00
86) Perylene-d12	23.792	264	451027	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.505	112	569671	135.988	ng	0.00
7) Phenol-d6	7.105	99	658617	121.298	ng	-0.01
23) Nitrobenzene-d5	9.099	82	406250	82.234	ng	0.00
42) 2,4,6-Tribromophenol	16.051	330	325614	132.244	ng	0.00
45) 2-Fluorobiphenyl	13.192	172	932502	85.343	ng	0.00
79) Terphenyl-d14	19.857	244	1684701	82.361	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061521\
Data File : BP005923.D
Acq On : 15 Jun 2021 10:46
Operator : CG/JU
Sample : PB137074TB
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB137074TB

Quant Time: Jun 15 11:33:08 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 14 13:15:03 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.934 min Scan# 824
Delta R.T. -0.006 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46




Instrument :
BNA_P
ClientSampleId :
PB137074TB


Tgt Ion:152 Resp: 67220
Ion Ratio Lower Upper
152 100
150 154.3 125.6 188.4
115 63.8 48.5 72.7



#5
2-Fluorophenol
Concen: 135.988 ng
RT: 5.505 min Scan# 411
Delta R.T. -0.006 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46

Tgt Ion:112 Resp: 569671
Ion Ratio Lower Upper
112 100
64 50.8 41.4 62.2
63 27.9 23.8 35.8









#7
Phenol-d6
Concen: 121.298 ng
RT: 7.105 min Scan# 683
Delta R.T. -0.012 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46




Instrument :
BNA_P
ClientSampleId :
PB137074TB


Tgt Ion: 99 Resp: 658617
Ion Ratio Lower Upper
99 100
42 15.7 13.4 20.0
71 37.6 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.740 min Scan# 1301
Delta R.T. -0.006 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46

Tgt Ion: 136 Resp: 242202
Ion Ratio Lower Upper
136 100
137 10.6 8.6 12.8
54 5.5 4.6 6.8
68 4.7 3.6 5.4









#23
Nitrobenzene-d5
Concen: 82.234 ng
RT: 9.099 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46




Instrument :
BNA_P
ClientSampleId :
PB137074TB

Tgt Ion: 82 Resp: 406250
Ion Ratio Lower Upper
82 100
128 44.4 35.7 53.5
54 41.3 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.563 min Scan# 1951
Delta R.T. 0.000 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46

Tgt Ion: 164 Resp: 143480
Ion Ratio Lower Upper
164 100
162 99.9 80.2 120.2
160 44.2 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 132.244 ng
RT: 16.051 min Scan# 2204
Delta R.T. 0.000 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46




Instrument :
BNA_P
ClientSampleId :
PB137074TB


Tgt Ion:330 Resp: 325614
Ion Ratio Lower Upper
330 100
332 98.2 77.8 116.8
141 30.4 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 85.343 ng
RT: 13.192 min Scan# 1718
Delta R.T. 0.000 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46

Tgt Ion:172 Resp: 932502
Ion Ratio Lower Upper
172 100
171 35.0 27.9 41.9
170 23.1 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.310 min Scan# 2418
Delta R.T. 0.000 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46




Instrument :
BNA_P
ClientSampleId :
PB137074TB


Tgt Ion:188 Resp: 304736
Ion Ratio Lower Upper
188 100
94 7.0 5.6 8.4
80 8.2 6.3 9.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.380 min Scan# 3110
Delta R.T. 0.000 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46

Tgt Ion:240 Resp: 383018
Ion Ratio Lower Upper
240 100
120 8.2 6.5 9.7
236 25.3 20.6 31.0









#79
Terphenyl-d14
Concen: 82.361 ng
RT: 19.857 min Scan# 2851
Delta R.T. 0.000 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46

Instrument :
BNA_P
ClientSampleId :
PB137074TB

Tgt Ion:244 Resp: 1684701
Ion Ratio Lower Upper
244 100
212 7.4 6.0 9.0
122 8.5 7.1 10.7



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.792 min Scan# 3520
Delta R.T. 0.000 min
Lab File: BP005923.D
Acq: 15 Jun 2021 10:46

Tgt Ion:264 Resp: 451027
Ion Ratio Lower Upper
264 100
260 23.5 18.6 28.0
265 22.3 17.6 26.4

