

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061521\
 Data File : BP005930.D
 Acq On : 15 Jun 2021 14:54
 Operator : CG/JU
 Sample : M2639-02
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 B67

Manual Integrations
 APPROVED

mohammad
 6/16/2021 3:54:20 PM

Quant Time: Jun 15 15:40:54 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 14 13:15:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.934	152	75221	20.000	ng	0.00
21) Naphthalene-d8	10.740	136	266739	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	164690	20.000	ng	0.00
64) Phenanthrene-d10	17.304	188	356224	20.000	ng	0.00
76) Chrysene-d12	21.380	240	473266	20.000	ng	0.00
86) Perylene-d12	23.792	264	556021	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.505	112	572236	122.070	ng	0.00
7) Phenol-d6	7.110	99	579985	95.455	ng	0.00
23) Nitrobenzene-d5	9.099	82	458490	84.271	ng	0.00
42) 2,4,6-Tribromophenol	16.051	330	466635	165.110	ng	0.00
45) 2-Fluorobiphenyl	13.193	172	1099976	87.705	ng	0.00
79) Terphenyl-d14	19.857	244	2214837	87.631	ng	0.00
Target Compounds						
32) Benzoic acid	10.057	122	2066m	6.916	ng	Qvalue
50) Dimethylphthalate	14.022	163	65947	4.870	ng	97
60) Diethylphthalate	15.381	149	34902	2.569	ng	100
84) Bis(2-ethylhexyl)phtha...	21.280	149	61126	3.066	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061521\
Data File : BP005930.D
Acq On : 15 Jun 2021 14:54
Operator : CG/JU
Sample : M2639-02
Misc :
ALS Vial : 10 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
B67

Manual Integrations
APPROVED

mohammad
6/16/2021 3:54:20 PM

Quant Time: Jun 15 15:40:54 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 14 13:15:03 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.934 min Scan# 824
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54

Tgt Ion:	152	Resp:	75221
Ion	Ratio	Lower	Upper
152	100		
150	149.8	125.6	188.4
115	58.7	48.5	72.7

Instrument :
BNA_P
ClientSampleId :
B67




Manual Integrations
APPROVED


mohammad
6/16/2021 3:54:20 PM



#5
2-Fluorophenol
Concen: 122.070 ng
RT: 5.505 min Scan# 411
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54

Tgt Ion:	112	Resp:	572236
Ion	Ratio	Lower	Upper
112	100		
64	49.6	41.4	62.2
63	26.9	23.8	35.8









#7
Phenol-d6
Concen: 95.455 ng
RT: 7.110 min Scan# 684
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54

Instrument :
BNA_P
ClientSampled :
B67

Tgt Ion: 99 Resp: 579985
Ion Ratio Lower Upper
99 100
42 15.1 13.4 20.0
71 36.5 30.6 46.0




Manual Integrations
APPROVED


mohammad
6/16/2021 3:54:20 PM



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.740 min Scan# 1301
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54

Tgt Ion: 136 Resp: 266739
Ion Ratio Lower Upper
136 100
137 11.2 8.6 12.8
54 5.1 4.6 6.8
68 4.5 3.6 5.4









#23
Nitrobenzene-d5
Concen: 84.271 ng
RT: 9.099 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54

Instrument :
BNA_P
ClientSampled :
B67

Tgt Ion: 82 Resp: 458490
Ion Ratio Lower Upper
82 100
128 46.0 35.7 53.5
54 40.6 35.0 52.4




Manual Integrations
APPROVED


mohammad
6/16/2021 3:54:20 PM



#32
Benzoic acid
Concen: 6.916 ng m
RT: 10.057 min Scan# 1185
Delta R.T. -0.023 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54


Tgt Ion: 122 Resp: 2066
Ion Ratio Lower Upper
122 100
105 94.0 103.2 143.2#
77 72.5 76.2 116.2#





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.563 min Scan# 1951
Delta R.T. 0.000 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54




Instrument :
BNA_P
ClientSampled :
B67




Tgt Ion:164 Resp: 164690
Ion Ratio Lower Upper
164 100
162 101.2 80.2 120.2
160 43.5 34.5 51.7

Manual Integrations
APPROVED



mohammad
6/16/2021 3:54:20 PM




#42
2,4,6-Tribromophenol
Concen: 165.110 ng
RT: 16.051 min Scan# 2204
Delta R.T. 0.000 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54




Tgt Ion:330 Resp: 466635
Ion Ratio Lower Upper
330 100
332 97.2 77.8 116.8
141 25.3 25.4 38.2#





#45
2-Fluorobiphenyl
Concen: 87.705 ng
RT: 13.193 min Scan# 1718
Delta R.T. 0.000 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54




Instrument :
BNA_P
ClientSampled :
B67




Tgt Ion:172 Resp: 1099976
Ion Ratio Lower Upper
172 100
171 35.4 27.9 41.9
170 23.4 18.6 27.8

Manual Integrations
APPROVED



mohammad
6/16/2021 3:54:20 PM




#50
Dimethylphthalate
Concen: 4.870 ng
RT: 14.022 min Scan# 1859
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54




Tgt Ion:163 Resp: 65947
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.2
164 11.5 8.2 12.2





#60
Diethylphthalate
Concen: 2.569 ng
RT: 15.381 min Scan# 2090
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54




Instrument :
BNA_P
ClientSampled :
B67



Tgt Ion:149 Resp: 34902
Ion Ratio Lower Upper
149 100
177 21.9 17.5 26.3
150 12.5 9.9 14.9




Manual Integrations
APPROVED


mohammad
6/16/2021 3:54:20 PM



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.304 min Scan# 2417
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54

Tgt Ion:188 Resp: 356224
Ion Ratio Lower Upper
188 100
94 7.0 5.6 8.4
80 7.7 6.3 9.5









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.380 min Scan# 3110
Delta R.T. 0.000 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54

Tgt Ion:240 Resp: 473266
Ion Ratio Lower Upper
240 100
120 7.5 6.5 9.7
236 25.2 20.6 31.0

Instrument :
BNA_P
ClientSampled :
B67




Manual Integrations
APPROVED


mohammad
6/16/2021 3:54:20 PM




#79
Terphenyl-d14
Concen: 87.631 ng
RT: 19.857 min Scan# 2851
Delta R.T. 0.000 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54

Tgt Ion:244 Resp: 2214837
Ion Ratio Lower Upper
244 100
212 6.9 6.0 9.0
122 7.5 7.1 10.7









#84
Bis(2-ethylhexyl)phthalate
Concen: 3.066 ng
RT: 21.280 min Scan# 3093
Delta R.T. -0.006 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54





Tgt Ion:149 Resp: 61126
Ion Ratio Lower Upper
149 100
167 29.9 21.9 32.9
279 5.4 4.3 6.5



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.792 min Scan# 3520
Delta R.T. 0.000 min
Lab File: BP005930.D
Acq: 15 Jun 2021 14:54



Tgt Ion:264 Resp: 556021
Ion Ratio Lower Upper
264 100
260 22.8 18.6 28.0
265 22.0 17.6 26.4



Instrument :
BNA_P
ClientSampled :
B67

Manual Integrations
APPROVED

mohammad
6/16/2021 3:54:20 PM