

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061621\
 Data File : BP005957.D
 Acq On : 16 Jun 2021 19:57
 Operator : CG/JU
 Sample : M2672-22
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 17-B6(12-16)

Quant Time: Jun 17 01:58:50 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 16 11:35:30 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.928	152	68532	20.000	ng	0.00
21) Naphthalene-d8	10.734	136	247528	20.000	ng	0.00
39) Acenaphthene-d10	14.557	164	150915	20.000	ng	0.00
64) Phenanthrene-d10	17.304	188	324246	20.000	ng	0.00
76) Chrysene-d12	21.374	240	405900	20.000	ng	0.00
86) Perylene-d12	23.786	264	459269	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	556221	130.235	ng	0.00
7) Phenol-d6	7.104	99	582521	105.230	ng	0.00
23) Nitrobenzene-d5	9.092	82	441528	87.452	ng	0.00
42) 2,4,6-Tribromophenol	16.045	330	370230	142.956	ng	0.00
45) 2-Fluorobiphenyl	13.186	172	1008963	87.791	ng	0.00
79) Terphenyl-d14	19.851	244	1939067	89.453	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061621\
Data File : BP005957.D
Acq On : 16 Jun 2021 19:57
Operator : CG/JU
Sample : M2672-22
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
17-B6(12-16)

Quant Time: Jun 17 01:58:50 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 16 11:35:30 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.928 min Scan# 823
Delta R.T. -0.000 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57




Instrument :
BNA_P
ClientSampleId :
17-B6(12-16)


Tgt Ion:152 Resp: 68532
Ion Ratio Lower Upper
152 100
150 154.0 125.6 188.4
115 57.8 48.5 72.7



#5
2-Fluorophenol
Concen: 130.235 ng
RT: 5.499 min Scan# 410
Delta R.T. -0.000 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57

Tgt Ion:112 Resp: 556221
Ion Ratio Lower Upper
112 100
64 50.3 41.4 62.2
63 27.2 23.8 35.8









#7
Phenol-d6
Concen: 105.230 ng
RT: 7.104 min Scan# 683
Delta R.T. -0.000 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57




Instrument :
BNA_P
ClientSampleId :
17-B6(12-16)


Tgt Ion: 99 Resp: 582521
Ion Ratio Lower Upper
99 100
42 14.8 13.4 20.0
71 36.8 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.734 min Scan# 1300
Delta R.T. -0.000 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57

Tgt Ion: 136 Resp: 247528
Ion Ratio Lower Upper
136 100
137 11.0 8.6 12.8
54 5.5 4.6 6.8
68 4.6 3.6 5.4









#23
Nitrobenzene-d5
Concen: 87.452 ng
RT: 9.092 min Scan# 1021
Delta R.T. -0.000 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57




Instrument :
BNA_P
ClientSampleId :
17-B6(12-16)


Tgt Ion: 82 Resp: 441528
Ion Ratio Lower Upper
82 100
128 44.0 35.7 53.5
54 40.6 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.557 min Scan# 1950
Delta R.T. -0.000 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57

Tgt Ion: 164 Resp: 150915
Ion Ratio Lower Upper
164 100
162 100.9 80.2 120.2
160 44.2 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 142.956 ng
RT: 16.045 min Scan# 2203
Delta R.T. -0.006 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57




Instrument :
BNA_P
ClientSampleId :
17-B6(12-16)


Tgt Ion:330 Resp: 370230
Ion Ratio Lower Upper
330 100
332 98.1 77.8 116.8
141 29.8 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 87.791 ng
RT: 13.186 min Scan# 1717
Delta R.T. -0.000 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57

Tgt Ion:172 Resp: 1008963
Ion Ratio Lower Upper
172 100
171 35.5 27.9 41.9
170 23.3 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.304 min Scan# 2417
Delta R.T. -0.000 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57




Instrument :
BNA_P
ClientSampleId :
17-B6(12-16)


Tgt Ion:188 Resp: 324246
Ion Ratio Lower Upper
188 100
94 6.9 5.6 8.4
80 8.0 6.3 9.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.374 min Scan# 3109
Delta R.T. -0.006 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57

Tgt Ion:240 Resp: 405900
Ion Ratio Lower Upper
240 100
120 9.0 6.5 9.7
236 25.5 20.6 31.0









#79
Terphenyl-d14
Concen: 89.453 ng
RT: 19.851 min Scan# 2850
Delta R.T. -0.006 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57

Instrument :
BNA_P
ClientSampleId :
17-B6(12-16)

Tgt Ion:244 Resp: 1939067
Ion Ratio Lower Upper
244 100
212 7.4 6.0 9.0
122 8.6 7.1 10.7



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.786 min Scan# 3519
Delta R.T. -0.006 min
Lab File: BP005957.D
Acq: 16 Jun 2021 19:57

Tgt Ion:264 Resp: 459269
Ion Ratio Lower Upper
264 100
260 23.4 18.6 28.0
265 21.7 17.6 26.4

