

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061725\
 Data File : BP024976.D
 Acq On : 17 Jun 2025 15:24
 Operator : RC/JU
 Sample : Q2336-03
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 WBR-2

Quant Time: Jun 17 15:53:44 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 06 16:20:27 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.608	152	254259	20.000	ng	0.00
21) Naphthalene-d8	10.378	136	968763	20.000	ng	0.00
39) Acenaphthene-d10	14.254	164	622156	20.000	ng	0.00
64) Phenanthrene-d10	17.060	188	1269936	20.000	ng	0.00
76) Chrysene-d12	21.501	240	1426279	20.000	ng	0.02
86) Perylene-d12	24.765	264	1672058	20.000	ng	0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.243	112	1303012	85.542	ng	0.00
7) Phenol-d6	6.819	99	1682461	83.480	ng	0.00
23) Nitrobenzene-d5	8.760	82	1034592	51.895	ng	0.00
42) 2,4,6-Tribromophenol	15.784	330	748423	87.009	ng	0.00
45) 2-Fluorobiphenyl	12.854	172	2046990	44.322	ng	0.00
79) Terphenyl-d14	19.783	244	3683292	46.284	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061725\
Data File : BP024976.D
Acq On : 17 Jun 2025 15:24
Operator : RC/JU
Sample : Q2336-03
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
WBR-2

Quant Time: Jun 17 15:53:44 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 06 16:20:27 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.608 min Scan# 795
Delta R.T. -0.005 min
Lab File: BP024976.D
Acq: 17 Jun 2025 15:24




Instrument :
BNA_P
ClientSampleId :
WBR-2


Tgt Ion:152 Resp: 254259
Ion Ratio Lower Upper
152 100
150 156.8 122.1 183.1
115 60.1 46.4 69.6



#5
2-Fluorophenol
Concen: 85.542 ng
RT: 5.243 min Scan# 392
Delta R.T. -0.000 min
Lab File: BP024976.D
Acq: 17 Jun 2025 15:24

Tgt Ion:112 Resp: 1303012
Ion Ratio Lower Upper
112 100
64 55.0 44.7 67.1
63 28.3 23.5 35.3









#7
Phenol-d6
Concen: 83.480 ng
RT: 6.819 min Scan# 60
Delta R.T. 0.006 min
Lab File: BP024976.D
Acq: 17 Jun 2025 15:24




Instrument :
BNA_P
ClientSampleId :
WBR-2


Tgt Ion: 99 Resp: 1682461
Ion Ratio Lower Upper
99 100
42 16.1 13.4 20.2
71 33.6 27.6 41.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.378 min Scan# 1265
Delta R.T. -0.000 min
Lab File: BP024976.D
Acq: 17 Jun 2025 15:24

Tgt Ion: 136 Resp: 968763
Ion Ratio Lower Upper
136 100
137 11.2 8.9 13.3
54 7.6 6.1 9.1
68 5.9 4.6 7.0









#23
Nitrobenzene-d5
Concen: 51.895 ng
RT: 8.760 min Scan# 990
Delta R.T. -0.000 min
Lab File: BP024976.D
Acq: 17 Jun 2025 15:24




Instrument :
BNA_P
ClientSampleId :
WBR-2


Tgt Ion: 82 Resp: 1034592
Ion Ratio Lower Upper
82 100
128 45.3 35.3 52.9
54 45.6 37.4 56.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.254 min Scan# 1924
Delta R.T. 0.006 min
Lab File: BP024976.D
Acq: 17 Jun 2025 15:24

Tgt Ion:164 Resp: 622156
Ion Ratio Lower Upper
164 100
162 103.8 81.6 122.4
160 45.9 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 87.009 ng
RT: 15.784 min Scan# 2184
Delta R.T. -0.000 min
Lab File: BP024976.D
Acq: 17 Jun 2025 15:24




Instrument :
BNA_P
ClientSampleId :
WBR-2


Tgt Ion:330 Resp: 748423
Ion Ratio Lower Upper
330 100
332 95.5 77.7 116.5
141 32.6 26.4 39.6



#45
2-Fluorobiphenyl
Concen: 44.322 ng
RT: 12.854 min Scan# 1686
Delta R.T. -0.006 min
Lab File: BP024976.D
Acq: 17 Jun 2025 15:24

Tgt Ion:172 Resp: 2046990
Ion Ratio Lower Upper
172 100
171 35.5 28.3 42.5
170 23.4 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.060 min Scan# 2401

Delta R.T. -0.000 min

Lab File: BP024976.D

Acq: 17 Jun 2025 15:24

Instrument :

BNA_P

ClientSampleId :

WBR-2





Tgt Ion:188 Resp: 1269936

Ion Ratio Lower Upper

188 100

94 9.8 7.3 10.9

80 11.2 8.5 12.7



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.501 min Scan# 3156

Delta R.T. 0.018 min

Lab File: BP024976.D

Acq: 17 Jun 2025 15:24




Tgt Ion:240 Resp: 1426279


Ion Ratio Lower Upper

240 100

120 10.3 8.9 13.3

236 25.8 20.9 31.3





#79

Terphenyl-d14

Concen: 46.284 ng

RT: 19.783 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP024976.D

Acq: 17 Jun 2025 15:24

Instrument :

BNA_P

ClientSampleId :

WBR-2





Tgt Ion:244 Resp: 3683292

Ion Ratio Lower Upper

244 100

212 7.2 5.6 8.4

122 10.6 7.7 11.5



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.765 min Scan# 3711

Delta R.T. 0.047 min

Lab File: BP024976.D

Acq: 17 Jun 2025 15:24

Tgt Ion:264 Resp: 1672058

Ion Ratio Lower Upper

264 100

260 23.9 19.0 28.4

265 21.8 17.4 26.0

