

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP062025\
 Data File : BP025027.D
 Acq On : 20 Jun 2025 21:09
 Operator : RC/JU
 Sample : Q2362-04
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP-11

Quant Time: Jun 20 22:38:39 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 06 16:20:27 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.602	152	334579	20.000	ng	-0.01
21) Naphthalene-d8	10.378	136	1208122	20.000	ng	0.00
39) Acenaphthene-d10	14.248	164	675995	20.000	ng	0.00
64) Phenanthrene-d10	17.066	188	1117548	20.000	ng	0.00
76) Chrysene-d12	21.501	240	1111614	20.000	ng	0.02
86) Perylene-d12	24.783	264	1536444	20.000	ng	0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.237	112	2413850	120.426	ng	0.00
7) Phenol-d6	6.813	99	2616885	98.674	ng	0.00
23) Nitrobenzene-d5	8.760	82	1923424	77.364	ng	0.00
42) 2,4,6-Tribromophenol	15.789	330	1149741	123.020	ng	0.00
45) 2-Fluorobiphenyl	12.854	172	4138445	82.471	ng	0.00
79) Terphenyl-d14	19.789	244	4366957	70.408	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP062025\
Data File : BP025027.D
Acq On : 20 Jun 2025 21:09
Operator : RC/JU
Sample : Q2362-04
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP-11

Quant Time: Jun 20 22:38:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 06 16:20:27 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.602 min Scan# 795
Delta R.T. -0.011 min
Lab File: BP025027.D
Acq: 20 Jun 2025 21:09




Instrument :
BNA_P
ClientSampleId :
TP-11

Tgt Ion:152 Resp: 334579
Ion Ratio Lower Upper
152 100
150 155.1 122.1 183.1
115 61.4 46.4 69.6



#5
2-Fluorophenol
Concen: 120.426 ng
RT: 5.237 min Scan# 391
Delta R.T. -0.006 min
Lab File: BP025027.D
Acq: 20 Jun 2025 21:09

Tgt Ion:112 Resp: 2413850
Ion Ratio Lower Upper
112 100
64 54.1 44.7 67.1
63 27.6 23.5 35.3









#7
Phenol-d6
Concen: 98.674 ng
RT: 6.813 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP025027.D
Acq: 20 Jun 2025 21:09




Instrument :
BNA_P
ClientSampleId :
TP-11

Tgt Ion: 99 Resp: 2616885
Ion Ratio Lower Upper
99 100
42 15.9 13.4 20.2
71 34.3 27.6 41.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.378 min Scan# 1265
Delta R.T. -0.000 min
Lab File: BP025027.D
Acq: 20 Jun 2025 21:09

Tgt Ion: 136 Resp: 1208122
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 6.9 6.1 9.1
68 5.5 4.6 7.0









#23
Nitrobenzene-d5
Concen: 77.364 ng
RT: 8.760 min Scan# 990
Delta R.T. -0.000 min
Lab File: BP025027.D
Acq: 20 Jun 2025 21:09




Instrument :
BNA_P
ClientSampleId :
TP-11


Tgt Ion: 82 Resp: 1923424
Ion Ratio Lower Upper
82 100
128 47.1 35.3 52.9
54 44.7 37.4 56.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.248 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BP025027.D
Acq: 20 Jun 2025 21:09

Tgt Ion:164 Resp: 675995
Ion Ratio Lower Upper
164 100
162 101.6 81.6 122.4
160 44.4 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 123.020 ng
RT: 15.789 min Scan# 2184
Delta R.T. 0.006 min
Lab File: BP025027.D
Acq: 20 Jun 2025 21:09




Instrument :
BNA_P
ClientSampleId :
TP-11


Tgt Ion:330 Resp: 1149741
Ion Ratio Lower Upper
330 100
332 99.7 77.7 116.5
141 29.5 26.4 39.6



#45
2-Fluorobiphenyl
Concen: 82.471 ng
RT: 12.854 min Scan# 1686
Delta R.T. -0.006 min
Lab File: BP025027.D
Acq: 20 Jun 2025 21:09

Tgt Ion:172 Resp: 4138445
Ion Ratio Lower Upper
172 100
171 35.5 28.3 42.5
170 23.5 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.066 min Scan# 2401

Delta R.T. 0.006 min

Lab File: BP025027.D

Acq: 20 Jun 2025 21:09

Instrument :

BNA_P

ClientSampleId :

TP-11





Tgt Ion:188 Resp: 1117548

Ion Ratio Lower Upper

188 100

94 8.6 7.3 10.9

80 9.6 8.5 12.7



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.501 min Scan# 3156

Delta R.T. 0.018 min

Lab File: BP025027.D

Acq: 20 Jun 2025 21:09




Tgt Ion:240 Resp: 1111614


Ion Ratio Lower Upper

240 100

120 10.6 8.9 13.3

236 25.4 20.9 31.3





#79

Terphenyl-d14

Concen: 70.408 ng

RT: 19.789 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP025027.D

Acq: 20 Jun 2025 21:09

Instrument :

BNA_P

ClientSampleId :

TP-11





Tgt Ion:244 Resp: 4366957

Ion Ratio Lower Upper

244 100

212 6.8 5.6 8.4

122 9.1 7.7 11.5



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.783 min Scan# 3714

Delta R.T. 0.065 min

Lab File: BP025027.D

Acq: 20 Jun 2025 21:09

Tgt Ion:264 Resp: 1536444

Ion Ratio Lower Upper

264 100

260 23.6 19.0 28.4

265 22.3 17.4 26.0

