

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP062221\
 Data File : BP006009.D
 Acq On : 22 Jun 2021 17:25
 Operator : CG/JU
 Sample : PB137259BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB137259BL

Quant Time: Jun 22 18:12:28 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 22 17:52:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.922	152	63077	20.000	ng	0.00
21) Naphthalene-d8	10.722	136	233568	20.000	ng	0.00
39) Acenaphthene-d10	14.551	164	140520	20.000	ng	0.00
64) Phenanthrene-d10	17.298	188	301686	20.000	ng	0.00
76) Chrysene-d12	21.369	240	373878	20.000	ng	0.00
86) Perylene-d12	23.774	264	428662	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	548076	139.426	ng	0.00
7) Phenol-d6	7.093	99	609265	119.579	ng	0.00
23) Nitrobenzene-d5	9.087	82	379633	79.687	ng	0.00
42) 2,4,6-Tribromophenol	16.039	330	311624	129.228	ng	0.00
45) 2-Fluorobiphenyl	13.175	172	895315	83.665	ng	0.00
79) Terphenyl-d14	19.845	244	1665123	83.394	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP062221\
Data File : BP006009.D
Acq On : 22 Jun 2021 17:25
Operator : CG/JU
Sample : PB137259BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB137259BL

Quant Time: Jun 22 18:12:28 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 22 17:52:38 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.922 min Scan# 822
Delta R.T. 0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25




Instrument :
BNA_P
ClientSampleId :
PB137259BL


Tgt Ion:152 Resp: 63077
Ion Ratio Lower Upper
152 100
150 156.8 125.6 188.4
115 59.0 48.5 72.7



#5
2-Fluorophenol
Concen: 139.426 ng
RT: 5.493 min Scan# 409
Delta R.T. 0.006 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25

Tgt Ion:112 Resp: 548076
Ion Ratio Lower Upper
112 100
64 50.6 41.4 62.2
63 27.2 23.8 35.8









#7
Phenol-d6
Concen: 119.579 ng
RT: 7.093 min Scan# 681
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25

Instrument :
BNA_P
ClientSampleId :
PB137259BL

Tgt Ion: 99 Resp: 609265




Ion	Ratio	Lower	Upper
99	100		
42	15.5	13.4	20.0
71	37.1	30.6	46.0




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.722 min Scan# 1298
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25

Tgt Ion: 136 Resp: 233568

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.6	12.8
54	5.5	4.6	6.8
68	4.7	3.6	5.4









#23
Nitrobenzene-d5
Concen: 79.687 ng
RT: 9.087 min Scan# 1020
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25




Instrument :
BNA_P
ClientSampleId :
PB137259BL


Tgt Ion: 82 Resp: 379633
Ion Ratio Lower Upper
82 100
128 44.4 35.7 53.5
54 41.3 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.551 min Scan# 1949
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25

Tgt Ion: 164 Resp: 140520
Ion Ratio Lower Upper
164 100
162 103.5 80.2 120.2
160 45.7 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 129.228 ng
RT: 16.039 min Scan# 2202
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25




Instrument :
BNA_P
ClientSampleId :
PB137259BL


Tgt Ion:330 Resp: 311624
Ion Ratio Lower Upper
330 100
332 97.0 77.8 116.8
141 28.6 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 83.665 ng
RT: 13.175 min Scan# 1715
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25

Tgt Ion:172 Resp: 895315
Ion Ratio Lower Upper
172 100
171 35.3 27.9 41.9
170 22.7 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.298 min Scan# 2416
Delta R.T. 0.006 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25




Instrument :
BNA_P
ClientSampleId :
PB137259BL


Tgt Ion:188 Resp: 301686
Ion Ratio Lower Upper
188 100
94 7.4 5.6 8.4
80 8.1 6.3 9.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.369 min Scan# 3108
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25

Tgt Ion:240 Resp: 373878
Ion Ratio Lower Upper
240 100
120 9.0 6.5 9.7
236 25.3 20.6 31.0









#79
Terphenyl-d14
Concen: 83.394 ng
RT: 19.845 min Scan# 2849
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25

Instrument :
BNA_P
ClientSampleId :
PB137259BL

Tgt Ion:244 Resp: 1665123
Ion Ratio Lower Upper
244 100
212 7.1 6.0 9.0
122 8.8 7.1 10.7



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.774 min Scan# 3517
Delta R.T. -0.000 min
Lab File: BP006009.D
Acq: 22 Jun 2021 17:25

Tgt Ion:264 Resp: 428662
Ion Ratio Lower Upper
264 100
260 22.5 18.6 28.0
265 22.1 17.6 26.4

